The Library
of the
University of North Carolina

Collection of North Caroliniana
This book was presented
by
The Division
C614.1
N87v
c.3

UNIVERSITY OF N.C. AT CHAPEL HILL
00015568841

This BOOK may be kept out TWO WEEKS ONLY, and is subject to a fine of FIVE CENTS a day thereafter. ~~It was taken out~~ on the day indicated below: Due

ANNUAL REPORT

OF THE

PUBLIC HEALTH STATISTICS SECTION

PART II

LIVE BIRTHS
STILLBIRTHS
DEATHS
POPULATION

1949

NORTH CAROLINA STATE BOARD OF HEALTH

J. W. R. NORTON, M. D.
SECRETARY
AND STATE HEALTH OFFICER

C614.1
N87V
1949
c.3

CONTENTS

Table		Page
1.	Estimated population by color: North Carolina and each county, July 1, 1949	12
2.	Live births and deaths with crude rates per 1,000 population: North Carolina, 1914-1949	13
3.	Live births by color with crude rates per 1,000 estimated population, by person in attendance: North Carolina and each county, 1949	14
4A.	Live births by color with crude rates per 1,000 estimated population, by person in attendance: selected cities (10,000 population and over, 1940 census), 1949	18
4B.	Estimated population by color: selected cities (10,000 population and over, 1940 census), 1949	19
5.	Resident deaths from each cause by age, color, and sex: North Carolina, 1949	20
6A.	Deaths by color with crude rates per 1,000 estimated population: North Carolina and each county, 1949	56
6B.	Deaths by color with crude rates per 1,000 estimated population: selected cities (10,000 population and over, 1940 census), 1949	59
7.	Resident deaths by cause (abbreviated list of 50 causes), by color: North Carolina and each county, 1949	60
8.	Resident deaths by cause (abbreviated list of 50 causes), by color: selected cities (10,000 population and over, 1940 census), 1949	78
9.	Deaths from selected causes: North Carolina, 1916-1949	84
10.	Leading causes of resident deaths by age, color, and sex: North Carolina, 1949	88
11A.	Leading causes of accidental deaths by place of occurrence: North Carolina and each county, and selected cities (10,000 population and over, 1940 census), 1949	92
11B.	Causes of accidental deaths with crude rates per 100,000 estimated population by color and sex: North Carolina, 1949	98
12.	Resident infant deaths by cause and age: North Carolina, 1949	99
13.	Resident infant and maternal deaths with rates per 1,000 live births: North Carolina and each county, 1949 and five-year average, 1945-1949	100
14A.	Resident live births, illegitimates, stillbirths, deaths, infant deaths, and maternal deaths by color (Indians included in "other") with number occurring in hospitals: North Carolina and each county, urban and rural, 1949	104
14B.	Resident live births, illegitimates, stillbirths, deaths, infant deaths, and maternal deaths of Indians with number occurring in hospitals: North Carolina and each county, urban and rural, 1949	117
15.	Resident live births and deaths by color and institution of occurrence: North Carolina and each county, 1949	118
16.	Resident live births by age of mother, by age of father: North Carolina, 1949	122
17.	Resident live births by color and age of mother, showing birth order: North Carolina, 1949	124
18.	Resident cases of plural births classified by number of children born alive and stillborn, and by color and sex: North Carolina, 1949	125
19A.	Resident stillbirths by color and sex with rates per 1,000 live births: North Carolina and each county, 1949	126
19B.	Resident stillbirths by color and sex with rates per 1,000 live births: selected cities (10,000 population and over, 1940 census), 1949	129
20.	Resident stillbirths by age and color of mother, and attendant with percentage distribution: North Carolina, 1949	130

LETTER OF TRANSMITTAL

Raleigh, N. C.
March 9, 1951

The Honorable W. Kerr Scott
Governor of North Carolina
Raleigh, North Carolina

Dear Governor Scott:

I have the honor of transmitting the report for the Public Health Statistics Section of the Epidemiology Division, State Board of Health, covering the calendar year 1949.

Respectfully submitted,

J. W. R. NORTON, M. D.
Secretary and State Health Officer

INTRODUCTION

The thirty-fourth annual report of the Public Health Statistics Section, formerly known as the Bureau of Vital Statistics, presents in Part II tabular information regarding North Carolina's population, births, deaths, and stillbirths. The majority of the tabulations are by place of residence; selected items are given by place of occurrence. Part I of this report is printed separately and contains communicable disease morbidity data.

The first annual report appeared in 1914. Subsequent reports have been published annually since that time with the exception of the years 1918 and 1919.

Certificates of births, deaths, and stillbirths occurring in 1949 that were filed in 1949 and the first three months of 1950 are included in this report. It is estimated that vital events occurring in 1949 but reported after the first three months of 1950 will comprise slightly less than two per cent of the total 1949 events. There are strong indications that registration in the state has been improving in recent years. The certificates are more completely accurate and on the average have been filed more promptly.

Population

The total population estimates by county and city are probably more reliable than they have been since 1942. This is due to the fact that a preliminary population release by county and city as of April 1, 1950 has been received from the U. S. Bureau of the Census. This has enabled us to approximate population shifts more accurately. Unfortunately, no population data by color, sex, or age distribution had been received up to the time of printing; therefore, the color estimates in this report may be significantly too high or too low for some counties and cities.

The interpolation method was used in estimating the total population for the state, counties, and cities. This method assumes a uniform increase between the two census years. Since so little information was available on the color distribution for 1949, the percentage distribution in 1940 by color was applied to the 1949 county and city totals. Undoubtedly, shifts in the color distribution have taken place since 1940 for some of the counties; therefore, this should be kept in mind when comparing county rates by color.

The population of North Carolina as of April 1, 1950 was 4,038,814, according to the preliminary release issued by the U. S. Bureau of the Census. This total represents a population gain of 467,191 people (13.1% increase) over the 1940 total of 3,571,623.

The estimated population of North Carolina as of July 1, 1949 was 4,003,775. This estimate excludes armed forces overseas. The natural increase in population (excess of births over deaths) between April 1, 1940 and July 1, 1949 was 606,187. The fact that the actual increase (432,152), based on the 1949 estimate, was less than the natural increase suggests that this State lost approximately 174,035 people due to migration between these two periods.

All incorporated towns and cities with a population of 2,500 and over, according to the 1940 census, are included in Tables 14A and 14B. Although there are other unincorporated areas with a greater population than this minimum and several towns have attained a population of at least 2,500 since 1940, it was not possible to include such areas in this table.

Natality

In 1949, there were 107,149 live births occurring to mothers who were residents of the state. The crude birth rate was 26.8 births per 1,000 population. There were 71,833 white births and 35,316 nonwhite births. For the fourth consecutive year, over 100,000 births were recorded.

There were 2,694 resident stillbirths reported resulting in a rate of 25.1 stillbirths per 1,000 live births. If stillbirths were considered as a single cause of death, they would rank fourth between cancer and nonmotor vehicle accidents as a leading cause of death. This state defines a stillbirth as a fetus showing no evidence of life after complete birth if the twentieth week of gestation has been reached.

Mortality

There were 30,675 resident deaths recorded in 1949. The crude death rate was 7.7 deaths per 1,000 population. Diseases of the heart, as they have for the last 29 years, were responsible for more deaths than any other cause of death, accounting for approximately one-third of all deaths for the year.

All mortality statistics by cause in this report are classified according to the Sixth Decennial Revision of the International Lists of Diseases and Causes of Death. This is the first year that this revised statistical code has been applied to the causes of death; therefore, some attention must be given to the effects of the revision on certain causes of death before comparison with previous years can be accurately made.

The most important feature of this revised method of cause-of-death assignment is the emphasis that is placed on the underlying cause of death, as determined by the attending physician. The physician was asked to indicate the underlying cause prior to 1949; however, in the absence of adequate instructions on the standard death certificate for the decade 1939-1948, there was some variation in the way that causes of death were reported.

In Table 9, "Deaths from Selected Causes: North Carolina, 1916-1949," it is necessary to take into consideration the effect of the revision of the International List and of the procedure for selecting the cause of death to be tabulated where two or more causes are jointly reported. A comparability ratio is shown which shows the approximate change that has taken place due to coding revisions between 1949 and prior years 1939-1948. This ratio was obtained by classifying deaths according to the Fifth Revision of the International Code as well as by the Sixth Revision and then basing the ratio on the changes derived.

It should be emphasized that data for 1949 on deaths by cause are not strictly comparable with data for previous years, since the Sixth Revision for classifying causes of death was used for the first time in 1949. It is apparent that the change in classification procedure has affected comparability of mortality data for the more important causes of death as follows: under the new system at least 10% fewer deaths are being assigned to diabetes mellitus, nephritis, cirrhosis of the liver, pneumonia, immaturity, and accidents other than motor vehicles; whereas, at least 10% more deaths are being assigned to hypertension, vascular lesions affecting the central nervous system, and general arteriosclerosis. For these causes in particular, trends should be studied with a cognizance of the break in continuity of data in 1949.

Infant and Maternal Mortality

There were 4,057 infant deaths and 128 maternal deaths reported. The resultant infant and maternal deaths per 1,000 live births were 37.9 and 1.2, respectively. The 1948 infant mortality rate (35.3) when compared with 1949 was lower; whereas, the 1948 maternal rate was higher (1.9).

In 1918, there was an all-time high rate of 101.8 infant deaths per 1,000 live births. The previous high year for maternal deaths was also in 1918 when there were 10.8 maternal deaths per 1,000 live births. The infant mortality rate was two and one-half times as high thirty-one years ago as it was in 1949 while the maternal rate was nine times as high at that time.

Rates

All rates shown in this report are crude rates unless otherwise specified. Such rates have not been adjusted for differences in the age, sex, color, rural or urban distribution of the population or for under-registration or late reporting. Such factors, plus the knowledge that population figures are estimated, should be kept in mind when comparing two different areas or time periods.

Changes in This Report

Each year, this office is asked for varying types of vital statistics information which indicates the necessity for preparing additional tabulations. Every effort has been made to include those tabulations with data most frequently requested. In most cases, information given in a previous annual report but not included in this report, may be obtained by request.

Crude rates for cities are included in this report; whereas, they were omitted in the 1946-1948 reports due to lack of reliable city population data. Some tables included have been slightly revised or supplementd by other tabulations. In Table 2, the birth and death totals have been revised in accordance with national reports. The latter tend to be higher due to the more complete correction for out-of-state occurrences of North Carolina residents. Tables, new or revised, appearing in this report are as follows:

Table 3.—Live Births by Color with Crude Rates per 1,000 Estimated Population, by Person in Attendance: North Carolina and Each County, 1949

Table 4A.—Live Births by Color with Crude Rates per 1,000 Estimated Population, by Person in Attendance: Selected Cities (10,000 Population and Over, 1940 Census), 1949

Table 4B.—Estimated Population by Color: Selected Cities (10,000 Population and Over, 1940 Census), 1949

Table 6B.—Deaths by Color with Crude Rates per 1,000 Estimated Population: Selected Cities (10,000 Population and Over, 1940 Census), 1949

Table 10.—Leading Causes of Resident Deaths by Age, Color, and Sex: North Carolina, 1949

Table 11B.—Causes of Accidental Deaths with Crude Rates per 100,000 Estimated Population by Color and Sex: North Carolina, 1949

Table 14A.—Resident Live Births, Illegitimates, Stillbirths, Deaths, Infant Deaths, and Maternal Deaths by Color (Indians Included in "Other") with Number Occurring in Hospitals: North Carolina, Each County, Urban and Rural, 1949

Table 14B.—Resident Live Births, Illegitimates, Stillbirths, Deaths, Infant Deaths, and Maternal Deaths of Indians with Number Occurring in Hospitals: North Carolina, Each County, Urban and Rural, 1949

Table 19B.—Resident Stillbirths by Color and Sex with Rates per 1,000 Live Births: Selected Cities (10,000 Population and Over, 1940 Census), 1949

TABLE 1.—ESTIMATED POPULATION BY COLOR: NORTH CAROLINA AND EACH COUNTY, JULY 1, 1949*

County	Total	White	Other	County	Total	White	Other
NORTH CAROLINA	4,003,775	2,880,321	1,123,454				
Alamance	70,014	57,061	12,953	Johnston	65,605	51,762	13,843
Alexander	14,418	13,380	1,038	Jones	11,006	6,185	4,821
Alleghany	8,119	7,810	309	Lee	23,103	16,496	6,607
Anson	26,906	13,722	13,184	Lenoir	45,560	25,878	19,682
Ashe	21,926	21,444	482	Lincoln	26,933	23,270	3,663
Avery	13,355	13,075	280	McDowell	25,535	23,518	2,017
Beaufort	36,986	23,005	13,981	Macon	16,130	15,662	468
Bertie	26,430	11,418	15,012	Madison	20,733	20,505	228
Bladen	29,494	17,372	12,122	Martin	27,832	14,306	13,526
Brunswick	19,069	12,586	6,483	Mecklenburg	192,835	137,877	54,958
Buncombe	121,522	103,537	17,985	Mitchell	15,202	15,172	30
Burke	44,928	41,244	3,624	Montgomery	17,207	13,249	3,958
Cabarrus	63,664	53,159	10,505	Moore	32,786	22,885	9,901
Caldwell	42,764	39,557	3,207	Nash	59,578	34,555	25,023
Camden	5,226	3,057	2,169	New Hanover	62,186	40,048	22,138
Carteret	22,601	19,256	3,345	Northampton	28,429	10,803	17,626
Caswell	20,828	11,372	9,456	Onslow	40,063	29,206	10,857
Catawba	60,825	54,743	6,082	Orange	33,564	23,159	10,405
Chatham	25,347	17,261	8,086	Pamlico	9,960	6,484	3,476
Cherokee	18,335	18,133	202	Pasquotank	23,875	13,728	10,147
Chowan	12,440	6,606	5,834	Pender	18,340	9,830	8,510
Clay	6,041	5,975	66	Perquimans	9,614	4,951	4,663
Cleveland	63,846	49,736	14,110	Person	24,203	15,151	9,052
Columbus	50,216	34,097	16,119	Pitt	63,562	33,370	30,192
Craven	47,377	26,105	21,272	Polk	11,633	10,016	1,617
Cumberland	81,124	53,217	27,907	Randolph	50,285	45,407	4,878
Currituck	6,198	4,023	2,175	Richmond	39,217	26,119	13,098
Dare	5,415	4,998	417	Robeson	86,918	39,200	47,718
Davidson	61,561	54,789	6,772	Rockingham	64,435	51,033	13,402
Davie	15,394	13,146	2,248	Rowan	74,786	60,801	13,985
Duplin	41,015	26,373	14,642	Rutherford	46,206	39,968	6,238
Durham	99,111	63,827	35,284	Sampson	49,586	31,834	17,752
Edgecombe	51,409	23,545	27,864	Scotland	26,089	12,131	13,958
Forsyth	143,681	96,985	46,696	Stanly	36,762	32,387	4,375
Franklin	31,262	17,819	13,443	Stokes	21,619	19,435	2,184
Gaston	108,968	93,277	15,691	Surry	45,380	42,612	2,768
Gates	9,566	4,821	4,745	Swain	10,136	8,859	1,277
Graham	6,839	6,648	191	Transylvania	15,090	14,034	1,056
Granville	31,688	15,527	16,161	Tyrrell	5,089	3,252	1,837
Greene	18,079	10,215	7,864	Union	41,772	31,956	9,816
Guilford	187,434	148,260	39,174	Vance	31,880	17,024	14,856
Halifax	58,328	25,198	33,130	Wake	133,962	88,951	45,011
Harnett	47,379	34,255	13,124	Warren	23,525	8,163	15,362
Haywood	37,457	36,483	974	Washington	13,106	7,300	5,806
Henderson	30,483	28,014	2,469	Watauga	18,282	17,916	366
Hertford	21,280	8,682	12,598	Wayne	63,736	36,075	27,661
Hoke	15,559	5,990	9,569	Wilkes	45,037	42,065	2,972
Hyde	6,570	3,850	2,720	Wilson	53,566	31,068	22,498
Iredell	55,719	45,132	10,587	Yadkin	22,021	20,810	1,211
Jackson	19,249	17,863	1,386	Yancey	16,371	16,207	164

* Total population by county estimated by applying 92.5% of the increase or decrease from 1940 to 1950 to the 1950 census population. Color estimated by applying 1940 percentage distribution.

TABLE 2.—LIVE BIRTHS AND DEATHS WITH CRUDE RATES PER 1,000 POPULATION: NORTH CAROLINA, 1914-1949*

Year	Population	Births		Deaths	
		Number	Rate	Number	Rate
1914	2,421,191	71,931**	29.7	29,044	12.0
1915	2,472,635	79,409**	32.1	31,324	12.7
1916	2,513,146	76,658	30.5	31,389	12.5
1917	2,546,323	76,290	30.0	33,969	13.3
1918	2,521,891	75,525	29.9	42,274	16.8
1919	2,534,828	73,854	29.1	30,947	12.2
1920	2,587,536	81,407	31.5	32,654	12.6
1921	2,650,711	88,466	33.4	29,454	11.1
1922	2,699,923	81,871	30.3	30,821	11.4
1923	2,761,364	84,158	30.5	32,142	11.6
1924	2,830,151	87,540	30.9	33,238	11.7
1925	2,894,514	83,716	28.9	32,548	11.2
1926	2,959,392	82,202	27.8	34,562	11.7
1927	3,027,006	83,330	27.5	32,917	10.9
1928	3,082,380	80,893	26.2	36,160	11.7
1929	3,133,082	77,161	24.6	36,919	11.8
1930	3,171,108	76,772	24.2	35,782	11.3
1931	3,206,641	74,799	23.3	33,116	10.3
1932	3,264,916	77,902	23.9	31,051	9.5
1933	3,318,377	75,422	22.7	30,547	9.2
1934	3,359,276	79,704	23.7	35,180	10.5
1935	3,380,227	78,753	23.3	33,485	9.9
1936	3,400,525	76,182	22.4	35,630	10.5
1937	3,432,099	79,080	23.0	33,981	9.9
1938	3,475,530	79,934	23.0	33,599	9.7
1939	3,531,938	79,133***	22.4	31,652 **	9.0
1940	3,571,623	80,455	22.5	31,904	8.9
1941	3,670,017	84,595	23.1	31,752	8.7
1942	3,665,373	89,854	24.5	29,414	8.0
1943	3,683,037	94,568	25.7	29,971	8.1
1944	3,594,865	90,629	25.2	29,390	8.2
1945	3,514,297	87,401	24.9	28,897	8.2
1946	3,640,645	100,679	27.7	28,724	7.9
1947	3,718,000	112,877	30.4	30,187	8.1
1948	3,798,000	109,430	28.8	30,161	7.9
1949	4,003,775	107,149	26.8	30,675	7.7

* All population estimates by U. S. Census Bureau. Census years 1920, 1930, 1940 not estimated. Number births and deaths revised in accordance with national reports published 1917-1948 for births and 1916-1948 for deaths.

** Stillbirths included in births 1914, 1915.

*** Births and deaths by place of residence, 1939-1949; previous years by occurrence.

TABLE 3.—LIVE BIRTHS BY COLOR WITH CRUDE RATES PER 1,000 ESTIMATED POPULATION, BY PERSON IN ATTENDANCE: NORTH CAROLINA AND EACH COUNTY, 1949

Area	Place of Birth			Place of Residence															
				Total		White		Other		Attended by:									
										Physician				Midwife		Other or Not Stated	
										In Hospital		Not in Hospital					
	Total	White	Other	No.	Rate	No.	Rate	No.	Rate	White	Other	White	Other	White	Other	White	Other
NORTH CAROLINA	107,516	72,227	35,289	107,149	26.8	71,833	24.9	35,316	31.4	60,742	12,267	9,388	10,685	1,620	12,340	83	24
Alamance	1,786	1,301	485	1,788	25.5	1,375	24.1	413	31.9	1,286	123	88	284	--------	6	1	--------
Alexander	115	88	27	386	26.8	346	25.9	40	38.5	257	13	85	27	4	--------	--------	--------
Alleghany	82	78	4	147	18.1	143	18.3	4	12.9	66	--------	73	4	4	--------	--------	--------
Anson	867	357	510	818	30.4	318	23.2	500	37.9	245	66	61	109	12	325	--------	--------
Ashe	627	624	3	579	26.4	576	26.9	3	6.2	445	2	88	1	42	--------	1	--------
Avery	435	429	6	401	30.0	397	30.4	4	14.3	334	4	15	--------	48	--------	--------	--------
Beaufort	1,358	834	524	1,052	28.4	587	25.5	465	33.3	520	167	53	59	14	239	--------	--------
Bertie	671	166	505	772	29.2	232	20.3	540	36.0	207	172	23	109	2	259	--------	--------
Bladen	660	248	412	907	30.8	458	26.4	449	37.0	209	35	231	194	17	219	1	1
Brunswick	377	202	175	522	27.4	316	25.1	206	31.8	265	48	7	7	44	151	--------	--------
Buncombe	3,062	2,661	401	2,842	23.4	2,436	23.5	406	22.6	2,261	210	148	54	27	141	--------	1
Burke	1,006	903	103	1,078	24.0	977	23.7	101	27.4	866	93	28	2	83	6	--------	--------
Cabarrus	1,648	1,344	304	1,522	23.9	1,224	23.0	298	28.4	1,198	255	22	27	4	16	--------	--------
Caldwell	1,166	1,070	96	1,233	28.8	1,140	28.8	93	29.0	881	67	245	21	14	5	--------	--------
Camden	84	18	66	143	27.4	73	23.9	70	32.3	55	3	16	8	2	59	--------	--------
Carteret	589	480	109	586	25.9	476	24.7	110	32.9	445	25	22	22	9	63	--------	--------
Caswell	370	65	305	601	28.9	212	18.6	389	41.1	147	82	60	143	5	164	--------	--------
Catawba	1,812	1,623	189	1,672	27.5	1,495	27.3	177	29.1	1,424	118	34	13	35	46	2	--------
Chatham	611	336	275	660	26.0	373	21.6	287	35.5	316	84	56	146	1	57	--------	--------
Cherokee	561	548	13	482	26.3	465	25.6	17	84.2	310	12	32	--------	117	5	6	--------

Chowan	407	174	233	389	31.3	161	24.4	228	39.1	113	32	46	129	1	67	1	-------
Clay	98	98	-------	146	24.2	146	24.4	-------	-------	47	-------	66	-------	31	-------	2	-------
Cleveland	2,034	1,472	562	1,825	28.6	1,277	25.7	548	38.8	1,048	203	204	154	24	191	1	-------
Columbus	1,431	820	611	1,588	31.6	961	28.2	627	38.9	713	189	142	83	106	354	-------	1
Craven	1,353	860	493	1,448	30.6	947	36.3	501	23.6	911	138	23	29	12	334	1	-------
Cumberland	3,412	2,437	975	3,317	40.9	2,358	44.3	959	34.4	2,270	339	56	111	32	508	-------	1
Currituck	92	41	51	113	18.2	59	14.7	54	24.8	52	5	4	17	3	32	-------	-------
Dare	71	64	7	109	20.1	99	19.8	10	24.0	62	1	32	9	5	-------	-------	-------
Davidson	1,300	1,136	164	1,457	23.7	1,284	23.4	173	25.5	1,242	103	41	55	-------	15	1	-------
Davie	136	90	46	346	22.5	287	21.8	59	26.2	196	12	90	41	-------	6	1	-------
Duplin	714	267	447	1,188	29.0	647	24.5	541	36.9	381	94	261	344	5	103	-------	-------
Durham	3,286	2,160	1,126	2,377	24.0	1,478	23.2	899	25.5	1,462	812	14	19	1	68	1	-------
Edgecombe	1,544	553	991	1,551	30.2	561	23.8	990	35.5	470	113	79	422	12	455	-------	-------
Forsyth	4,072	2,929	1,143	3,582	24.9	2,459	25.4	1,123	24.0	2,382	942	74	175	3	4	-------	2
Franklin	547	144	403	723	23.1	293	16.4	430	32.0	235	92	53	122	5	216	-------	-------
Gaston	2,178	1,819	359	2,893	26.5	2,514	27.0	379	24.2	2,217	197	294	81	3	101	-------	-------
Gates	180	33	147	228	23.8	77	16.0	151	31.8	68	40	9	26	-------	84	-------	1
Graham	172	172	-------	204	29.8	202	30.4	2	10.5	160	2	31	-------	11	-------	-------	-------
Granville	830	339	491	828	26.1	346	22.3	482	29.8	278	166	65	271	3	45	-------	-------
Greene	464	149	315	577	31.9	250	24.5	327	41.6	100	9	148	280	2	37	-------	1
Guilford	4,664	3,693	971	4,316	23.0	3,361	22.7	955	24.4	3,262	704	90	176	8	74	1	1
Halifax	2,132	744	1,388	1,965	33.7	633	25.1	1,332	40.2	530	138	92	199	11	995	-------	-------
Harnett	1,554	1,104	450	1,264	26.7	827	24.1	437	33.3	738	167	83	111	6	158	-------	1
Haywood	1,005	984	21	1,026	27.4	1,004	27.5	22	22.6	973	19	27	3	4	-------	-------	-------
Henderson	819	748	71	745	24.4	690	24.6	55	22.3	637	43	50	11	3	1	-------	-------
Hertford	603	223	380	523	24.6	174	20.0	349	27.7	126	65	47	206	1	78	-------	-------
Hoke	349	67	282	438	28.2	125	20.9	313	32.7	58	32	66	109	1	172	-------	-------
Hyde	100	11	89	163	24.8	66	17.1	97	35.7	53	7	9	10	3	80	1	-------
Iredell	2,051	1,663	388	1,440	25.8	1,109	24.6	331	31.3	1,007	210	97	60	4	61	1	-------
Jackson	378	365	13	419	21.8	366	20.5	53	38.2	195	41	138	5	26	4	7	3

TABLE 3—*Continued*

Area	Place of Birth			Place of Residence													
				Total		White		Other		Attended by:							
										Physician				Midwife		Other or Not Stated	
										In Hospital		Not in Hospital					
	Total	White	Other	No.	Rate	No.	Rate	No.	Rate	White	Other	White	Other	White	Other	White	Other
Johnston	1,338	875	463	1,799	27.4	1,301	25.1	498	36.0	879	59	398	260	24	179	-------	-------
Jones	173	23	150	359	32.6	173	28.0	186	38.6	148	37	22	24	3	125	-------	-------
Lee	892	611	281	704	30.5	462	28.0	242	36.6	443	176	17	13	2	53	-------	-------
Lenoir	1,796	1,074	722	1,269	27.9	600	23.2	669	34.0	543	100	44	195	13	374	-------	-------
Lincoln	752	630	122	718	26.7	589	25.3	129	35.2	530	31	53	41	6	57	-------	-------
McDowell	747	716	31	628	24.6	594	25.3	34	16.9	491	24	100	9	3	1	-------	-------
Macon	323	315	8	383	23.7	376	24.0	7	15.0	180	2	95	3	74	2	27	-------
Madison	288	283	5	452	21.8	447	21.8	5	21.9	212	-------	166	5	68	-------	1	-------
Martin	675	242	433	786	28.2	323	22.6	463	34.2	139	32	178	238	6	192	-------	1
Mecklenburg	5,852	4,343	1,509	5,225	27.1	3,683	26.7	1,542	28.1	3,647	1,293	34	84	1	163	2	2
Mitchell	483	482	1	395	26.0	394	26.0	1	33.3	230	-------	109	1	54	-------	1	-------
Montgomery	393	263	130	440	25.6	298	22.5	142	35.9	237	31	56	61	5	50	-------	-------
Moore	866	572	294	850	25.9	582	25.4	268	27.1	529	193	42	37	10	38	1	-------
Nash	1,896	954	942	1,751	29.4	854	24.7	897	35.8	715	92	125	527	13	278	1	-------
New Hanover	1,985	1,284	701	1,572	25.3	996	24.9	576	26.0	993	514	2	17	-------	45	1	-------
Northampton	649	47	602	844	29.7	181	16.8	663	37.6	131	64	46	256	3	343	1	-------
Onslow	1,291	1,076	215	782	19.5	593	20.3	189	17.4	532	98	49	20	10	71	2	-------
Orange	194	56	138	819	24.4	514	22.2	305	29.3	467	173	45	73	2	58	-------	1
Pamlico	226	104	122	267	26.8	141	21.7	126	36.2	37	4	102	50	1	72	1	-------
Pasquotank	822	518	304	698	29.2	408	29.7	290	28.6	380	20	24	45	4	224	-------	1

Pender	371	124	247	528	28.8	233	23.7	295	34.7	110	47	105	32	17	216	1	-------
Perquimans	163	37	126	229	23.8	97	19.6	132	28.3	58	7	32	20	7	104	-------	1
Person	712	408	304	764	31.6	419	27.7	345	38.1	338	38	79	236	2	71	-------	-------
Pitt	1,699	711	988	1,841	29.0	827	24.8	1,014	33.6	591	213	233	454	-------	346	3	1
Polk	217	176	41	226	19.4	186	18.6	40	24.7	142	22	43	14	1	4	-------	-------
Randolph	1,052	905	147	1,222	24.3	1,068	23.5	154	31.6	1,017	100	42	40	8	14	1	-------
Richmond	1,075	718	357	1,143	29.1	766	29.3	377	28.8	633	57	123	134	9	185	1	1
Robeson	2,719	1,055	1,664	2,855	32.8	1,009	25.7	1,846	38.7	701	434	293	943	15	469	-------	-------
Rockingham	1,668	1,214	454	1,586	24.6	1,172	23.0	414	30.9	955	156	209	217	8	41	-------	-------
Rowan	1,440	1,102	338	1,605	21.5	1,266	20.8	339	24.2	1,155	212	106	67	5	59	-------	1
Rutherford	1,100	918	182	1,196	25.9	1,006	25.2	190	30.5	571	36	421	106	13	48	1	-------
Sampson	1,208	577	631	1,376	27.7	725	22.8	651	36.7	419	30	273	333	32	287	1	1
Scotland	952	372	580	843	32.3	392	32.3	451	32.3	300	68	74	76	18	306	-------	1
Stanly	908	779	129	917	24.9	790	24.4	127	29.0	731	72	59	50	-------	5	-------	-------
Stokes	293	245	48	468	21.6	414	21.3	54	24.7	227	32	187	13	-------	9	-------	-------
Surry	1,718	1,610	108	1,280	28.2	1,189	27.9	91	32.9	851	36	315	34	21	21	2	-------
Swain	296	182	114	287	28.3	219	24.7	68	53.2	41	62	122	3	54	3	2	-------
Transylvania	381	358	23	404	26.8	378	26.9	26	24.6	257	7	115	15	6	4	-------	-------
Tyrrell	197	124	73	136	26.7	66	20.3	70	38.1	63	28	2	1	1	41	-------	-------
Union	1,183	862	321	1,084	26.0	771	24.1	313	31.9	702	46	64	171	5	96	-------	-------
Vance	961	465	496	854	26.8	377	22.1	477	32.1	368	147	6	57	3	273	-------	-------
Wake	3,480	2,285	1,195	3,340	24.9	2,160	24.3	1,180	26.2	1,928	541	221	361	9	278	2	-------
Warren	679	140	539	747	31.8	175	21.4	572	37.2	156	34	12	54	7	484	-------	-------
Washington	284	120	164	360	27.5	186	25.5	174	30.0	125	12	59	15	2	147	-------	-------
Watauga	489	484	5	488	26.7	483	27.0	5	13.7	445	5	11	-------	25	-------	2	-------
Wayne	1,772	948	824	1,571	24.6	805	22.3	766	27.7	589	184	207	374	9	208	-------	-------
Wilkes	935	879	56	1,145	25.4	1,076	25.6	69	23.2	771	13	205	33	100	23	-------	-------
Wilson	1,794	969	825	1,567	29.3	752	24.2	815	36.2	635	172	114	374	3	269	-------	-------
Yadkin	62	57	5	521	23.7	497	23.9	24	19.8	439	16	57	8	1	-------	-------	-------
Yancey	204	201	3	446	27.2	440	27.1	6	36.6	238	3	75	3	127	-------	-------	-------

TABLE 4A.—LIVE BIRTHS BY COLOR WITH CRUDE RATES PER 1,000 ESTIMATED POPULATION, BY PERSON IN ATTENDANCE: SELECTED CITIES (10,000 POPULATION AND OVER, 1940 CENSUS), 1949

Area	Place of Birth			Place of Residence															
				Total		White		Other		Attended by:									
										Physician				Midwife		Other or Not Stated	
										In Hospital		Not in Hospital					
	Total	White	Other	No.	Rate	No.	Rate	No.	Rate	White	Other	White	Other	White	Other	White	Other
TOTAL	44,195	33,839	10,356	25,249	28.3	17,399	29.0	7,850	26.8	17,207	5,281	160	1,062	25	1,500	7	7
Asheville	2,858	2,487	371	1,422	27.3	1,074	27.9	348	25.5	1,064	182	6	34	4	131	-------	1
Burlington	1,023	936	87	604	25.6	517	23.3	87	62.5	500	8	17	79	-------	-------	-------	-------
Charlotte	5,686	4,310	1,376	3,596	27.5	2,475	27.5	1,121	27.6	2,470	998	3	41	-------	80	2	2
Concord	1,593	1,319	274	445	26.8	346	26.0	99	29.6	344	87	2	9	-------	3	-------	-------
Durham	3,236	2,149	1,087	1,944	28.0	1,183	27.8	761	28.2	1,179	711	3	6	-------	44	1	-------
Elizabeth City	658	497	161	444	35.2	299	38.7	145	29.8	292	19	5	7	2	119	-------	-------
Fayetteville	1,396	903	493	1,369	41.1	913	45.7	456	34.2	891	182	13	51	9	222	-------	1
Gastonia	1,742	1,548	194	1,020	44.6	893	49.1	127	27.1	873	110	19	5	1	12	-------	-------
Goldsboro	820	503	317	564	26.7	279	24.4	285	29.6	263	74	16	123	-------	88	-------	-------
Greensboro	2,946	2,318	628	1,968	27.1	1,461	27.8	507	25.3	1,451	491	9	5	-------	10	1	1
Greenville	720	457	263	363	22.1	224	26.7	139	17.4	219	60	5	10	-------	69	-------	-------
Hickory	1,144	1,066	78	583	39.9	514	41.7	69	30.3	510	59	2	1	2	9	-------	-------
High Point	1,512	1,291	221	1,016	25.5	817	25.8	199	24.4	814	87	3	86	-------	26	-------	-------
Kinston	1,390	1,027	363	511	28.3	263	25.8	248	31.6	254	40	9	40	-------	168	-------	-------
Lexington	738	652	86	401	30.1	336	30.0	65	30.5	334	42	2	23	-------	-------	-------	-------
New Bern	734	460	274	492	31.8	291	37.1	201	26.3	288	50	1	1	2	150	-------	-------
Raleigh	2,619	1,983	636	1,577	24.7	1,137	26.9	440	20.5	1,133	347	2	14	-------	79	2	-------
Reidsville	760	551	209	320	27.5	201	26.9	119	28.4	196	51	3	68	2	-------	-------	-------
Rocky Mount	1,434	1,048	386	707	25.7	427	26.8	280	24.2	427	69	-------	181	-------	30	-------	-------
Salisbury	1,246	993	253	436	21.9	314	21.0	122	24.7	312	79	2	29	-------	14	-------	-------

Shelby	1,201	961	240	380	24.7	272	22.8	108	31.3	269	67	3	4	--------	37	--------	--------
Statesville	1,197	1,057	140	410	25.1	345	24.7	65	27.4	324	39	21	9	--------	17	--------	--------
Thomasville	375	331	44	236	21.2	192	20.9	44	22.6	191	28	1	7	--------	9	--------	--------
Wilmington	1,980	1,282	698	1,279	29.0	804	30.6	475	26.6	803	417	--------	15	--------	43	1	--------
Wilson	1,252	862	390	614	27.1	308	26.3	306	27.9	298	97	10	70	--------	139	--------	--------
Winston-Salem	3,935	2,848	1,087	2,548	29.5	1,514	32.0	1,034	26.5	1,508	887	3	144	3	1	--------	2

Table 4B.—Estimated Population by Color: Selected Cities (10,000 Population and Over, 1940 Census), 1949

Cities	Total	White	Other	Cities	Total	White	Other
TOTAL	891,705	599,196	292,509				
Asheville	52,141	38,480	13,661	Kinston	18,061	10,204	7,857
Burlington	23,573	22,182	1,391	Lexington	13,336	11,202	2,134
Charlotte	130,795	90,118	40,677	New Bern	15,486	7,836	7,650
Concord	16,634	13,291	3,343	Raleigh	63,756	42,270	21,486
Durham	69,549	42,564	26,985	Reidsville	11,657	7,472	4,185
Elizabeth City	12,598	7,735	4,863	Rocky Mount	27,488	15,916	11,572
Fayetteville	33,317	19,990	13,327	Salisbury	19,927	14,985	4,942
Gastonia	22,876	18,186	4,690	Shelby	15,398	11,949	3,449
Goldsboro	21,090	11,452	9,638	Statesville	16,364	13,991	2,373
Greensboro	72,624	52,580	20,044	Thomasville	11,120	9,174	1,946
Greenville	16,410	8,402	8,008	Wilmington	44,107	26,244	17,863
Hickory	14,601	12,323	2,278	Wilson	22,684	11,705	10,979
High Point	39,822	31,658	8,164	Winston-Salem	86,291	47,287	39,004

TABLE 5.—RESIDENT DEATHS (EXCLUDING STILLBIRTHS) FROM

Item No.	Cause of Death, Color, and Sex			Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
	NORTH CAROLINA			30,675	4,057	635	274
		White	Total	19,960	2,145	356	160
			Male	11,635	1,229	185	96
			Female	8,325	916	171	64
		Other	Total	10,715	1,912	279	114
			Male	5,838	1,093	153	68
			Female	4,877	819	126	46
I.	INFECTIVE AND PARASITIC DISEASES						
		White	Total	624	45	61	17
			Male	399	25	29	11
			Female	225	20	32	6
		Other	Total	868	81	52	22
			Male	516	42	30	13
			Female	352	39	22	9
1.	Tuberculosis of respiratory system						
		White	Male	235	------	------	------
			Female	109	------	------	------
		Other	Male	301	3	1	1
			Female	229	3	1	2
2.	Tuberculosis of meninges and central nervous system						
		White	Male	4	------	3	------
			Female	4	------	2	------
		Other	Male	8	1	2	1
			Female	8	1	5	------
3.	Tuberculosis of intestines, peritoneum, and mesenteric glands						
		White	Female	2	------	------	------
		Other	Male	2	------	------	------
			Female	2	------	------	------
4.	Tuberculosis of bones and joints						
		White	Male	4	------	------	------
			Female	2	------	------	------
		Other	Male	2	------	------	------
			Female	2	------	------	------
5.	Tuberculosis, all other forms						
		White	Male	13	1	2	------
			Female	4	------	3	------
		Other	Male	13	------	1	1
			Female	12	------	1	1
6.	Congenital syphilis						
		White	Male	2	2	------	------
			Female	1	1	------	------
		Other	Male	12	11	------	------
			Female	11	11	------	------

EACH CAUSE BY AGE, COLOR, AND SEX: NORTH CAROLINA, 1949

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
226	394	638	695	775	1,043	1,261	1,546	1,846	5,001	6,268	4,356	1,621	39	
134	212	338	322	385	551	686	857	1,065	3,227	4,573	3,624	1,307	18	
81	139	238	224	254	355	464	582	718	2,074	2,623	1,790	571	12	
53	73	100	98	131	196	222	275	347	1,153	1,950	1,834	736	6	
92	182	300	373	390	492	575	689	781	1,774	1,695	732	314	21	
58	105	163	219	212	265	294	371	427	987	870	411	132	10	
34	77	137	154	178	227	281	318	354	787	825	321	182	11	
														I.
14	9	21	30	36	37	48	52	45	83	82	38	6	------	
8	4	9	13	25	20	37	39	33	59	63	21	3	------	
6	5	12	17	11	17	11	13	12	24	19	17	3	------	
9	50	72	93	70	70	67	74	59	97	40	8	2	2	
6	23	29	40	36	44	43	53	43	72	34	6	1	1	
3	27	43	53	34	26	24	21	16	25	6	2	1	1	
														1.
1	1	8	11	20	16	32	25	24	41	42	12	2	------	
------	3	9	14	10	11	7	7	7	14	14	12	1	------	
2	20	27	34	28	30	32	31	22	39	23	6	1	1	
2	23	34	46	27	22	17	13	11	20	5	1	1	1	
														2.
------	------	------	------	------	------	------	------	------	------	------	1	------	------	
------	------	2	------	------	------	------	------	------	------	------	------	------	------	
1	------	------	------	------	------	2	------	------	1	------	------	------	------	
------	2	------	------	------	------	------	------	------	------	------	------	------	------	
														3.
------	------	------	------	------	------	1	------	------	------	------	1	------	------	
------	------	------	------	1	------	1	------	------	------	------	------	------	------	
------	------	------	1	------	------	------	1	------	------	------	------	------	------	
														4.
1	------	------	1	------	------	------	------	------	2	------	------	------	------	
------	------	------	1	------	------	------	------	------	1	------	------	------	------	
------	------	------	1	------	------	------	------	------	1	------	------	------	------	
------	------	------	1	------	------	1	------	------	------	------	------	------	------	
														5.
------	1	------	------	------	2	------	2	2	2	------	1	------	------	
------	------	1	------	------	------	------	------	------	------	------	------	------	------	
------	------	1	1	------	------	------	1	4	2	2	------	------	------	
------	------	3	2	1	1	1	------	------	2	------	------	------	------	
														6.
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	1	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	

TABLE 5—

Item No.	Cause of Death, Color, and Sex			Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
7.	Tabes dorsalis						
		White	Male	2	------	------	------
		Other	Male	1	------	------	------
			Female	1	------	------	------
8.	General paralysis of the insane						
		White	Male	10	------	------	------
			Female	5	------	------	------
		Other	Male	29	------	------	------
			Female	2	------	------	------
9.	All other syphilis						
		White	Male	25	------	------	------
			Female	7	1	------	------
		Other	Male	58	------	------	------
			Female	17	1	------	------
10.	Gonococcal infection						
		White	Female	1	------	------	------
11.	Typhoid fever						
		White	Male	2	------	------	------
		Other	Female	2	------	------	1
12.	Paratyphoid fever						
		White	Female	1	------	------	------
13.	Brucellosis (undulant fever)						
		White	Male	1	------	------	------
14.	Dysentery, bacillary						
		White	Male	2	1	------	1
			Female	1	------	------	------
		Other	Male	6	3	2	------
			Female	6	3	2	------
15.	Dysentery, amoebic						
		White	Male	4	------	------	------
			Female	1	------	------	------
		Other	Male	1	------	------	------
16.	Other forms of dysentery						
		White	Male	2	------	1	------
			Female	2	------	1	------
		Other	Male	6	4	1	------
			Female	3	3	------	------
17.	Streptococcal sore throat						
		White	Male	2	------	------	------
			Female	5	2	1	------
		Other	Male	2	------	------	1
			Female	3	1	------	1
18.	Erysipelas						
		White	Female	2	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														7.
									1	1				
								1						
		1												
														8.
				1		1	4	2		2				
				1			1	2		1				
			1	3	5	1	10	4	5					
							1	1						
														9.
						1	3	2	8	9	1	1		
					1	1	1			2		1		
		1		1	8	5	10	11	16	6				
		1		3	1	3	3	2	2	1				
														10.
							1							
														11.
						1	1							
								1						
														12.
									1					
														13.
											1			
														14.
											1			
									1					
						1								
														15.
					1		1		1	1				
						1								
									1					
														16.
											1			
											1			
									1					
														17.
1				1										
									1		1			
	1													
		1												
														18.
									1	1				

TABLE 5—

Item No.	Cause of Death, Color, and Sex			Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
19.	Septicemia and pyemia						
		White	Male	6	2	------	------
			Female	3	1	2	------
		Other	Male	3	1	1	------
			Female	3	1	------	------
20.	Diphtheria						
		White	Male	7	------	7	------
			Female	8	1	6	1
		Other	Male	4	------	4	------
			Female	7	------	3	3
21.	Whooping cough						
		White	Male	9	5	3	------
			Female	4	3	1	------
		Other	Male	11	8	3	------
			Female	10	8	2	------
22.	Meningococcal meningitis						
		White	Male	7	------	2	1
			Female	4	1	1	------
		Other	Male	9	3	1	1
			Female	2	------	1	------
23.	Other meningococcal infections						
		White	Male	5	2	1	------
			Female	3	------	2	1
		Other	Male	1	------	1	------
			Female	1	------	------	------
24.	Tetanus						
		White	Male	7	------	------	2
			Female	4	1	------	------
		Other	Male	5	------	------	3
			Female	5	------	------	------
25.	Acute poliomyelitis						
		White	Male	3	1	------	1
			Female	4	1	------	2
		Other	Male	2	------	------	------
			Female	1	------	------	------
26.	Late effects of acute poliomyelitis						
		White	Male	4	------	1	------
			Female	1	------	------	------
27.	Acute infectious encephalitis						
		White	Male	3	------	1	------
			Female	4	1	1	1
		Other	Male	2	------	------	------
			Female	1	------	------	------
28.	Late effects of acute infectious encephalitis						
		White	Male	1	------	------	------
			Female	2	------	------	------
		Other	Male	1	------	------	------
29.	Measles						
		White	Male	26	10	6	5
			Female	26	6	10	1
		Other	Male	24	7	12	4
			Female	11	3	6	1

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														19.
										2	2			
				1										
							2							
														20.
1														
														21.
1														
														22.
1						1	1				1			
1									1					
1	1					1			1					
					1									
														23.
						1				1				
	1													
														24.
1								2	1	1				
						1			1	1				
						1			1					
		1	1	1	1				1					
														25.
		1												
							1							
1									1					
		1												
														26.
1	1		1											
	1													
														27.
				1			1							
1														
1								1						
		1												
														28.
					1									
								1	1					
			1											
														29.
	1			1				1		2				
4					2				1		1	1		
				1										
	1													

TABLE 5—

Item No.	Cause of Death, Color, and Sex	Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
30.	Chickenpox				
	White Female	1	1	------	------
	Other Female	1	1	------	------
31.	Mumps				
	Other Male	1	------	1	------
32.	Infectious hepatitis				
	White Female	7	------	------	------
33.	Rocky Mountain spotted fever				
	White Male	4	------	1	1
	Female	1	------	------	------
	Other Male	2	------	------	1
34.	Other rickettsial diseases				
	White Male	1	------	------	------
35.	Malaria				
	Other Male	1	------	------	------
	Female	1	------	------	------
36.	Other diseases due to helminths				
	White Male	1	------	1	------
	Female	1	------	1	------
	Other Female	2	1	1	------
37.	Mycosis				
	Other Male	2	------	------	------
	Female	1	1	------	------
38.	All other diseases classified as infective and parasitic				
	White Male	7	1	------	------
	Female	5	------	1	------
	Other Male	7	1	------	------
	Female	8	1	------	------
II.	NEOPLASMS				
	White Total	2,544	6	30	25
	Male	1,164	2	14	17
	Female	1,380	4	16	8
	Other Total	785	3	5	5
	Male	312	2	3	5
	Female	473	1	2	------
39.	Malignant neoplasm of buccal cavity and pharynx				
	White Male	38	------	------	------
	Female	20	------	------	------
	Other Male	12	------	------	------
	Female	7	------	------	------
40.	Malignant neoplasm of esophagus				
	White Male	16	------	------	------
	Female	16	------	------	------
	Other Male	9	------	------	------
	Female	5	------	------	------
41.	Malignant neoplasm of stomach				
	White Male	158	------	------	------
	Female	103	------	------	------
	Other Male	80	------	------	------
	Female	44	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														30.
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
														31.
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
														32.
------	1	------	------	------	1	------	2	2	1	------	------	------	------	
														33.
------	------	------	------	------	------	------	------	------	1	1	------	------	------	
------	------	------	1	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	1	------	------	------	------	------	------	
														34.
1	------	------	------	------	------	------	------	------	------	------	------	------	------	
														35.
------	------	------	------	------	------	------	------	------	1	------	------	------	------	
------	------	------	1	------	------	------	------	------	------	------	------	------	------	
														36.
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
														37.
------	------	------	2	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
														38.
------	------	------	------	1	------	------	1	------	2	1	1	------	------	
------	------	------	1	------	2	------	------	------	1	------	------	------	------	
------	------	------	------	1	1	------	------	------	1	3	------	------	------	
------	------	------	1	2	------	1	1	1	------	------	1	------	------	
														II.
16	22	33	33	60	101	125	157	222	575	649	390	100	------	
8	12	16	16	21	39	53	63	90	256	308	195	54	------	
8	10	17	17	39	62	72	94	132	319	341	195	46	------	
6	6	9	17	35	49	59	96	87	195	154	53	6	------	
3	2	2	7	5	6	17	28	31	98	73	27	3	------	
3	4	7	10	30	43	42	68	56	97	81	26	3	------	
														39.
------	------	------	------	1	1	------	4	2	4	13	12	1	------	
------	------	------	------	------	------	------	------	2	5	8	4	1	------	
------	1	1	1	------	------	1	1	4	1	1	1	------	------	
------	------	------	------	------	------	------	------	1	1	4	1	------	------	
														40.
------	------	------	------	------	------	------	2	5	4	4	1	------	------	
------	------	------	------	------	1	------	------	3	3	6	1	2	------	
------	------	------	------	------	------	------	------	2	4	2	------	1	------	
------	------	------	------	------	------	------	1	------	2	1	1	------	------	
														41.
------	1	------	------	------	3	8	5	10	36	54	37	4	------	
------	------	1	------	------	3	4	4	5	22	34	25	5	------	
------	------	------	------	3	1	6	9	5	30	22	3	1	------	
------	------	------	------	1	1	2	7	4	7	17	5	------	------	

TABLE 5—

Item No.	Cause of Death, Color, and Sex			Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
42.	Malignant neoplasm of intestines, except rectum						
		White	Male	103	------	------	------
			Female	137	------	------	------
		Other	Male	21	------	------	------
			Female	32	------	------	------
43.	Malignant neoplasm of rectum						
		White	Male	36	------	------	------
			Female	43	------	------	------
		Other	Male	7	------	------	------
			Female	7	------	------	------
44.	Malignant neoplasm of larynx						
		White	Male	8	------	------	------
			Female	3	------	------	------
		Other	Male	3	------	------	------
45.	Malignant neoplasm of trachea, and of bronchus and lung not specified as secondary						
		White	Male	126	------	------	------
			Female	44	------	------	------
		Other	Male	26	------	------	------
			Female	3	------	------	------
46.	Malignant neoplasm of breast						
		White	Male	2	------	------	------
			Female	205	------	------	------
		Other	Female	63	------	------	------
47.	Malignant neoplasm of cervix uteri						
		White	Female	135	------	------	------
		Other	Female	84	------	------	------
48.	Malignant neoplasm of other and unspecified parts of uterus						
		White	Female	130	------	------	------
		Other	Female	78	------	------	------
49.	Malignant neoplasm of prostate						
		White	Male	133	------	------	------
		Other	Male	51	------	------	------
50.	Malignant neoplasm of other male genital organs						
		White	Male	12	------	------	------
		Other	Male	2	------	------	------
51.	Malignant neoplasm of urinary organs (male and female)						
		White	Male	66	------	3	1
			Female	48	1	4	------
		Other	Male	12	------	1	1
			Female	11	------	------	------
52.	Malignant neoplasm of skin						
		White	Male	40	------	------	------
			Female	29	------	------	------
		Other	Male	3	------	------	------
			Female	2	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														42.
---	---	2	1	1	---	1	7	8	31	23	20	9	---	
---	---	---	1	---	3	2	1	13	33	50	27	7	---	
1	---	---	---	---	---	1	1	1	5	6	6	---	---	
---	---	---	---	2	1	---	9	2	6	6	5	1	---	
														43.
---	---	---	---	---	2	3	1	3	7	13	7	---	---	
---	---	---	---	1	1	3	1	1	9	15	10	2	---	
---	---	---	---	---	---	---	2	---	1	4	---	---	---	
---	---	---	---	---	---	1	3	---	2	1	---	---	---	
														44.
---	---	---	---	---	---	---	---	3	3	2	---	---	---	
---	---	---	---	---	---	---	---	1	---	2	---	---	---	
---	---	---	---	---	---	---	---	1	1	---	1	---	---	
														45.
---	---	---	---	2	5	10	9	15	46	28	9	2	---	
---	---	---	---	---	2	1	3	3	15	11	8	1	---	
---	---	---	---	---	1	4	1	6	11	3	---	---	---	
---	---	---	---	---	---	---	---	---	2	1	---	---	---	
														46.
---	---	---	---	---	---	---	---	---	---	1	---	1	---	
---	---	1	5	8	17	16	17	26	56	35	19	5	---	
---	---	1	---	7	5	12	6	8	14	9	---	1	---	
														47.
---	1	---	1	9	6	9	20	21	33	23	12	---	---	
---	---	---	3	5	19	11	10	13	14	8	1	---	---	
														48.
---	---	1	2	5	8	10	10	13	26	42	11	2	---	
---	---	2	2	3	6	5	11	14	14	14	7	---	---	
														49.
---	---	---	---	---	---	---	1	4	18	47	50	13	---	
---	---	---	---	---	1	2	1	3	11	22	10	1	---	
														50.
---	---	1	3	3	2	---	---	---	---	1	1	1	---	
---	---	---	---	---	---	---	---	---	---	1	1	---	---	
														51.
---	---	1	---	---	1	2	3	5	19	22	7	2	---	
---	---	---	1	---	---	---	1	3	7	19	11	1	---	
---	---	---	---	---	---	---	2	---	4	2	2	---	---	
---	---	---	---	---	1	---	2	2	5	1	---	---	---	
														52.
---	---	---	1	---	2	2	2	---	7	11	9	6	---	
---	---	---	---	2	1	---	3	2	8	6	3	4	---	
---	---	---	---	---	---	---	---	1	1	1	---	---	---	
---	---	---	---	---	---	---	---	---	1	---	---	1	---	

TABLE 5—

Item No.	Cause of Death, Color, and Sex	Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
53.	Malignant neoplasm of brain and other parts of nervous system				
	White—Male	48	------	4	4
	Female	42	------	1	------
	Other—Male	9	------	------	1
	Female	2	------	1	------
54.	Malignant neoplasm of bone and connective tissue				
	White—Male	54	------	------	1
	Female	31	------	------	2
	Other—Male	6	------	------	------
	Female	15	------	------	------
55.	Malignant neoplasm of all other and unspecified sites				
	White—Male	164	------	------	------
	Female	253	------	------	1
	Other—Male	45	------	1	------
	Female	63	------	------	------
56.	Leukemia and aleukemia				
	White—Male	74	2	6	7
	Female	54	3	5	3
	Other—Male	11	2	1	2
	Female	11	1	------	------
57.	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system				
	White—Male	51	------	------	1
	Female	35	------	3	------
	Other—Male	9	------	------	------
	Female	7	------	------	------
58.	Benign neoplasms and neoplasms of unspecified nature				
	White—Male	35	------	1	3
	Female	52	------	3	2
	Other—Male	6	------	------	1
	Female	39	------	1	------
III. AND IV.	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES; IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS				
	White—Total	513	27	14	3
	Male	243	9	6	1
	Female	270	18	8	2
	Other—Total	231	12	11	2
	Male	83	5	3	------
	Female	148	7	8	2
59.	Asthma				
	White—Male	40	2	1	------
	Female	41	2	2	1
	Other—Male	18	2	1	------
	Female	15	------	5	1
60.	Nontoxic goiter				
	Other—Female	2	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														53.
1	------	1	1	1	4	6	7	7	6	4	2	------	------	
3	2	3	1	2	4	7	3	5	10	1	------	------	------	
--------	------	------	2	1	------	1	2	1	1	------	------	------	------	
--------	1	------	------	------	------	------	------	------	------	------	------	------	------	
														54.
1	3	1	------	1	3	2	4	5	9	12	6	6	------	
--------	4	1	------	------	------	4	1	------	7	7	3	2	------	
--------	------	------	------	------	------	------	------	1	3	1	1	------	------	
--------	1	------	1	2	------	------	------	1	3	3	4	------	------	
														55.
1	------	4	4	2	2	5	8	15	39	55	24	5	------	
--------	1	2	2	5	9	8	15	24	63	59	50	14	------	
--------	------	------	2	------	------	1	7	5	20	7	2	------	------	
2	------	1	2	3	2	6	8	6	18	13	2	------	------	
														56.
3	6	2	3	2	5	4	2	4	13	7	7	1	------	
3	1	4	------	1	3	3	6	1	9	6	6	------	------	
1	1	------	1	------	------	------	------	1	1	1	------	------	------	
1	1	------	------	1	1	------	1	------	4	1	------	------	------	
														57.
1	1	4	2	4	6	6	3	2	11	7	1	2	------	
1	------	1	2	3	2	------	------	4	7	11	1	------	------	
1	------	1	1	------	2	------	1	------	3	------	------	------	------	
--------	1	1	------	------	1	------	2	1	1	------	------	------	------	
														58.
1	1	------	1	4	3	4	5	2	3	4	2	1	------	
1	1	3	2	3	2	5	9	5	6	6	4	------	------	
--------	------	------	------	1	1	1	1	------	1	------	------	------	------	
--------	------	2	2	6	6	5	8	4	3	2	------	------	------	
														III. AND IV.
3	8	11	10	11	10	11	18	32	117	143	73	22	------	
2	4	4	5	7	3	5	11	17	60	74	29	6	------	
1	4	7	5	4	7	6	7	15	57	69	44	16	------	
4	6	8	4	11	7	14	25	23	43	43	12	4	2	
1	4	1	1	7	4	5	10	6	12	14	6	2	2	
3	2	7	3	4	3	9	15	17	31	29	6	2	------	
														59.
--------	1	------	1	1	1	1	1	3	12	14	1	1	------	
--------	1	2	4	2	1	2	1	6	7	4	5	1	------	
1	1	------	------	1	1	2	1	2	4	1	1	------	------	
--------	------	------	------	------	------	1	3	1	1	3	------	------	------	
														60.
--------	------	------	------	------	------	------	------	------	------	1	------	1	------	

TABLE 5—

Item No.	Cause of Death, Color, and Sex			Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
61.	Thyrotoxicosis with or without goiter						
		White	Male	1			
			Female	19			
		Other	Female	10			
62.	Diabetes mellitus						
		White	Male	138			1
			Female	139		1	
		Other	Male	41			
			Female	79		1	
63.	Diseases of thymus gland						
		White	Male	6	5	1	
			Female	4	4		
		Other	Male	1	1		
			Female	2	2		
64.	Diseases of adrenal glands						
		White	Male	3	1	1	
			Female	2	1		
		Other	Male	1			
65.	Pellagra						
		White	Male	3			
			Female	14			
		Other	Male	3			
			Female	5			
66.	Scurvy						
		Other	Female	1	1		
67.	Rickets (active and late effects)						
		White	Male	1	1		
			Female	2	2		
		Other	Male	1	1		
68.	Avitaminosis and other nutritional deficiency states						
		White	Male	7			
			Female	7		1	
		Other	Male	3		1	
			Female	4			
69.	Anemias						
		White	Male	27		2	
			Female	22	4	2	1
		Other	Male	8			
			Female	16	2	1	1
70.	Hemorrhagic conditions						
		White	Male	6		1	
			Female	8	1		
		Other	Male	3	1		
			Female	6	2		
71.	Allergic disorders; all other endocrine, metabolic and blood diseases						
		White	Male	11			
			Female	12	4	2	
		Other	Male	4		1	
			Female	8		1	

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														61.
							1							
		1					1	1	5	8	2	1		
			1		1		1		2	5				
														62.
1	1	1	2	4	2	3	6	10	39	42	22	4		
	2	2	1		1	4	1	4	34	49	31	9		
	1			4	3	1	8	3	5	10	2	2	2	
1	2	2	1	3	1	5	8	13	20	16	6			
														63.
														64.
		1												
					1									
						1								
														65.
								1		2				
					1		1	2	2	2	5	1		
									1	2				
						1	2		2					
														66.
														67.
														68.
								1	3	1	1	1		
									3			3		
		1									1			
									1	2		1		
														69.
		1		1			1	1	3	13	5			
1				1	1		1	1	4	4	1	1		
	1			2				1	2		2			
1		3	1	1	1	1		1	2	1				
														70.
1	1						1		1	1				
	1	1		1	1		1	1		1				
	1									1				
		2						1	1					
														71.
	1	1	2	1		1	1	1	2	1				
		1			1		1		2	1				
			1			1	1							
1						1	1	1	2	1				

TABLE 5—

Item No.	Cause of Death, Color, and Sex		Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
V.	MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS					
	White	Total	91	------	1	------
		Male	63	------	------	------
		Female	28	------	1	------
	Other	Total	64	------	------	------
		Male	40	------	------	------
		Female	24	------	------	------
72.	Psychoses					
	White	Male	10	------	------	------
		Female	16	------	------	------
	Other	Male	19	------	------	------
		Female	15	------	------	------
73.	Alcoholism					
	White	Male	51	------	------	------
		Female	6	------	------	------
	Other	Male	21	------	------	------
		Female	8	------	------	------
74.	Psychoneurosis and disorders of personality					
	White	Male	2	------	------	------
		Female	3	------	------	------
75.	Mental deficiency					
	White	Female	3	------	1	------
	Other	Female	1	------	------	------
VI.	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS					
	White	Total	2,634	20	21	12
		Male	1,410	13	10	4
		Female	1,224	7	11	8
	Other	Total	1,401	31	11	4
		Male	701	18	7	1
		Female	700	13	4	3
76.	Vascular lesions affecting central nervous system					
	White	Male	1,280	3	1	------
		Female	1,129	------	------	------
	Other	Male	637	2	1	------
		Female	642	2	------	------
77.	Nonmeningococcal meningitis					
	White	Male	13	2	1	2
		Female	9	2	1	2
	Other	Male	12	8	3	1
		Female	12	6	2	1
78.	Multiple sclerosis					
	White	Male	10	------	------	------
		Female	9	------	------	------
	Other	Male	1	------	------	------
		Female	3	------	------	------
79.	Epilepsy					
	White	Male	31	------	------	------
		Female	18	1	1	1
	Other	Male	20	1	------	------
		Female	16	1	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														V.
---	1	1	2	5	21	9	8	11	10	11	8	3	---	
---	---	1	1	4	17	8	6	8	7	7	3	1	---	
---	1	---	1	1	4	1	2	3	3	4	5	2	---	
---	---	4	7	5	9	10	5	7	8	3	4	1	1	
---	---	3	5	2	8	7	3	4	4	2	1	---	1	
---	---	1	2	3	1	3	2	3	4	1	3	1	---	
														72.
---	---	1	---	---	1	1	---	1	1	4	1	---	---	
---	---	---	---	1	1	---	1	2	2	2	5	2	---	
---	---	2	2	1	5	2	1	2	1	2	1	---	---	
---	---	1	1	1	1	1	1	2	2	1	3	1	---	
														73.
---	---	---	1	4	16	7	6	7	6	3	1	---	---	
---	---	---	1	---	3	1	---	---	1	---	---	---	---	
---	---	1	3	1	3	5	2	2	3	---	---	---	1	
---	---	---	1	2	---	1	1	1	2	---	---	---	---	
														74.
---	---	---	---	---	---	---	---	---	---	---	1	1	---	
---	---	---	---	---	---	---	1	1	---	1	---	---	---	
														75.
---	1	---	---	---	---	---	---	---	---	1	---	---	---	
---	---	---	---	---	---	1	---	---	---	---	---	---	---	
														VI.
8	14	12	12	17	34	56	96	114	478	838	712	188	2	
4	6	8	6	10	22	41	57	65	275	446	353	88	2	
4	8	4	6	7	12	15	39	49	203	392	359	100	---	
10	9	12	14	27	44	67	98	134	364	376	150	46	4	
6	7	7	8	14	20	34	48	60	188	183	76	22	2	
4	2	5	6	13	24	33	50	74	176	193	74	24	2	
														76.
---	2	3	---	3	14	33	51	58	255	431	338	86	2	
1	1	1	2	5	9	13	35	46	187	378	353	98	---	
1	---	4	5	11	19	33	44	56	182	179	76	22	2	
2	---	2	2	10	20	29	48	73	169	188	71	24	2	
														77.
1	1	1	---	---	1	1	1	1	1	---	---	---	---	
1	---	---	---	---	---	---	---	1	---	2	---	---	---	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
---	1	---	---	---	---	---	1	---	1	---	---	---	---	
														78.
---	---	---	---	1	---	1	---	1	2	2	3	---	---	
---	---	---	---	1	---	---	1	1	3	1	2	---	---	
---	---	---	---	1	---	---	---	---	---	---	---	---	---	
---	---	---	---	1	---	1	---	---	1	---	---	---	---	
														79.
2	2	3	6	2	5	5	1	---	3	---	1	1	---	
---	4	2	2	1	1	---	2	---	3	---	---	---	---	
2	5	2	3	2	1	1	1	2	---	---	---	---	---	
2	1	2	1	2	2	2	---	---	1	2	---	---	---	

TABLE 5—

Item No.	Cause of Death, Color, and Sex			Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
80.	Otitis media and mastoiditis						
		White	Male	4	2	1	1
			Female	4	2	------	------
		Other	Male	2	2	------	------
			Female	3	2	1	------
81.	All other diseases of the nervous system and sense organs						
		White	Male	72	6	7	1
			Female	55	2	9	5
		Other	Male	29	5	3	------
			Female	24	2	1	2
VII.	DISEASES OF THE CIRCULATORY SYSTEM						
		White	Total	7,461	5	3	9
			Male	4,555	2	------	3
			Female	2,906	3	3	6
		Other	Total	3,249	3	4	12
			Male	1,725	3	2	7
			Female	1,524	------	2	5
82.	Rheumatic fever						
		White	Male	23	------	------	1
			Female	34	------	------	5
		Other	Male	27	1	2	7
			Female	22	------	2	3
83.	Chronic rheumatic heart disease						
		White	Male	131	------	------	1
			Female	119	------	------	------
		Other	Male	70	------	------	------
			Female	38	------	------	------
84.	Arteriosclerotic heart disease, including coronary disease						
		White	Male	2,431	------	------	------
			Female	1,077	------	------	------
		Other	Male	474	1	------	------
			Female	330	------	------	------
85.	Chronic endocarditis not specified as rheumatic						
		White	Male	69	------	------	------
			Female	48	------	1	------
		Other	Male	47	------	------	------
			Female	44	------	------	------
86.	Other myocardial degeneration						
		White	Male	434	------	------	1
			Female	405	------	------	------
		Other	Male	194	------	------	------
			Female	190	------	------	------
87.	Other diseases of heart						
		White	Male	366	1	------	------
			Female	175	------	2	1
		Other	Male	197	------	------	------
			Female	155	------	------	2

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														80.
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
---	1	---	---	---	1	---	---	---	---	---	---	---	---	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
														81.
1	1	1	---	4	2	1	4	5	14	13	11	1	---	
2	2	1	2	---	1	2	1	1	10	11	4	2	---	
3	2	1	---	---	---	---	3	2	6	4	---	---	---	
---	---	1	3	---	2	1	1	1	4	3	3	---	---	
														VII.
17	19	20	45	61	112	206	312	425	1,502	2,237	1,828	650	10	
9	5	13	28	33	80	152	240	339	1,091	1,362	913	278	7	
8	14	7	17	28	32	54	72	86	411	875	915	372	3	
13	17	31	48	78	127	197	242	313	800	819	358	179	8	
6	9	14	21	41	61	94	138	184	439	423	208	75	---	
7	8	17	27	37	66	103	104	129	361	396	150	104	8	
														82.
2	2	3	6	1	3	4	1	---	---	---	---	---	---	
5	6	4	1	6	3	4	---	---	---	---	---	---	---	
5	4	---	1	3	2	2	---	---	---	---	---	---	---	
2	2	3	4	---	2	2	---	1	1	---	---	---	---	
														83.
4	---	2	4	7	7	11	12	12	24	27	16	4	---	
---	3	1	5	6	4	5	7	4	24	24	27	9	---	
1	4	3	2	---	4	3	7	5	18	15	6	2	---	
3	1	---	2	2	1	1	3	3	10	6	1	5	---	
														84.
---	---	4	5	14	41	92	155	223	671	739	385	100	2	
---	---	1	2	7	9	13	30	39	193	367	330	85	1	
---	---	2	7	13	19	30	47	56	119	116	50	14	---	
---	---	2	3	4	12	29	28	27	88	90	34	10	3	
														85.
---	---	---	---	2	---	2	---	4	14	18	16	13	---	
1	---	---	---	---	1	---	---	2	3	20	14	6	---	
---	---	1	---	2	---	3	4	2	10	16	9	---	---	
---	---	---	1	1	5	2	2	3	10	13	4	3	---	
														86.
1	1	---	2	2	4	5	5	10	67	141	134	60	1	
---	1	---	3	2	2	4	4	5	42	97	152	92	1	
---	---	1	---	1	2	6	8	21	62	58	23	12	---	
1	---	3	3	5	6	9	10	15	35	54	25	23	1	
														87.
2	2	2	6	4	10	17	27	38	80	97	69	11	---	
---	4	---	3	1	2	6	9	5	19	52	41	30	---	
---	---	3	5	10	12	19	24	24	45	29	16	10	---	
1	3	4	5	5	9	13	15	18	28	27	14	11	---	

TABLE 5—

Item No.	Cause of Death, Color, and Sex			Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
88.	Hypertension with heart disease						
		White	Male	768	------	------	------
			Female	749	------	------	------
		Other	Male	556	------	------	------
			Female	587	------	------	------
89.	Hypertension without mention of heart						
		White	Male	103	------	------	------
			Female	81	------	------	------
		Other	Male	73	------	------	------
			Female	67	------	------	------
90.	Diseases of arteries						
		White	Male	197	------	------	------
			Female	187	------	------	------
		Other	Male	76	1	------	------
			Female	84	------	------	------
91.	Other diseases of circulatory system						
		White	Male	33	1	------	------
			Female	31	3	------	------
		Other	Male	11	------	------	------
			Female	7	------	------	------
VIII.	DISEASES OF THE RESPIRATORY SYSTEM						
		White	Total	749	208	51	16
			Male	403	117	26	12
			Female	346	91	25	4
		Other	Total	663	326	70	16
			Male	389	193	36	9
			Female	274	133	34	7
92.	Acute upper respiratory infections						
		White	Male	12	8	3	------
			Female	12	6	3	------
		Other	Male	16	10	4	------
			Female	7	6	------	------
93.	Influenza						
		White	Male	43	12	2	2
			Female	48	12	4	3
		Other	Male	43	19	3	------
			Female	32	12	2	------
94.	Lobar pneumonia						
		White	Male	107	26	6	1
			Female	80	15	6	------
		Other	Male	127	42	11	5
			Female	71	23	9	3
95.	Bronchopneumonia						
		White	Male	90	42	7	4
			Female	76	39	3	------
		Other	Male	110	81	9	1
			Female	102	62	16	3

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														88.
---	---	---	2	1	4	15	25	40	169	267	193	50	2	
---	---	---	2	3	8	14	16	26	108	250	240	81	1	
---	1	3	1	7	11	29	35	61	145	156	81	26	---	
---	---	5	5	14	24	34	36	52	163	164	57	30	3	
														89.
---	---	---	1	1	5	3	7	3	26	19	30	8	---	
---	---	---	1	1	---	3	2	1	7	21	33	12	---	
---	---	1	5	3	11	1	7	5	20	10	6	4	---	
---	---	---	2	4	4	9	4	4	9	22	2	7	---	
														90.
---	---	---	1	1	4	2	5	8	31	45	68	31	1	
2	---	---	---	1	3	2	1	3	9	39	72	55	---	
---	---	---	---	1	---	1	4	8	15	22	17	7	---	
---	2	---	1	---	1	4	5	6	17	19	13	15	1	
														91.
---	---	2	1	---	2	1	3	1	9	9	2	1	1	
---	---	1	---	1	---	3	3	1	6	5	6	2	---	
---	---	---	---	1	---	---	2	2	5	1	---	---	---	
---	---	---	1	2	2	---	1	---	---	1	---	---	---	
														VIII.
8	9	11	5	15	12	8	18	19	48	115	124	82	---	
3	4	7	3	10	9	5	10	14	35	65	51	32	---	
5	5	4	2	5	3	3	8	5	13	50	73	50	---	
5	6	15	11	10	19	22	25	25	48	28	21	16	---	
5	5	4	6	6	15	17	14	19	26	17	9	8	---	
---	1	11	5	4	4	5	11	6	22	11	12	8	---	
														92.
---	---	---	---	---	---	---	---	---	---	1	---	---	---	
---	---	---	---	1	---	---	---	---	---	---	---	2	---	
---	---	---	---	1	1	---	---	---	---	---	---	---	---	
---	---	---	1	---	---	---	---	---	---	---	---	---	---	
														93.
---	---	1	---	1	---	---	---	1	3	8	8	5	---	
---	2	---	---	2	---	---	---	---	1	4	12	8	---	
2	---	---	---	1	---	2	1	6	3	1	1	4	---	
---	---	2	1	1	---	2	2	1	3	2	2	2	---	
														94.
2	---	2	1	3	5	3	4	2	9	18	14	11	---	
3	1	1	1	1	2	2	1	3	3	10	26	5	---	
1	3	3	3	4	6	7	9	9	12	7	3	2	---	
---	1	3	2	1	1	1	3	1	12	5	6	---	---	
														95.
---	1	1	2	1	1	---	---	2	4	7	10	8	---	
---	1	---	1	---	---	---	1	---	2	5	11	13	---	
---	---	---	---	---	1	2	2	---	4	5	3	2	---	
---	---	1	---	2	---	1	4	---	4	2	2	5	---	

TABLE 5—

Item No.	Cause of Death, Color, and Sex			Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
96.	Primary atypical, other and unspecified pneumonia						
		White	Male	51	15	7	1
			Female	62	15	5	------
		Other	Male	51	35	4	1
			Female	38	26	4	1
97.	Acute bronchitis						
		White	Male	10	7	1	------
			Female	9	1	3	------
		Other	Male	7	3	2	------
			Female	4	2	1	------
98.	Bronchitis, chronic and unqualified						
		White	Male	16	4	------	------
			Female	10	2	------	------
		Other	Male	4	1	1	------
			Female	4	1	------	------
99.	Hypertrophy of tonsils and adenoids						
		White	Male	3	------	------	3
		Other	Male	1	------	------	1
100.	Empyema and abscess of lung						
		White	Male	5	------	------	1
			Female	3	------	------	------
		Other	Male	8	------	------	------
			Female	4	------	------	------
101.	Pleurisy						
		White	Male	2	------	------	------
			Female	1	------	1	------
		Other	Male	1	------	1	------
			Female	1	------	1	------
102.	All other respiratory diseases						
		White	Male	64	3	------	------
			Female	45	1	------	1
		Other	Male	21	2	1	1
			Female	11	1	1	------
IX.	DISEASES OF THE DIGESTIVE SYSTEM						
		White	Total	688	145	28	6
			Male	402	82	17	4
			Female	286	63	11	2
		Other	Total	443	234	21	7
			Male	245	128	13	2
			Female	198	106	8	5
103.	Diseases of teeth and supporting structures						
		White	Male	4	------	------	------
			Female	3	------	------	------
		Other	Male	2	------	------	------
			Female	5	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														96.
1	1	1	------	1	1	2	1	1	3	6	8	2	------	
------	------	------	------	1	1	------	2	------	4	13	11	10	------	
1	------	1	------	------	1	2	1	------	2	2	1	------	------	
------	------	1	------	------	------	------	2	1	2	1	------	------	------	
														97.
------	------	------	------	------	------	------	------	------	------	------	1	1	------	
1	------	2	------	------	------	------	------	1	------	------	------	1	------	
------	------	------	1	------	------	------	------	1	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	1	------	------	------	
														98.
------	------	------	------	------	1	------	------	------	3	5	2	1	------	
------	------	------	------	------	------	------	------	1	------	2	1	4	------	
------	------	------	------	------	------	------	------	------	1	1	------	------	------	
------	------	------	------	------	------	1	------	1	------	------	1	------	------	
														99.
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
														100.
------	------	------	------	1	------	------	1	------	2	------	------	------	------	
1	------	------	------	------	------	------	------	------	------	1	1	------	------	
------	1	------	1	------	1	3	------	1	1	------	------	------	------	
------	------	2	1	------	1	------	------	------	------	------	------	------	------	
														101.
------	------	------	------	------	------	------	------	1	------	1	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
														102.
------	2	2	------	3	1	------	4	7	11	19	8	4	------	
------	1	1	------	------	------	1	4	------	3	15	11	7	------	
1	1	------	1	------	5	1	1	2	3	1	1	------	------	
------	------	2	------	------	2	------	------	2	1	------	1	1	------	
														IX.
8	------	9	10	18	27	31	39	35	113	134	60	25	------	
7	------	4	6	13	21	19	29	20	78	72	23	7	------	
1	------	5	4	5	6	12	10	15	35	62	37	18	------	
3	4	10	13	7	16	18	23	20	27	26	11	2	1	
1	2	4	7	5	10	12	13	13	16	12	5	1	1	
2	2	6	6	2	6	6	10	7	11	14	6	1	------	
														103.
------	------	1	------	------	------	------	------	------	1	2	------	------	------	
------	------	------	------	------	------	------	------	------	1	2	------	------	------	
------	------	------	------	------	------	------	2	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	1	1	1	1	1	------	

TABLE 5—

Item No.	Cause of Death, Color, and Sex			Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
104.	Ulcer of stomach						
		White	Male	35	------	------	------
			Female	8	------	------	------
		Other	Male	21	------	------	------
			Female	5	------	------	------
105.	Ulcer of duodenum						
		White	Male	19	------	------	------
			Female	7	1	------	------
		Other	Male	7	------	------	------
			Female	2	------	------	------
106.	Gastritis and duodenitis						
		White	Male	2	------	------	------
			Female	3	1	------	------
		Other	Male	2	------	------	------
			Female	3	1	------	------
107.	Appendicitis						
		White	Male	34	------	5	1
			Female	18	------	------	------
		Other	Male	12	------	1	1
			Female	12	------	------	1
108.	Intestinal obstruction and hernia						
		White	Male	53	10	------	1
			Female	59	8	2	------
		Other	Male	29	8	3	------
			Female	25	4	------	1
109.	Gastro-enteritis and colitis, diarrhea of newborn (under 4 weeks)						
		White	Male	19	19	------	------
			Female	11	11	------	------
		Other	Male	24	24	------	------
			Female	8	8	------	------
110.	Gastro-enteritis and colitis (between 4 weeks and 2 years)						
		White	Male	56	50	6	------
			Female	47	42	5	------
		Other	Male	96	91	5	------
			Female	95	90	5	------
111.	Gastro-enteritis and colitis (2 years and over)						
		White	Male	12	------	5	------
			Female	16	------	2	2
		Other	Male	10	------	3	1
			Female	10	------	3	1
112.	Cirrhosis of liver						
		White	Male	96	------	------	1
			Female	23	------	------	------
		Other	Male	13	------	1	------
			Female	12	1	------	1
113.	Cholelithiasis and cholecystitis						
		White	Male	24	------	------	------
			Female	48	------	------	------
		Other	Male	7	1	------	------
			Female	4	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														104.
---	---	---	1	1	2	3	3	2	12	10	1	---	---	
---	---	---	---	---	---	---	2	2	1	1	2	---	---	
---	---	1	1	1	2	5	2	1	6	2	---	---	---	
---	---	1	1	---	---	1	1	---	---	1	---	---	---	
														105.
---	---	---	---	---	2	2	3	---	5	6	---	1	---	
---	---	---	---	---	---	1	2	---	1	2	---	---	---	
---	---	---	---	1	---	2	---	3	1	---	---	---	---	
---	---	---	---	---	---	---	1	---	---	---	1	---	---	
														106.
---	---	---	---	---	1	---	---	---	---	1	---	---	---	
---	---	---	---	---	---	---	---	---	---	---	1	1	---	
---	---	---	1	---	---	---	1	---	---	---	---	---	---	
---	---	---	---	---	---	---	1	---	---	---	1	---	---	
														107.
4	---	2	---	2	4	---	4	1	5	3	3	---	---	
1	---	2	1	1	---	3	1	---	2	5	2	---	---	
---	---	1	---	---	1	1	3	1	2	1	---	---	---	
2	---	---	2	---	1	1	1	1	1	2	---	---	---	
														108.
---	---	---	2	---	1	2	4	1	10	11	9	2	---	
---	---	2	2	2	---	3	---	6	4	16	9	5	---	
---	1	1	2	1	---	---	1	4	3	3	1	---	1	
---	---	2	1	1	2	1	3	1	7	2	---	---	---	
														109.
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
														110.
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
														111.
1	---	---	---	---	1	---	---	---	1	2	---	2	---	
---	---	---	---	---	---	---	1	---	4	2	4	1	---	
1	---	1	---	---	---	---	1	---	---	---	2	1	---	
---	---	---	1	---	---	1	---	---	1	3	---	---	---	
														112.
---	---	1	1	7	10	8	8	12	29	16	3	---	---	
---	---	---	---	---	2	2	2	---	7	6	3	1	---	
---	---	---	1	1	2	1	1	2	2	2	---	---	---	
---	---	1	1	---	---	1	2	2	---	2	1	---	---	
														113.
---	---	---	---	2	---	1	---	---	7	12	2	---	---	
---	---	---	---	1	2	1	1	5	6	20	8	4	---	
---	---	---	---	---	---	3	---	1	1	---	1	---	---	
---	---	---	---	---	---	---	---	1	1	---	2	---	---	

TABLE 5—

Item No.	Cause of Death, Color, and Sex			Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
114.	Other diseases of digestive system						
		White	Male	48	3	1	1
			Female	43	------	2	------
		Other	Male	22	4	------	------
			Female	17	2	------	1
X.	DISEASES OF THE GENITO-URINARY SYSTEM						
		White	Total	638	2	4	5
			Male	388	2	3	3
			Female	250	------	1	2
		Other	Total	481	2	4	2
			Male	253	2	2	2
			Female	228	------	2	------
115.	Acute nephritis						
		White	Male	22	------	1	2
			Female	14	------	------	1
		Other	Male	29	2	2	1
			Female	16	------	2	------
116.	Chronic nephritis						
		White	Male	184	------	------	------
			Female	139	------	------	------
		Other	Male	114	------	------	1
			Female	147	------	------	------
117.	Nephritis, unspecified						
		White	Male	42	------	2	1
			Female	49	------	1	1
		Other	Male	47	------	------	------
			Female	40	------	------	------
118.	Infections of kidney						
		White	Male	13	1	------	------
			Female	21	------	------	------
		Other	Male	6	------	------	------
			Female	4	------	------	------
119.	Calculi of urinary system						
		White	Male	12	------	------	------
			Female	15	------	------	------
		Other	Female	5	------	------	------
120.	Hyperplasia of prostate						
		White	Male	101	------	------	------
		Other	Male	46	------	------	------
121.	Other diseases of genito-urinary system						
		White	Male	14	1	------	------
			Female	12	------	------	------
		Other	Male	11	------	------	------
			Female	16	------	------	------
XI.	DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM						
		White	Female	48	------	------	------
		Other	Female	80	------	------	------
122.	Sepsis of pregnancy, childbirth, and the puerperium						
		White		16	------	------	------
		Other		6	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														114.
2	------	------	2	1	------	3	7	4	8	9	5	2	------	
------	------	1	1	1	2	2	1	2	9	8	8	6	------	
------	1	------	2	1	5	------	2	1	1	4	1	------	------	
------	2	2	------	1	3	1	1	1	------	3	------	------	------	
														X.
4	1	11	11	17	22	22	25	27	84	159	166	78	------	
3	------	5	5	11	8	13	11	22	48	100	106	48	------	
1	1	6	6	6	14	9	14	5	36	59	60	30	------	
3	7	9	17	16	28	36	34	48	96	103	56	19	1	
2	2	2	5	8	13	7	15	17	63	59	43	10	1	
1	5	7	12	8	15	29	19	31	33	44	13	9	------	
														115.
1	------	------	1	------	1	------	1	2	4	6	3	------	------	
1	------	------	------	------	2	------	1	------	2	2	4	1	------	
1	1	1	1	2	3	2	------	2	4	4	2	1	------	
1	1	2	2	1	2	------	2	1	1	1	------	------	------	
														116.
2	------	5	3	11	4	8	9	16	27	40	41	18	------	
------	1	3	3	1	5	1	5	5	24	35	36	20	------	
------	------	------	3	3	5	3	9	7	32	28	18	5	------	
------	1	1	6	4	11	16	12	20	25	31	12	8	------	
														117.
------	------	------	1	------	------	2	------	2	5	12	11	6	------	
------	------	1	1	3	3	1	1	------	4	10	16	7	------	
------	1	------	1	1	2	2	3	7	15	8	7	------	------	
------	------	3	1	------	1	7	3	7	7	9	1	1	------	
														118.
------	------	------	------	------	------	3	1	------	2	2	3	1	------	
------	------	1	1	------	------	3	1	------	3	7	3	2	------	
1	------	------	------	1	1	------	------	------	1	------	2	------	------	
------	------	------	1	1	------	------	1	1	------	------	------	------	------	
														119.
------	------	------	------	------	1	------	------	1	2	6	1	1	------	
------	------	------	1	1	1	3	4	------	1	4	------	------	------	
------	------	------	------	1	------	1	1	1	------	1	------	------	------	
														120.
------	------	------	------	------	------	------	------	1	7	29	45	19	------	
------	------	------	------	------	------	------	3	1	10	14	13	4	1	
														121.
------	------	------	------	------	2	------	------	------	1	5	2	3	------	
------	------	1	------	1	3	1	2	------	2	1	1	------	------	
------	------	1	------	1	2	------	------	------	1	5	1	------	------	
------	3	1	2	1	1	5	------	1	------	2	------	------	------	
														XI.
------	2	10	7	8	9	11	1	------	------	------	------	------	------	
------	17	17	12	12	16	4	2	------	------	------	------	------	------	
														122.
------	1	3	5	2	2	2	1	------	------	------	------	------	------	
------	1	2	1	------	1	------	1	------	------	------	------	------	------	

TABLE 5—

Item No.	Cause of Death, Color, and Sex	Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
123.	Toxemias of pregnancy and the puerperium				
	White	14	------	------	------
	Other	33	------	------	------
124.	Hemorrhage of pregnancy and childbirth				
	White	4	------	------	------
	Other	14	------	------	------
125.	Ectopic pregnancy				
	White	1	------	------	------
	Other	9	------	------	------
126.	Abortion without mention of sepsis or toxemia				
	White	1	------	------	------
	Other	2	------	------	------
127.	Abortion with sepsis				
	White	2	------	------	------
	Other	4	------	------	------
128.	Other complications of pregnancy, childbirth, and the puerperium				
	White	10	------	------	------
	Other	12	------	------	------
XII. AND XIII.	DISEASES OF THE SKIN AND CELLULAR TISSUE; XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT.				
	White Total	90	5	4	2
	Male	36	3	1	2
	Female	54	2	3	------
	Other Total	38	1	1	------
	Male	14	------	1	------
	Female	24	1	------	------
129.	Infections of skin and subcutaneous tissue				
	White Male	1	------	------	------
	Female	4	1	1	------
	Other Male	4	------	1	------
	Female	3	1	------	------
130.	Arthritis and spondylitis				
	White Male	17	------	------	------
	Female	30	------	1	------
	Other Male	4	------	------	------
	Female	10	------	------	------
131.	Muscular rheumatism and rheumatism, unspecified				
	Other Female	1	------	------	------
132.	Osteomyelitis and periostitis				
	White Male	4	------	------	1
	Other Male	1	------	------	------
	Female	3	------	------	------
133.	All other diseases of skin and musculoskeletal system				
	White Male	14	3	1	1
	Female	20	1	1	------
	Other Male	5	------	------	------
	Female	7	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														123.
		4	1	1	6	2								
	11	8	5	2	5	1	1							
														124.
				1	1	2								
	1	2	2	2	6	1								
														125.
				1										
		3		3	2	1								
														126.
		1												
		1		1										
														127.
				1		1								
	2		1	1										
														128.
	1	2	1	2		4								
	2	1	3	3	2	1								
														XII. AND XIII.
		1	2	1	2	3	3	4	14	27	18	4		
		1	1	1	1		1	2	6	12	4	1		
			1		1	3	2	2	8	15	14	3		
		2		1	4	5	5	2	7	8	2			
		2			1	2	3		5					
				1	3	3	2	2	2	8	2			
														129.
								1						
						1						1		
		1				1			1					
							1			1				
														130.
				1			1		4	10	1			
			1			2		1	3	8	12	2		
					1	1			2					
					2	1		1	1	4	1			
														131.
					1									
														132.
					1				1	1				
							1							
				1		1			1					
														133.
		1	1					1	1	1	3	1		
					1		2	1	5	7	2			
		1					2		2					
						1	1	1		3	1			

TABLE 5—

Item No.	Cause of Death, Color, and Sex			Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
XIV.	CONGENITAL MALFORMATIONS						
		White	Total	401	320	37	7
			Male	209	172	18	------
			Female	192	148	19	7
		Other	Total	132	114	6	5
			Male	82	71	5	2
			Female	50	43	1	3
134.	Spina bifida and meningocele						
		White	Male	16	16	------	------
			Female	18	17	1	------
		Other	Male	2	2	------	------
			Female	2	2	------	------
135.	Congenital malformations of circulatory system						
		White	Male	103	81	11	------
			Female	81	55	11	5
		Other	Male	36	27	4	2
			Female	19	15	------	2
136.	All other congenital malformations						
		White	Male	90	75	7	------
			Female	93	76	7	2
		Other	Male	44	42	1	------
			Female	29	26	1	1
XV.	CERTAIN DISEASES OF EARLY INFANCY						
		White	Total	1,204	1,203	1	------
			Male	714	713	1	------
			Female	490	490	------	------
		Other	Total	876	876	------	------
			Male	491	491	------	------
			Female	385	385	------	------
137.	Birth injuries						
		White	Male	186	186	------	------
			Female	97	97	------	------
		Other	Male	74	74	------	------
			Female	52	52	------	------
138.	Postnatal asphyxia and atelectasis						
		White	Male	117	117	------	------
			Female	75	75	------	------
		Other	Male	57	57	------	------
			Female	49	49	------	------
139.	Infections of the newborn						
		White	Male	30	30	------	------
			Female	17	17	------	------
		Other	Male	34	34	------	------
			Female	31	31	------	------
140.	Hemolytic disease of newborn						
		White	Male	28	27	1	------
			Female	16	16	------	------
		Other	Male	8	8	------	------
			Female	8	8	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														XIV.
3	4	3	5	1	8	6	3	1	2	1				
1	2	2	3	1	4	3	1		1	1				
2	2	1	2		4	3	2	1	1					
1		1	1	1	2	1								
1				1	2									
		1	1			1								
														134.
														135.
	1	2	2		3	3								
1	1		1		3	2	1		1					
1				1	1									
		1				1								
														136.
1	1		1	1	1		1		1	1				
1	1	1	1		1	1	1	1						
					1									
			1											
														XV.
														137.
														138.
														139.
														140.

TABLE 5—

Item No.	Cause of Death, Color, and Sex	Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
141.	All other defined diseases of early infancy				
	White—Male	54	54	------	------
	Female	34	34	------	------
	Other—Male	66	66	------	------
	Female	41	41	------	------
142.	Ill-defined diseases peculiar to early infancy and immaturity unqualified				
	White—Male	299	299	------	------
	Female	251	251	------	------
	Other—Male	252	252	------	------
	Female	204	204	------	------
XVI.	SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS				
	White—Total	435	81	9	------
	Male	232	42	7	------
	Female	203	39	2	------
	Other—Total	399	148	19	2
	Male	209	88	12	2
	Female	190	60	7	------
143.	Senility without mention of psychosis				
	White—Male	45	------	------	------
	Female	68	------	------	------
	Other—Male	15	------	------	------
	Female	37	------	------	------
144.	Ill-defined and unknown				
	White—Male	187	42	7	------
	Female	135	39	2	------
	Other—Male	194	88	12	2
	Female	153	60	7	------
XVII.	ACCIDENTS, POISONINGS, AND VIOLENCE				
	White—Total	1,833	78	92	58
	Male	1,412	47	53	39
	Female	421	31	39	19
	Other—Total	1,003	81	75	37
	Male	777	50	39	25
	Female	226	31	36	12
145.	Motor vehicle accidents (except motorcycle)				
	White—Male	529	2	23	25
	Female	118	3	11	10
	Other—Male	229	1	7	14
	Female	39	------	7	4
146.	Motorcycle accidents				
	White—Male	15	------	------	------
	Female	1	------	------	------
	Other—Male	3	------	------	------
147.	Railway accidents (except collision with motor vehicle)				
	White—Male	20	------	------	------
	Female	6	------	------	------
	Other—Male	25	------	2	------
	Female	1	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														141.
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
														142.
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	
														XVI.
1	5	5	2	3	12	10	13	23	41	57	88	84	1	
1	2	2	1	2	6	7	12	20	27	35	42	26	---	
---	3	3	1	1	6	3	1	3	14	22	46	58	1	
6	2	1	8	11	16	7	12	12	34	52	38	31	---	
1	2	1	2	5	10	1	8	10	19	26	14	8	---	
5	---	---	6	6	6	6	4	2	15	26	24	23	---	
														143.
---	---	---	---	---	---	---	---	---	1	3	22	19	---	
---	---	---	---	---	---	---	---	---	---	2	24	42	---	
---	---	---	---	---	---	---	---	---	1	1	9	4	---	
---	---	---	---	---	---	---	---	---	2	3	12	20	---	
														144.
1	2	2	1	2	6	7	12	20	26	32	20	7	---	
---	3	3	1	1	6	3	1	3	14	20	22	16	1	
1	2	1	2	5	10	1	8	10	18	25	5	4	---	
5	---	---	6	6	6	6	4	2	13	23	12	3	---	
														XVII.
52	118	189	148	132	144	139	110	107	160	119	118	64	5	
35	100	165	136	116	125	120	100	88	131	77	50	27	3	
17	18	24	12	16	19	19	10	19	29	42	68	37	2	
32	58	109	128	106	85	67	48	51	54	43	19	8	2	
26	49	94	117	82	71	54	38	40	45	27	16	2	2	
6	9	15	11	24	14	13	10	11	9	16	3	6	---	
														145.
17	53	89	67	46	33	33	28	23	48	27	12	2	1	
7	12	13	5	7	4	3	6	6	13	13	4	---	1	
9	14	34	30	18	24	16	17	12	17	12	2	2	---	
1	3	4	2	4	2	2	1	5	1	3	---	---	---	
														146.
---	2	5	3	2	1	---	1	---	1	---	---	---	---	
---	1	---	---	---	---	---	---	---	---	---	---	---	---	
---	---	---	1	---	1	1	---	---	---	---	---	---	---	
														147.
---	---	2	2	2	4	4	---	3	2	1	---	---	---	
---	1	---	---	---	---	1	1	---	1	2	---	---	---	
---	1	2	5	5	1	2	1	2	2	---	2	---	---	
---	---	---	---	1	---	---	---	---	---	---	---	---	---	

TABLE 5—

Item No.	Cause of Death, Color, and Sex			Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
148.	Water transport accidents						
		White	Male	42	------	------	3
			Female	2	------	1	------
		Other	Male	12	------	------	------
149.	Aircraft accidents						
		White	Male	19	------	------	------
			Female	4	1	------	------
150.	Other transport accidents						
		White	Male	12	------	------	4
			Female	1	------	------	------
		Other	Male	3	------	1	------
			Female	2	------	1	------
151.	Accidental poisonings						
		White	Male	50	------	6	------
			Female	14	1	3	------
		Other	Male	16	1	6	------
			Female	8	2	3	------
152.	Accidental falls						
		White	Male	97	1	2	------
			Female	128	------	3	------
		Other	Male	18	------	1	------
			Female	21	------	1	------
153.	Accident caused by machinery						
		White	Male	27	------	1	------
		Other	Male	7	------	------	------
			Female	2	------	------	1
154.	Accident caused by fire and explosion of combustible material (except conflagration)						
		White	Male	21	1	2	------
			Female	21	------	1	6
		Other	Male	12	1	2	------
			Female	30	1	6	2
155.	Conflagration						
		White	Male	37	1	4	------
			Female	20	1	7	2
		Other	Male	34	3	9	2
			Female	24	------	11	1
156.	Accident caused by hot substance, corrosive liquid, steam, and radiation						
		White	Male	4	------	2	1
			Female	2	------	1	------
		Other	Male	3	1	2	------
			Female	4	------	2	------
157.	Accident caused by electric current						
		White	Male	23	------	------	------
			Female	2	------	------	------
		Other	Male	6	------	------	1
158.	Accident caused by firearm						
		White	Male	40	------	1	4
			Female	7	------	4	1
		Other	Male	31	------	1	1
			Female	10	------	2	3

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														148.
3	6	9	5	4	4	6	1	1						
		1												
		2	3	2	1	1		2	1					
														149.
	2	3	3	3	4	1		2					1	
		2			1									
														150.
2	1						2	2		1				
									1					
	1							1						
						1								
														151.
	1	4	2	4	10	5	3	9	3	3				
1	1		1		2	2		1		1			1	
		2	2		2	1		2						
1			1		1									
														152
	2	3	2	5	2	6	7	3	8	9	23	23	1	
1					2	3	1	3	4	17	58	36		
1		1	1	2		1		1	2	6	2			
1				1	2	1	1		1	6	2	5		
														153.
	2	5		3	3		4	2	4	3				
	2	1	1	1		1		1						
					1									
														154.
	1	2	4		2	1			3	1	3	1		
		2			3			1	1	1	5	1		
				2	2		2	1		1	1			
1	1		1	3	1	1	3	2	2	5		1		
														155.
1	1		2	4	4	4	4	1	2	5	4			
				2	1	1		1	2	2	1			
1			2	4	2	4			1	2	3		1	
2	3			1			2	1	2	1				
														156.
		1												
										1				
						1					1			
														157.
	2	7	4	5	1	2	1			1				
		1		1										
1			2	2										
														158.
2	3	2	7	5	5	4	2	3	1		1			
1		1												
5	6	6	3	2	1	2	1	1		1	1			
		1		1		2			1					

TABLE 5—

Item No.	Cause of Death, Color, and Sex			Total Deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
159.	Accidental drowning and submersion						
		White	Male	57	------	5	2
			Female	12	------	5	------
		Other	Male	50	------	2	4
			Female	1	------	1	------
160.	Lightning						
		White	Male	4	------	------	------
			Female	2	------	------	------
		Other	Male	2	------	------	------
			Female	1	------	------	------
161.	Accident caused by bites and stings of venomous animals and insects						
		White	Female	1	------	------	------
162.	All other accidental causes						
		White	Male	98	42	7	------
			Female	31	25	3	------
		Other	Male	81	41	5	1
			Female	37	28	2	1
163.	Suicide						
		White	Male	227	------	------	------
			Female	31	------	------	------
		Other	Male	27	------	------	------
			Female	2	------	------	------
164.	Homicide by firearm						
		White	Male	64	------	------	------
			Female	13	------	------	------
		Other	Male	128	------	1	1
			Female	21	------	------	------
165.	Homicide by other means						
		White	Male	21	------	------	------
			Female	5	------	------	------
		Other	Male	77	2	------	1
			Female	23	------	------	------
166.	Injury by intervention of police						
		White	Male	2	------	------	------
		Other	Male	5	------	------	------
167.	Legal execution						
		White	Male	3	------	------	------
		Other	Male	8	------	------	------
XVIII.	LATE EFFECTS OF INJURY AND POISONING						
		White	Total	7	------	------	------
			Male	5	------	------	------
			Female	2	------	------	------
		Other	Total	2	------	------	------
			Male	1	------	------	------
			Female	1	------	------	------
168.	Late effect of other accidental injury						
		White	Male	5	------	------	------
			Female	2	------	------	------
		Other	Male	1	------	------	------
			Female	1	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Year	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not Stated	Item No.
														159.
7	12	9	2	1	4	3	5	4	3					
3	3									1				
7	12	5	8	1	2	1		2	5		1			
														160.
			1		2					1				
2														
		1		1										
		1												
														161.
								1						
														162.
3	3	3	5		4	5	6	5	5	7	3			
2										1				
	2	1	5	3	5	4	5	3	3	2	1			
		1		2	1		1			1				
														163.
	3	10	11	22	30	34	30	28	40	15	3	1		
		3	4	3	3	4	1	5	6	2				
		4	2	2	2	2	2	5	4	2	2			
				2										
														164.
	5	7	13	8	9	9	3	2	5	3				
		1	1	3	3	3		1		1				
1	7	21	31	22	16	12	5	6	5					
	1	3	4	4	3	3		2	1					
														165.
	1	4	2	2	1	2	2		6		1			
			1			2	1		1					
1	3	11	15	14	11	6	5	1	5	1			1	
	1	5	3	5	3	2	2	1	1					
														166.
			1				1							
	1	1	2								1			
														167.
					2	1								
		2	4	1	1									
														XVIII.
		1				1	2			1	1	1		
		1				1	2			1				
											1	1		
						1			1					
						1								
									1					
														168.
		1				1	2			1				
											1	1		
						1								
									1					

TABLE 6A.—DEATHS (EXCLUDING STILLBIRTHS) BY COLOR WITH CRUDE RATES PER 1,000 ESTIMATED POPULATION: NORTH CAROLINA AND EACH COUNTY, 1949

AREA	Place of Death			Place of Residence					
	Total	White	Other	Total		White		Other	
				Number	Rate	Number	Rate	Number	Rate
NORTH CAROLINA	30,852	20,109	10,743	30,675	7.7	19,960	6.9	10,715	9.5
Alamance	353	276	77	453	6.5	351	6.2	102	7.9
Alexander	82	73	9	126	9.7	113	8.4	13	12.5
Alleghany	61	56	5	78	9.6	74	9.5	4	12.9
Anson	197	87	110	208	7.7	92	6.7	116	8.8
Ashe	159	156	3	163	7.4	159	7.4	4	8.3
Avery	100	97	3	105	7.9	102	7.8	3	10.7
Beaufort	396	218	178	359	9.7	186	8.1	173	12.4
Bertie	213	75	138	246	9.3	88	7.7	158	10.5
Bladen	166	74	92	225	7.6	115	6.6	110	9.1
Brunswick	122	70	52	141	7.4	78	6.2	63	9.7
Buncombe	1,345	1,059	286	997	8.2	792	7.6	205	11.4
Burke	409	383	26	266	5.9	235	5.7	31	8.4
Cabarrus	398	306	92	433	6.8	335	6.3	98	9.3
Caldwell	240	218	22	288	6.7	262	6.6	26	8.1
Camden	34	22	12	45	8.6	28	9.2	17	7.8
Carteret	167	136	31	171	7.6	137	7.1	34	10.2
Caswell	111	54	57	152	7.3	83	7.3	69	7.3
Catawba	395	348	47	399	6.6	356	6.5	43	7.1
Chatham	173	122	51	215	8.5	146	8.5	69	8.5
Cherokee	146	143	3	145	7.9	137	7.6	8	39.6
Chowan	140	63	77	138	11.1	64	9.7	74	12.7
Clay	23	22	1	29	4.8	29	4.9	-------	------
Cleveland	359	265	94	382	6.0	287	5.8	95	6.7
Columbus	377	223	154	410	8.2	244	7.2	166	10.3
Craven	404	188	216	421	8.9	201	7.7	220	10.3
Cumberland	790	505	285	628	7.7	381	7.2	247	8.9
Currituck	48	35	13	63	10.2	46	11.4	17	7.8
Dare	38	32	6	45	8.3	39	7.8	6	14.4
Davidson	348	299	49	397	6.4	337	6.2	60	8.9
Davie	90	69	21	121	7.9	94	7.2	27	12.0
Duplin	247	142	105	327	8.0	192	7.3	135	9.2
Durham	1,232	736	496	798	8.1	443	6.9	355	10.1
Edgecombe	435	161	274	461	9.0	177	7.5	284	10.2
Forsyth	1,371	871	500	1,148	8.0	659	6.8	489	10.5
Franklin	180	83	97	232	7.4	115	6.5	117	8.7
Gaston	567	486	81	667	6.1	576	6.2	91	5.8
Gates	76	25	51	90	9.4	34	7.1	56	11.8
Graham	21	20	1	30	4.4	29	4.4	1	5.2
Granville	336	201	135	285	9.0	139	9.0	146	9.0
Greene	85	27	58	123	6.8	48	4.7	75	9.5

TABLE 6A—*Continued*

AREA	Place of Death			Place of Residence					
	Total	White	Other	Total		White		Other	
				Number	Rate	Number	Rate	Number	Rate
Guilford	1,320	941	379	1,328	7.1	942	6.4	386	9.9
Halifax	534	206	328	523	9.0	205	8.1	318	9.6
Harnett	328	230	98	339	7.2	227	6.6	112	8.5
Haywood	231	223	8	264	7.0	256	7.0	8	8.2
Henderson	293	264	29	293	9.6	268	9.6	25	10.1
Hertford	157	49	108	157	7.4	47	5.4	110	8.7
Hoke	205	50	155	121	7.8	40	6.7	81	8.5
Hyde	54	39	15	61	9.3	46	11.9	15	5.5
Iredell	481	364	117	417	7.5	305	6.8	112	10.6
Jackson	111	103	8	118	6.1	104	5.8	14	10.1
Johnston	343	249	94	471	7.2	337	6.5	134	9.7
Jones	46	19	27	88	8.0	46	7.4	42	8.7
Lee	182	124	58	169	7.3	114	6.9	55	8.3
Lenoir	480	278	202	408	9.0	214	8.3	194	9.9
Lincoln	165	141	24	175	6.5	147	6.3	28	7.6
McDowell	156	139	17	162	6.3	141	6.0	21	10.4
Macon	123	115	8	113	7.0	107	6.8	6	12.8
Madison	123	120	3	156	7.5	152	7.4	4	17.5
Martin	188	83	105	228	8.2	103	7.2	125	9.2
Mecklenburg	1,600	1,038	562	1,435	7.4	872	6.3	563	10.2
Mitchell	86	85	1	93	6.1	90	5.9	3	100.0
Montgomery	108	73	35	143	8.3	100	7.5	43	10.9
Moore	273	185	88	238	7.3	159	6.9	79	8.0
Nash	572	296	276	521	8.7	286	8.3	235	9.4
New Hanover	726	428	298	599	9.6	341	8.5	258	11.7
Northampton	185	67	118	236	8.3	83	7.7	153	8.7
Onslow	200	144	56	196	4.9	136	4.7	60	5.5
Orange	119	69	50	185	5.5	120	5.2	65	6.2
Pamlico	75	31	44	96	9.6	47	7.2	49	14.1
Pasquotank	266	169	97	248	10.4	150	10.9	98	9.7
Pender	122	57	65	166	9.1	78	7.9	88	10.3
Perquimans	77	32	45	97	10.1	44	8.9	53	11.4
Person	121	75	46	159	6.6	94	6.2	65	7.2
Pitt	428	194	234	498	7.8	235	7.0	263	8.7
Polk	72	53	19	87	7.5	64	6.4	23	14.2
Randolph	301	264	37	323	6.4	283	6.2	40	8.2
Richmond	266	156	110	296	7.5	181	6.9	115	8.8
Robeson	690	292	398	783	9.0	318	8.1	465	9.7
Rockingham	467	340	127	510	7.9	376	7.4	134	10.0
Rowan	553	418	135	587	7.8	459	7.5	128	9.2

TABLE 6A—*Continued*

AREA	Place of Death			Place of Residence					
	Total	White	Other	Total		White		Other	
				Number	Rate	Number	Rate	Number	Rate
Rutherford	265	223	42	291	6.3	244	6.1	47	7.5
Sampson	310	190	120	407	8.2	258	8.1	149	8.4
Scotland	264	117	147	236	9.0	112	9.2	124	8.9
Stanly	230	182	48	254	6.9	205	6.3	49	11.2
Stokes	126	108	18	169	7.8	145	7.5	24	11.0
Surry	331	298	33	318	7.0	290	6.8	28	10.1
Swain	73	50	23	82	8.1	66	7.5	16	12.5
Transylvania	92	83	9	99	6.6	90	6.4	9	8.5
Tyrrell	65	35	30	67	13.2	35	10.8	32	17.4
Union	280	199	81	314	7.5	237	7.4	77	7.8
Vance	310	131	179	310	9.7	136	8.0	174	11.7
Wake	1,178	733	445	1,032	7.7	601	6.8	431	9.6
Warren	176	49	127	232	9.9	71	8.7	161	10.5
Washington	96	43	53	126	9.6	63	8.6	63	10.9
Watauga	107	107	--------	112	6.1	111	6.2	1	2.7
Wayne	654	220	434	471	7.4	230	6.4	241	8.7
Wilkes	274	245	29	310	6.9	281	6.7	29	9.8
Wilson	600	311	289	521	9.7	247	8.0	274	12.2
Yadkin	87	83	4	133	6.0	125	6.0	8	6.6
Yancey	73	73	--------	94	5.7	93	5.7	1	6.1

Table 6B.—Deaths (excluding stillbirths) By Color with Crude Rates Per 1,000 Estimated Population: Selected Cities (10,000 Population and Over, 1940 Census), 1949

Area	Place of Death			Place of Residence					
	Total	White	Other	Total		White		Other	
				Number	Rate	Number	Rate	Number	Rate
TOTAL	11,311	7,342	3,969	7,891	8.8	4,602	7.7	3,289	11.2
Asheville	804	628	176	534	10.2	350	9.1	184	13.5
Burlington	152	130	22	168	7.1	140	6.3	28	20.1
Charlotte	1,325	874	451	1,058	8.1	620	6.9	438	10.8
Concord	244	184	60	161	9.7	117	8.8	44	13.2
Durham	1,090	654	436	594	8.5	311	7.3	283	10.5
Elizabeth City	203	137	66	163	12.9	103	13.3	60	12.3
Fayetteville	529	331	198	284	8.5	147	7.4	137	10.2
Gastonia	244	203	41	189	8.3	156	8.6	33	7.0
Goldsboro	238	109	129	200	9.5	84	7.3	116	12.0
Greensboro	668	452	216	564	7.8	350	6.7	214	10.7
Greenville	172	77	95	130	7.9	54	6.4	76	9.5
Hickory	176	154	22	124	8.5	104	8.4	20	8.8
High Point	305	220	85	298	7.5	207	6.5	91	11.1
Kinston	330	201	129	191	10.6	96	9.4	95	12.1
Lexington	111	92	19	90	6.7	66	5.9	24	11.2
New Bern	244	105	139	192	12.4	80	10.2	112	14.6
Raleigh	881	562	319	521	8.2	290	6.9	231	10.8
Reidsville	166	111	55	109	9.4	68	9.1	41	9.8
Rocky Mount	444	245	199	242	8.8	131	8.2	111	9.6
Salisbury	312	233	79	203	10.2	141	9.4	62	12.5
Shelby	172	128	44	95	6.2	71	5.9	24	7.0
Statesville	239	195	44	141	8.6	102	7.3	39	16.4
Thomasville	89	73	16	82	7.4	64	7.0	18	9.2
Wilmington	631	350	281	472	10.7	254	9.7	218	12.2
Wilson	417	219	198	243	10.7	92	7.9	151	13.8
Winston-Salem	1,125	675	450	843	9.8	404	8.5	439	11.3

TABLE 7.—RESIDENT DEATHS (EXCLUDING STILLBIRTHS) BY CAUSE (ABBREVIATED

List Number	Cause of Death (Abbreviated List of 50 Causes with Code Numbers)	North Carolina		
		Total	White	Other
	TOTAL—ALL CAUSES	30,675	19,960	10,715
1.	Tuberculosis of respiratory system (001-008)	874	344	530
2.	Tuberculosis, other forms (010-019)	82	33	49
3.	Syphilis and its sequelae (020-029)	183	52	131
4.	Typhoid and paratyphoid fever (040, 041)	5	3	2
5.	Amoebic dysentery (046)	6	5	1
6.	Other forms of dysentery (045, 047, 048)	28	7	21
7.	Scarlet fever (050)	------	------	------
8.	Diphtheria (055)	26	15	11
9.	Whooping cough (056)	34	13	21
10.	Meningococcal infections (057)	32	19	13
11.	Acute poliomyelitis (080)	10	7	3
12.	Smallpox (084)	------	------	------
13.	Measles (085)	87	52	35
14.	Mumps (089)	1	------	1
15.	Typhus fever, murine (101)	------	------	------
16.	Rocky Mountain spotted fever (104)	7	5	2
17.	Malaria (110-117)	2	------	2
18.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	3,197	2,457	740
19.	Benign and unspecified neoplasms (210-239)	132	87	45
20.	Diabetes mellitus (260)	397	277	120
21.	Pellagra (281)	25	17	8
22.	Vascular lesions affecting central nervous system (330-334)	3,688	2,409	1,279
23.	Nonmeningococcal meningitis (340)	46	22	24
24.	Rheumatic fever (400-402)	106	57	49
25.	Chronic rheumatic heart disease (410-416)	358	250	108
26.	Arteriosclerotic and degenerative heart disease (420-422)	5,743	4,464	1,279
27.	Other diseases of heart (430-434)	893	541	352
28.	Hypertension with heart disease (440-443)	2,660	1,517	1,143
29.	Hypertension without mention of heart (444-447)	324	184	140
30.	Influenza (480-483)	166	91	75
31.	Pneumonia (490-493)	965	466	499
32.	Bronchitis (500-502)	64	45	19
33.	Ulcer of stomach and duodenum (540, 541)	104	69	35
34.	Appendicitis (550-553)	76	52	24
35.	Intestinal obstruction and hernia (560, 561, 570)	166	112	54
36.	Gastritis, duodenitis, enteritis, and colitis (under 2 years) (includes diarrhea of newborn) (764, 571.0, 543, 572)	359	135	224
37.	Gastritis, duodenitis, enteritis, and colitis (2 years and over) (543,571.1, 572)	74	49	25
38.	Cirrhosis of liver (581)	144	119	25
39.	Nephritis and nephrosis (590-594)	843	450	393
40.	Sepsis of pregnancy, childbirth, and the puerperium (640, 641, 651, 681, 682, 684)	28	18	10
41.	Other diseases of pregnancy, childbirth, and the puerperium (642-650, 652-660, 670-680, 683, 685-689)	100	30	70
42.	Congenital malformations (750-759)	533	401	132
43.	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	707	475	232
44.	Infections of the newborn (except diarrhea) (763-768, except 764)	112	47	65
45.	Other diseases peculiar to early infancy and immaturity unqualified (769-776)	1,261	682	579
46.	All other diseases	3,182	2,042	1,140
47.	Motor vehicle accidents (810-835)	934	663	271
48.	All other accidents (800-802, 840-962)	1,254	811	443
49.	Suicide (970-979, 963)	287	258	29
50.	Homicide (980-984, 964, 965)	370	108	262

List of 50 Causes) by Color: North Carolina and Each County, 1949

Alamance		Alexander		Alleghany		Anson		Ashe		Avery		List Num-No.
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
351	102	113	13	74	4	92	116	159	4	102	3	
3	3	4	1			2	7	2		2		1.
	3											2.
1	2		1			1						3.
			1									4.
		1										5.
	1									1		6.
												7.
							1					8.
												9.
1		1										10.
												11.
												12.
1										2		13.
												14.
												15.
1												16.
												17.
50	3	19		12		12	11	21	1	9	1	18.
	2	1										19.
8	2	2		2		2	1			1		20.
												21.
42	13	11	2	10	2	16	15	13		11		22.
	1											23.
1	1							1				24.
4	1			2		1	2	1		3		25.
94	13	17	3	20		13	6	23		17		26.
2	1	3		3		4	3	8		7		27.
17	8	4	2	1		7	13	7		3		28.
3	1						2	1		1		29.
3	2	1						2		1		30.
6	2	3		3		2	4	11	1	1		31.
	1											32.
1		1					2	1				33.
3	1					1						34.
4	2					1	1			3		35.
2	3	1					2	4				36.
							1					37.
3	1			1		2						38.
5	6	5		4		4	5	4	1	2		39.
							1			1	1	40.
		1					1					41.
7	1	2					2	1		1		42.
12	1	2		1		8	2	5				43.
1	1			1			1					44.
2	3	1	2	2		1	4	6		5		45.
39	7	25	1	8	1	6	20	29	1	25		46.
15	6	3			1	1	2	4		4		47.
12	10	4		2		6	4	11		1	1	48.
7		1		1		2	1	3		1		49.
1				1			2	1				50.

TABLE 7—

List Number*	Beaufort		Bertie		Bladen		Brunswick		Buncombe		Burke	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
	186	173	88	158	115	110	78	63	792	205	235	31
1.	2	10	3	4		4			22	10	6	6
2.	1				1							
3.		1		1		1	1		2	4	2	
4.												
5.												
6.		1	1									
7.												
8.	1											
9.					2							
10.									1			2
11.									1			
12.												
13.		1		1		1			5			
14.												
15.												
16.												
17.												
18.	18	7	12	4	7	5	5	1	108	23	27	
19.		1						1	6	2	2	1
20.	2	3	1	1		2	1		10	2	1	1
21.			1	1					1			
22.	32	22	8	26	12	11	8	4	104	33	34	5
23.		1		1	1				1			
24.		1		1		1	1		3	1	2	
25.	2	1	1	1					11	3	5	
26.	34	16	23	16	21	7	15	8	199	38	41	4
27.	5	6		4	3		7	6	4	8	9	3
28.	13	6	9	17	15	24	8	12	63	16	15	3
29.	1	3		1	1	2	2		11			
30.	4	13		2		3			2	1		
31.	5	12	1	11	4	5	1	3	14	5	5	1
32.					1					1		
33.	1	1			1		1		3			
34.				1	1				4	1	1	
35.	1	2						1	7		4	
36.		11		3	5	1			5		1	
37.	1											
38.		1		1			1		3		1	
39.	8	7	2	8		3		1	6	7	3	
40.									2	1		
41.				1		1		3	1	1		
42.	3	1	1	1	3	5	1	1	16	4	8	
43.	7	5	2	3	4	2	1		15	4	3	
44.		2	1	1					4		1	
45.	9	8		13	6	8	5	3	27	6	2	1
46.	14	20	12	17	15	16	5	12	69	21	27	2
47.	8	2	2	6	4	2	7	3	20	1	17	
48.	11	4	8	7	7	2	6	3	29	5	13	2
49.	3	1		1	1		1		10		2	
50.		3		3		4	1	1	3	7	3	

* See page 60 for decodes of Abbreviated List of 50 Causes.

Continued

Cabarrus		Caldwell		Camden		Carteret		Caswell		Catawba		List Number*
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
335	98	262	26	28	17	137	34	83	69	356	43	Total
4	2	7	2		1	2	2	2	1	4	1	1.
		2							1			2.
2		1					2					3.
												4.
		1								1		5
							1					6.
												7.
	1											8.
												9.
												10.
												11.
												12.
1		2						1	2			13.
												14.
												15.
												16.
												17.
42	7	22	1	4		23	1	16	3	46	6	18.
						1				1		19.
6		4		1		3				2	1	20.
	1	1								2		21.
34	10	24	2	4	1	25	4	10	13	42	3	22.
										1		23.
	1	2										24.
5	6	2		2				4	1	2		25.
70	7	47	3	4		31	4	12	7	87	2	26.
	2	15	2			1	2	1	3	7		27.
31	18	14	1		1	4	1	5	8	35	12	28.
3	1	1	1	1		1	1	2	2	3		29.
1	2	5						1	1		1	30.
5	3	10	3	1		3		3	4	7		31.
1								2				32
1	1	2			1	1				1		33.
1										1		34.
1	1	1					1	1		3		35.
1	2				1				2	1	1	36.
2						1						37.
2	1	2				1		1		1		38.
7	3	4		4		12		1	2	5		39.
		1		1		1						40.
1		2								1		41.
14		9	2	2	1			3		9		42.
10		9			1	4	1	4	1	15	1	43.
												44.
8	3	14				8			5	20	1	45.
50	20	36	5		7	6	3	10	8	27	10	46.
9		7	1	1	1	2	7	1	2	11	1	47.
10	2	11	2	3	2	6	3	2	3	15	2	48.
6		2	1			1		1		4		49.
7	4	2					1			2	1	50.

TABLE 7—

List Number*	Chatham		Cherokee		Chowan		Clay		Cleveland		Columbus	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Total	146	69	137	8	64	74	29	--------	287	95	244	166
1.	1	4	3	2	1	3	--------	--------	2	2	2	4
2.	--------	2	--------	--------	--------	--------	--------	--------	--------	--------	2	--------
3.	--------	1	1	--------	--------	--------	--------	--------	--------	1	--------	3
4.	--------	--------	1	--------	--------	--------	--------	--------	--------	--------	--------	--------
5.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
6.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
7.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
8.	--------	--------	--------	--------	--------	--------	--------	--------	1	--------	--------	--------
9.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	3
10.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	1
11.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
12.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
13.	--------	--------	--------	--------	--------	--------	1	--------	--------	--------	--------	--------
14.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
15.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
16.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
17.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
18.	10	5	17	1	7	7	4	--------	34	6	17	8
19.	--------	--------	--------	--------	--------	--------	--------	--------	2	1	--------	--------
20.	1	--------	1	--------	--------	1	1	--------	4	--------	1	2
21.	--------	--------	1	--------	--------	--------	--------	--------	--------	--------	--------	--------
22.	17	6	12	--------	8	12	7	--------	45	9	27	18
23.	--------	--------	--------	--------	--------	2	--------	--------	1	--------	--------	--------
24.	--------	--------	--------	--------	--------	--------	--------	--------	1	--------	--------	1
25.	1	--------	3	--------	--------	--------	--------	--------	2	1	3	1
26.	41	6	25	1	24	14	--------	--------	61	16	53	11
27.	2	--------	4	1	--------	--------	--------	--------	5	4	4	2
28.	29	14	8	--------	1	--------	1	--------	14	5	24	12
29.	--------	1	1	--------	1	3	--------	--------	3	2	1	2
30.	--------	--------	--------	--------	--------	2	1	--------	2	1	1	2
31.	5	3	5	1	2	2	3	--------	4	10	8	7
32.	--------	--------	1	--------	1	--------	--------	--------	--------	--------	--------	--------
33.	1	--------	--------	--------	--------	--------	--------	--------	1	1	1	--------
34.	--------	--------	1	--------	1	--------	--------	--------	3	--------	--------	--------
35.	1	1	1	--------	--------	1	--------	--------	3	--------	5	1
36.	--------	--------	2	--------	1	2	--------	--------	4	--------	6	5
37.	1	--------	--------	--------	--------	--------	--------	--------	2	--------	--------	1
38.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	1	2
39.	1	--------	6	--------	2	1	2	--------	3	2	5	6
40.	--------	--------	--------	--------	--------	--------	--------	--------	3	1	1	--------
41.	--------	--------	--------	--------	--------	1	--------	--------	1	--------	--------	3
42.	1	--------	4	--------	2	1	1	--------	4	4	7	3
43.	3	2	4	--------	--------	3	--------	--------	12	3	2	8
44.	1	--------	--------	--------	--------	--------	--------	--------	--------	1	2	--------
45.	2	6	10	--------	4	3	1	--------	13	1	15	10
46.	21	8	16	1	5	11	4	--------	33	8	39	31
47.	1	6	7	--------	--------	1	2	--------	7	2	11	5
48.	6	4	2	1	4	2	1	--------	14	7	4	7
49.	--------	--------	--------	--------	--------	--------	--------	--------	2	2	2	1
50.	--------	--------	1	--------	--------	2	--------	--------	1	5	--------	6

* See page 60 for decodes of Abbreviated List of 50 Causes.

Continued

Craven		Cumberland		Currituck		Dare		Davidson		Davie		List Number*
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
201	220	381	247	46	17	39	6	337	60	94	27	Total
1	17	10	10	1	1	1		3	4			1.
1		1	1	1								2.
	3	1					1	2	2	1		3.
												4.
												5.
												6.
												7.
		1										8.
	1							3	1	1		9.
1		2										10.
												11.
												12.
						1				1		13.
												14.
												15.
												16.
	2											17.
30	18	29	15	4	1	3	2	49	5	10		18.
		1	1					1				19.
4	1	5	2			2		4	1	6	1	20.
												21.
20	30	46	17	7		6		49	10	14	2	22.
			1									23.
		1	1					1				24.
1	1		1			1		6				25.
35	26	75	30	14	3	6		79	7	15	4	26.
3	12	14	23	7		5		2	1		1	27.
20	26	24	21	3	1	4		19	10	10	3	28.
1	4	3			1	1	1	4	1	1	1	29.
1	1	5	2							1	2	30.
4	8	12	12	1				6	2	1		31.
1	1							2				32.
2		3							1			33.
		1						1	1	1		34.
1	1	2						1			1	35.
1	5	9	3					3	2	2		36.
	1	1			2			1				37.
1	1	3	2									38.
9	10	5	17		3	1		8		4		39.
												40.
1	1	1	2									41.
6	1	7	1			1		7	1	2	2	42.
3	2	19	7	1		1		10		4		43.
1		1	1		1				1	1		44.
13	10	16	24					14	3	3		45.
13	24	33	29	5	1	4	2	30	2	11	5	46.
17	1	18	5	1				8	1	1	2	47.
7	8	21	11		3	2		20	2	3	2	48.
3		6		1				3				49.
	4	5	8					1	2	1	1	50.

TABLE 7—

List Number*	Duplin		Durham		Edgecombe		Forsyth		Franklin		Gaston	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Total	192	135	443	355	177	284	659	489	115	117	576	91
1.	1	6	14	22	5	14	12	25	1	2	5	5
2.	-------	1	-------	-------	-------	1	1	3	-------	-------	1	-------
3.	-------	3	1	3	-------	1	1	11	1	2	3	1
4.	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	1
5.	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------
6.	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------
7.	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
8.	-------	-------	-------	-------	2	1	1	-------	-------	-------	2	-------
9.	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	1	-------
10.	-------	1	-------	1	-------	1	-------	-------	-------	-------	-------	-------
11.	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
12.	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
13.	-------	-------	-------	1	-------	3	2	-------	-------	1	-------	-------
14.	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
15.	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
16.	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
17.	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
18.	18	8	63	32	28	17	108	39	17	5	69	8
19.	1	-------	3	3	1	-------	6	1	1	1	4	1
20.	2	1	7	5	3	3	11	3	-------	1	7	2
21.	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------
22.	40	28	46	42	20	32	84	55	17	18	49	15
23.	1	1	-------	-------	-------	1	1	1	-------	-------	1	-------
24.	1	1	1	2	-------	2	1	1	-------	-------	3	-------
25.	3	1	4	4	1	2	7	10	-------	1	17	2
26.	42	15	112	40	45	35	155	42	32	15	119	14
27.	10	6	3	1	1	11	32	49	8	5	16	3
28.	12	2	46	51	8	35	41	52	10	15	52	10
29.	1	1	4	7	-------	3	8	7	2	1	2	-------
30.	1	-------	2	4	1	1	5	3	-------	-------	4	-------
31.	3	4	6	15	7	8	16	21	-------	8	10	2
32.	1	-------	1	-------	1	1	1	-------	-------	-------	2	-------
33.	-------	1	2	-------	-------	-------	1	4	-------	-------	3	-------
34.	2	-------	2	3	-------	-------	-------	1	1	1	1	1
35.	1	-------	3	2	-------	-------	2	4	-------	-------	1	-------
36.	2	6	-------	5	-------	11	2	8	-------	3	5	-------
37.	-------	1	-------	-------	3	-------	3	-------	-------	-------	1	-------
38.	2	2	6	-------	-------	1	6	1	1	-------	5	-------
39.	5	8	6	13	6	15	8	27	3	2	11	-------
40.	-------	-------	-------	-------	-------	-------	-------	-------	-------	2	-------	-------
41.	-------	2	-------	2	1	2	1	3	-------	1	3	-------
42.	2	1	4	5	2	5	11	-------	1	2	15	1
43.	5	1	13	7	8	4	7	15	2	4	15	-------
44.	-------	2	1	2	-------	2	1	2	-------	-------	1	1
45.	9	4	9	9	5	20	19	32	1	2	18	4
46.	14	13	38	31	11	31	54	36	7	11	72	10
47.	4	5	18	12	5	7	23	6	2	5	19	2
48.	5	8	22	19	6	11	19	13	5	3	30	8
49.	4	-------	4	-------	7	-------	7	1	2	-------	8	-------
50.	-------	2	2	10	-------	2	1	12	1	6	1	-------

* See page 60 for decodes of Abbreviated List of 50 Causes.

Continued

Gates		Graham		Granville		Greene		Guilford		Halifax		List Number*
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
34	56	29	1	139	146	48	75	942	386	205	318	Total
1	1	1	-------	1	6	2	6	12	21	5	15	1.
1	-------	-------	-------	-------	1	-------	-------	2	1	-------	-------	2.
-------	-------	-------	-------	-------	2	-------	2	3	3	-------	7	3.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	4.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	5.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	3	6.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	7.
-------	-------	-------	-------	-------	1	-------	-------	-------	1	-------	1	8.
-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	9.
-------	-------	-------	-------	-------	1	-------	-------	-------	-------	1	-------	10.
-------	-------	-------	-------	-------	-------	-------	-------	-------	2	-------	-------	11.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	12.
-------	-------	-------	-------	1	1	-------	-------	1	-------	1	2	13.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	14.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	15.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	16.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	17.
3	2	4	-------	17	9	3	1	133	27	22	27	18.
-------	-------	-------	-------	-------	-------	-------	-------	6	2	1	-------	19.
-------	-------	-------	-------	4	1	1	-------	11	4	1	3	20.
-------	-------	-------	-------	-------	-------	-------	-------	1	1	-------	1	21.
10	11	1	-------	14	19	4	2	110	43	34	56	22.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	23.
-------	-------	-------	-------	-------	-------	-------	-------	2	3	-------	-------	24.
-------	-------	-------	-------	1	1	-------	-------	11	4	3	2	25.
3	11	5	1	31	13	13	3	257	57	47	23	26.
3	3	-------	-------	9	9	1	4	34	12	4	3	27.
2	4	1	-------	12	20	7	20	67	49	22	44	28.
-------	-------	-------	-------	1	2	-------	1	4	6	2	6	29.
-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	2	30.
3	4	-------	-------	-------	6	2	3	20	15	4	14	31.
-------	-------	1	-------	2	1	-------	1	-------	-------	-------	-------	32.
1	-------	-------	-------	-------	1	-------	-------	5	1	-------	-------	33.
-------	-------	-------	-------	-------	-------	-------	-------	-------	2	-------	-------	34.
-------	-------	2	-------	1	-------	-------	-------	3	2	-------	2	35.
-------	-------	-------	-------	-------	6	-------	-------	5	3	1	11	36.
-------	-------	-------	-------	-------	-------	1	1	2	2	-------	-------	37.
-------	-------	1	-------	-------	-------	1	-------	6	2	2	-------	38.
-------	1	2	-------	7	5	1	3	20	14	4	10	39.
-------	-------	-------	-------	-------	-------	1	-------	1	-------	1	-------	40.
-------	-------	-------	-------	-------	-------	-------	1	-------	-------	2	5	41.
-------	1	1	-------	-------	2	1	3	20	5	2	1	42.
1	1	-------	-------	6	4	-------	-------	17	10	6	6	43.
-------	1	-------	-------	2	2	-------	-------	2	2	-------	2	44.
-------	5	1	-------	4	4	4	8	30	14	5	22	45.
5	5	7	-------	14	13	2	10	85	39	9	28	46.
1	2	1	-------	2	6	3	2	23	3	14	3	47.
-------	2	-------	-------	5	4	1	3	35	17	8	15	48.
-------	-------	-------	-------	4	-------	-------	-------	10	1	2	-------	49.
-------	1	-------	-------	1	6	-------	1	4	18	1	3	50.

TABLE 7—

List Number*	Harnett		Haywood		Henderson		Hertford		Hoke		Hyde	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Total	227	112	256	8	268	25	47	110	40	81	46	15
1.	5	9	4		2	2		4		3	1	1
2.			1					2				
3.		2	2					1		2		
4.												
5.												
6.			1							1		
7.												
8.			1									
9.												
10.			1									
11.												
12.												
13.	1		3		3							
14.												
15.												
16.												
17.												
18.	25	8	28		44	1	7	13	6	5	5	3
19.	1		1		1							
20.	4	3	6		4	1		3			3	
21.	1		2									
22.	28	18	27	2	38	7	6	15	7	10	4	
23.												
24.	1		4									1
25.	1	1	4		7	1	1	1				
26.	56	16	38	2	56	4	15	13	3	11	11	2
27.	7	5	7		8	2			2	1	1	
28.	22	10	35	2	13	1	3	15	1	8	2	4
29.	1	1	1		2	1			3			
30.		2	2		1							
31.	4	11	8		4		1	4	3	5	2	
32.					2		1	1				
33.	1				2							
34.	1				2		1					
35.			1		4			1	1			
36.	4	2	2							2		
37.			2		2			1	1			
38.	1				1		1		1			
39.	8	2	1		7		2	3	1	1	1	
40.												
41.												
42.	5	2	5		3		2	3	1	1		
43.	4	1	5		6		2	2				1
44.		1	1		1			1		1		
45.	6	4	11		9	2		12	2	12	1	
46.	23	6	32		30		4	6	4	11	11	2
47.	6	3	10		5	1		4	2	3	3	
48.	6	3	8	1	10		1	5	1	3	1	1
49.	3		2	1	1							
50.	2	2				2			1	1		

* See page 60 for decodes of Abbreviated List of 50 Causes.

Continued

Iredell		Jackson		Johnston		Jones		Lee		Lenoir		List Number*
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
305	112	104	14	337	134	46	42	114	55	214	194	Total
3	3	5	2	5	10	1	2	1	2	7	9	1.
					1	1			1	2	2	2.
	2	1		1	3				3	2	5	3.
												4.
												5.
1					1						3	6.
												7.
		1										8.
												9.
	2							1		2		10.
										1		11.
												12.
		1	3	2								13.
												14.
												15.
1												16.
												17.
36	7	11		34	9	6	3	11	4	21	13	18.
1	3	2		2				1	1		1	19.
5	2		1	6	1			3		7	2	20.
												21.
38	13	6		63	18	7	8	9	4	20	23	22.
				2	1	1				1		23.
										1	2	24.
2	1	1	1	1	2	2				1		25.
77	19	13	2	70	7	6	4	35	5	40	25	26.
9	1	1		21	5		1	3		2	6	27.
23	6	5	1	20	7	3	3	11	9	17	18	28.
5	3	3		2	1		1			1		29.
		3		1	2							30.
8	1	3	1	4	6	1	2	1	1	4	8	31.
				1	1			1				32.
		2		1			1			2	2	33.
1										1	1	34.
		2		3				1		2	2	35.
	1	1		4	6				2	1	4	36.
					1			1		1	1	37.
2					1					5	1	38.
13	2	13	1	11	2	1	4	3		7	7	39.
				1						1		40.
				1	2		1		1		2	41.
5	1	1		7	5	1		3	1	4	1	42.
5	3	2		8	1	1	1	2	1	1	4	43.
1	1				2					1	2	44.
14	12	4	1	10	10	4	3	5	6	11	13	45.
29	18	7		30	13	9	3	9	6	25	14	46.
9	3	5		11	4	1	3	3	2	5	2	47.
11	4	9		6	8		2	7	2	16	16	48.
4		2		7	2	1		3	1	2		49.
2	4		1	2	2				3		5	50.

TABLE 7—

List Number*	Lincoln		McDowell		Macon		Madison		Martin		Mecklenburg	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Total	147	28	141	21	107	6	152	4	103	125	872	563
1.		1	5	2	3		6		3	9	15	21
2.			1								3	1
3.	3				1		1	1		2	2	6
4.												
5.											1	
6.								1				
7.												
8.					2		1					
9.									1			
10.											1	
11.							1				2	
12.												
13.					1		4					1
14.												
15.												
16.												
17.												
18.	11	3	7	3	14	1	17		15	13	138	41
19.	1	1	1				1		1	2	4	4
20.	2	1	2				3				13	6
21.									1			
22.	23	2	11	2	12		17		11	10	74	64
23.	1						1				3	1
24.	1									1	2	3
25.	6		8	1	3		4		1	1	8	15
26.	26	1	24	1	16	2	26	2	26	17	251	94
27.	3		5	1	5		9		5	3	10	6
28.	13	7	10	2	7		4		11	12	47	58
29.			1		1		1			6	9	6
30.	1	1			1						3	4
31.	1		7	1	5		4		1	8	26	34
32.							2					5
33.	2		1								3	3
34.					1				1		2	3
35.	1		2								6	4
36.	2		3		2	1			1	6	3	7
37.	1				2		1				5	1
38.			6				1		1	1	4	1
39.	6	2	3	4	3	1	5		2	3	18	19
40.												
41.										1		1
42.	3		2		3		2		1	2	17	4
43.	4		1				3		3	2	31	22
44.							1			1		3
45.	6	2	2		5		4		3	8	24	31
46.	22	3	22	4	14	1	23		4	11	85	41
47.	2	1	5		3		4		6	4	21	12
48.	5	2	9		3		3		4	1	39	20
49.			3				1				7	3
50.	1	1					2		1	1	5	18

* See page 60 for decodes of Abbreviated List of 50 Causes.

Continued

Mitchell		Montgomery		Moore		Nash		New Hanover		Northampton		List Number*
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
90	3	100	43	159	79	286	235	341	258	83	153	Total
3	-------	2	2	-------	5	5	16	7	12	7	6	1.
-------	-------	1	-------	-------	-------	1	7	1	2	-------	-------	2.
-------	-------	-------	1	-------	1	-------	1	4	5	-------	-------	3.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	4.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	5.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	6.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	7.
-------	-------	-------	-------	-------	-------	-------	-------	-------	2	-------	-------	8.
1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	9.
-------	-------	1	-------	-------	-------	2	1	1	-------	-------	-------	10.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	11.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	12.
-------	-------	-------	-------	-------	-------	-------	2	1	-------	-------	2	13.
-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	14.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	15.
-------	-------	1	-------	1	-------	-------	-------	-------	-------	-------	-------	16.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	17.
12	-------	16	4	26	5	30	24	39	16	9	8	18.
-------	-------	-------	-------	1	-------	1	-------	1	1	-------	2	19.
1	1	2	-------	-------	2	1	2	4	5	-------	2	20.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	21.
10	1	9	9	25	6	39	23	40	33	9	16	22.
-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	23.
-------	-------	-------	-------	-------	-------	-------	-------	-------	1	1	2	24.
3	-------	1	1	2	2	-------	3	5	3	-------	-------	25.
12	-------	35	7	38	11	65	18	101	44	28	23	26.
1	-------	1	-------	5	2	5	3	4	5	2	3	27.
5	-------	7	4	10	6	24	29	20	25	8	24	28.
1	-------	-------	-------	4	6	2	4	3	5	-------	1	29.
-------	-------	-------	-------	-------	-------	2	1	-------	-------	1	1	30.
4	-------	1	1	3	4	9	9	2	10	-------	4	31.
-------	-------	-------	-------	-------	-------	-------	-------	2	-------	-------	-------	32.
1	-------	-------	-------	-------	-------	-------	2	-------	1	-------	-------	33.
-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	1	34.
1	-------	-------	-------	-------	-------	-------	1	6	1	1	1	35.
-------	-------	1	1	2	1	8	10	-------	2	-------	3	36.
-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	1	37.
-------	-------	-------	-------	1	-------	1	-------	5	2	1	-------	38.
-------	-------	-------	1	1	1	11	7	6	6	2	7	39.
-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	40.
-------	-------	-------	-------	1	1	-------	3	-------	1	-------	-------	41.
2	-------	1	-------	4	2	6	2	4	2	-------	-------	42.
3	-------	-------	-------	3	3	11	10	7	11	-------	1	43.
-------	-------	-------	-------	-------	1	1	-------	2	-------	-------	-------	44.
4	-------	3	2	-------	3	8	22	5	16	1	12	45.
20	1	9	9	18	13	17	15	35	24	5	19	46.
2	-------	4	-------	5	-------	18	5	8	6	1	2	47.
3	-------	4	-------	6	1	13	9	16	9	3	9	48.
-------	-------	1	-------	3	-------	3	-------	7	1	2	-------	49.
1	-------	-------	1	-------	3	2	4	4	6	2	2	50.

TABLE 7—

List Number*	Onslow		Orange		Pamlico		Pasquotank		Pender		Perquimans	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Total	136	60	120	65	47	49	150	98	78	88	44	53
1.	3	7	2	4	1	3	3	5		3	2	1
2.	1	1		2				1				
3.			1	1				3		1		
4.												
5.												
6.		1										
7.												
8.												
9.			1			1						
10.												
11.	1		1									
12.												
13.	1						1					1
14.												
15.												
16.												
17.												
18.	14	3	10	8	5	2	20	9	7	5	3	2
19.	2						1					
20.	2		4			1	1	3	2	1	3	2
21.												
22.	14	7	15	13	7	5	15	18	8	9	4	12
23.				1						1		
24.		1		1				1				
25.			2	1	1	1	3	3			3	3
26.	28	11	28	5	13	9	43	5	13	6	8	12
27.	4		5	4	1	3	4	2	2	3	5	3
28.	2	3	15	5	2	2	10	6	10	15	4	3
29.			1		1		6	5		1	1	
30.			1				1	1				
31.	6	1	4	2	1	1	2	6		2		5
32.					1			1		1	1	
33.								1				
34.			1						1			
35.	2						3					
36.		1		1		1		3		2		
37.	1											
38.	2		2						2			
39.	5	2			3	1	2	6		3		1
40.												
41.	1	2				2						
42.	5	2			1		2		3	1	1	
43.	5		4			1	6		2		1	2
44.				1					1	3		
45.	6	4	2	3	3	2	2	5	2	3	1	2
46.	14	8	15	5	3	5	16	6	14	14	1	3
47.	5	2	4	6	2	1	1	2	2	6	2	
48.	9	2	1	1	2	6	5	4	6	6	3	1
49.	2		1				3	1	3		1	
50.	1	2		1		2		1		2		

* See page 60 for decodes of Abbreviated List of 50 Causes.

Continued

Person		Pitt		Polk		Randolph		Richmond		Robeson		List Number*
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
94	65	235	263	64	23	283	40	181	115	318	465	Total
1	8	13	17	1	-------	2	2	4	8	4	15	1.
1	-------	1	1	-------	-------	-------	-------	-------	-------	-------	1	2.
-------	-------	-------	3	-------	1	1	-------	-------	-------	-------	2	3.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	4.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	5.
-------	-------	-------	3	-------	-------	-------	-------	-------	-------	1	2	6.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	7.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	8.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	9.
-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	10.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	11.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	12.
-------	-------	-------	-------	1	-------	2	-------	-------	-------	-------	-------	13.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	14.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	15.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	2	16.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	17.
17	6	25	19	2	2	34	2	18	7	35	38	18.
-------	-------	2	1	-------	-------	1	-------	-------	-------	1	3	19.
2	-------	-------	1	1	-------	6	-------	3	1	3	2	20.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	21.
9	4	30	37	5	3	37	3	26	9	29	39	22.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	3	23.
-------	-------	2	1	-------	-------	1	-------	1	1	-------	5	24.
-------	-------	2	-------	1	-------	4	-------	2	2	-------	8	25.
19	11	52	27	15	1	57	8	35	20	72	51	26.
5	7	6	12	-------	-------	5	-------	2	1	7	13	27.
10	6	28	27	9	5	22	5	18	12	37	36	28.
1	1	2	4	1	-------	6	1	1	2	1	2	29.
-------	2	1	-------	1	-------	4	-------	1	-------	-------	-------	30.
3	1	3	13	2	-------	3	2	4	5	7	30	31.
1	1	-------	-------	-------	-------	1	-------	-------	-------	1	-------	32.
-------	1	-------	-------	-------	-------	1	-------	-------	-------	2	-------	33.
-------	-------	-------	2	-------	-------	1	-------	1	1	-------	-------	34.
-------	1	1	1	1	-------	-------	-------	2	2	2	4	35.
1	-------	3	12	1	-------	1	-------	3	-------	4	19	36.
-------	-------	-------	1	-------	-------	-------	-------	2	-------	1	4	37.
1	-------	-------	-------	-------	-------	2	-------	1	-------	4	-------	38.
1	1	2	3	1	1	7	-------	5	9	10	21	39.
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	40.
-------	1	-------	3	-------	-------	2	1	1	-------	1	-------	41.
1	-------	7	3	2	1	8	1	6	-------	5	10	42.
2	-------	3	5	1	-------	3	-------	7	-------	8	12	43.
-------	1	-------	1	1	-------	1	-------	1	1	1	8	44.
3	3	7	15	-------	1	10	1	11	3	8	22	45.
9	4	18	22	8	2	27	9	19	17	37	61	46.
4	-------	10	10	2	1	17	-------	2	2	19	16	47.
1	5	9	11	4	1	7	4	4	9	11	16	48.
2	-------	7	1	2	-------	7	-------	1	1	4	2	49.
-------	1	1	7	2	4	3	1	-------	1	3	16	50.

TABLE 7—

List Number*	Rockingham		Rowan		Rutherford		Sampson		Scotland		Stanly	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Total	376	134	459	128	244	47	258	149	112	124	205	49
1.	6	5	1	2	1	4	2	7	5	8	2	1
2.	1		1			2						1
3.	2	2	2	1	1		1	1		2		1
4.											1	
5.												
6.	1											
7.												
8.				1			1					
9.		1									2	
10.		1	1			1						
11.												
12.												
13.					2						1	
14.												
15.												
16.					1							
17.												
18.	47	6	59	11	36	5	25	7	9	6	24	6
19.	2	1	2	2	5			2			2	
20.	5		12	2	4	2	6	2	3		1	1
21.		1			1		1					
22.	51	16	51	22	42	7	49	14	15	7	24	6
23.	1		2									
24.	1		2				3	4		1	1	
25.	3		3		3		2		2	1	3	
26.	105	24	127	22	43	6	51	22	20	12	41	5
27.	16	8	1	4	9	5	7	7	4	2	5	
28.	26	14	34	8	9	3	21	24	10	22	16	6
29.	2	3	4	1	6			2	3	1	2	1
30.	3	2	2	1			3		1			
31.	7	10	10	3	6	1	3	9	5	10	8	2
32.			1		1					1		
33.	1				3		1			1	2	
34.			3	1	1							
35.			3	2						2	1	
36.	1			2	1			3	3	2		
37.	1		2					1	1			1
38.	1	1	2	2	1							
39.	9	6	12	3	7	2	5	5	2	6	1	3
40.	1			2					1			
41.		1				2	1		1	1		
42.	7	2	8	2	5		11		1	2	1	
43.	8	5	11	4	6		1	2	1	1	6	1
44.	1							2	1	2	2	1
45.	8	8	21	5	9		11	10	9	5	12	3
46.	32	6	42	9	22	2	18	9	9	15	27	8
47.	7	5	21	2	3		14	5	3	3	10	
48.	7	6	15	7	13	5	15	7	2	9	6	2
49.	6		1		3		5		1		2	
50.	7		3	7			1	4		2	2	

* See page 60 for decodes of Abbreviated List of 50 Causes.

Continued

Stokes		Surry		Swain		Transylvania		Tyrrell		Union		List Number*
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
145	24	290	28	66	16	90	9	35	32	237	77	Total
		9	1	2				1		2	5	1.
												2.
											1	3.
												4.
										1		5.
												6.
												7.
												8.
					1							9.
												10.
												11.
												12.
		1			2				2			13.
												14.
												15.
												16.
												17.
19	2	42	1	9	1	5		2	1	23	2	18.
												19.
1					1	2		1		6		20.
1										1		21.
21	4	29	7	7		12	1	2	1	25	9	22.
												23.
3		3				1				1		24.
3	1	11	2	2	1					2		25.
29	3	48	3	7	1	16	3	7	3	56	9	26.
		9	1	3		7				9	1	27.
18		16	4	5		11		8	10	27	9	28.
		3	1	3						4		29.
3	1	2				1					3	30.
4	1	14	2	3	2	4	1	3		5	3	31.
		4								1		32.
1								1				33.
		1				1		1	1	1		34.
				1		1				1		35.
1		1	1		1	1			1	1		36.
2		1										37.
		2								1		38.
4		6		3		1	2			4	2	39.
												40.
				1		2						41.
2		9		3	1	1		1		6	1	42.
4		3				2				11	3	43.
		2										44.
2	1	14	1		1	1		3	1	6	5	45.
14	8	31	2	9	3	11	2	3	8	27	10	46.
1		8		3		1		1	3	7	1	47.
6	2	18	1	3	1	6		1	1	7	9	48.
5		3		1		1				2		49.
1	1		1	1		2					4	50.

TABLE 7—

List Number*	Vance		Wake		Warren		Washington		Watauga	
	White	Other	White	Other	White	Other	White	Other	White	Other
Total	136	174	601	431	71	161	63	63	111	1
1.	3	7	8	27		7	2	4	1	
2.			1	3		1				
3.		5	2	3		2				
4.										
5.										
6.						2				
7.										
8.			1	1						
9.		1		2						
10.			1							
11.										
12.										
13.		2		2	3	3				
14.										
15.										
16.										
17.										
18.	14	8	88	30	13	13	1	1	16	1
19.	1		2	4					3	
20.	2	1	4	8	2	2		2	1	
21.						1				
22.	16	20	78	56	10	16	8	9	10	
23.	1		1	5	1					
24.		2	2	1		2		1	1	
25.		1	6	1	1		1	1	5	
26.	47	23	146	56	8	10	16	10	23	
27.	5	5	8	14	1	1	1		3	
28.	7	22	38	33	6	18	8	3	8	
29.		1	10	5		2			3	
30.	2	1		1		2			1	
31.	1	13	7	29	1	12	4	3	6	
32.			2	1	1					
33.	1		1	4		1				
34.			1	2						
35.			2	6			1			
36.		8	2	2	1	1			1	
37.			1	1		1				
38.	1		3		1		1		1	
39.	4	5	11	14		2	1	4	2	
40.		1								
41.		1	1	2	1	6		1		
42.	1	3	17	9	1	3		1	2	
43.		2	17	19	1	1	2		2	
44.	1	1	3	1		2				
45.	9	10	25	12	2	8		1	4	
46.	14	24	47	36	7	31	8	18	10	
47.	3	3	23	15	2	7	1	1	3	
48.	2	2	29	10	6	2	7	2	3	
49.			9	3	2				2	
50.	1	2	4	13		2	1	1		

* See page 60 for decodes of Abbreviated List of 50 Causes.

Continued

Wayne		Wilkes		Wilson		Yadkin		Yancey		List Number*
White	Other	White	Other	White	Other	White	Other	White	Other	
230	241	281	29	247	274	125	8	93	1	Total
7	12	5	2	8	20	1		2		1.
	1	1	1	1	4					2.
1	5				4					3.
										4.
										5.
										6.
										7.
					1					8.
	6				2					9.
						1				10.
										11.
										12.
	1	1			1			3		13.
										14.
										15.
										16.
										17.
28	22	31	2	29	10	17	1	10		18.
2		2		1						19.
2	6	3	1	5	5	2				20.
1				1						21.
30	24	26	1	26	25	19		9		22.
					1					23.
		1		3	1					24.
	3	9		2		4				25.
39	21	36	7	48	22	29		14		26.
13	16	19	1	9	5	1		3		27.
13	15	25	6	20	31	7	3	8		28.
2	3	3		2	5	4		1		29.
2	2	1		1	2			1		30.
2	11	12	1	5	8	5	1	3		31.
2	1	1								32.
1	1			3	3	1		1		33.
1				1						34.
1	3	3		2		1				35.
4	7	4		2	12			2	1	36.
		1	1		1					37.
3	1	1		2		1				38.
2	13	9		7	25	2		2		39.
				1						40.
	2				2					41.
6	2	4		6	5	3		2		42.
2	4			7	9	3		3		43.
	2	1			1			2		44.
8	13	14	1	10	21	1		4		45.
28	26	34	4	21	21	12	2	13		46.
8	4	14		10	9	6	1	1		47.
17	6	13	1	4	6	2		6		48.
4	3	1		9	1	2		3		49.
1	5	6		1	11	1				50.

TABLE 8.—RESIDENT DEATHS (EXCLUDING STILLBIRTHS) BY CAUSE (ABBREVIATED OVER, 1940

List Number	Cause of Death (Abbreviated List of 50 Causes with Code Numbers)	Total Deaths	
		White	Other
	TOTAL—ALL CAUSES	4,602	3,289
1.	Tuberculosis of respiratory system (001-008)	87	179
2.	Tuberculosis, other forms (010-019)	9	16
3.	Syphilis and its sequelae (020-029)	19	48
4.	Typhoid and paratyphoid fever (040, 041)	1	----------
5.	Amoebic dysentery (046)	1	1
6.	Other forms of dysentery (045, 047, 048)	----------	3
7.	Scarlet fever (050)	----------	----------
8.	Diphtheria (055)	1	6
9.	Whooping cough (056)	1	4
10.	Meningococcal infections (057)	4	4
11.	Acute poliomyelitis (080)	3	1
12.	Smallpox (084)	----------	----------
13.	Measles (085)	4	2
14.	Mumps (089)	----------	1
15.	Typhus fever, murine (101)	----------	----------
16.	Rocky Mountain spotted fever (104)	----------	----------
17.	Malaria (110-117)	----------	2
18.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	686	262
19.	Benign and unspecified neoplasms (210-239)	24	21
20.	Diabetes mellitus (260)	70	48
21.	Pellagra (281)	3	----------
22.	Vascular lesions affecting central nervous system (330-334)	510	403
23.	Nonmeningococcal meningitis (340)	3	9
24.	Rheumatic fever (400-402)	9	13
25.	Chronic rheumatic heart disease (410-416)	42	42
26.	Arteriosclerotic and degenerative heart disease (420-422)	1,201	418
27.	Other diseases of heart (430-434)	89	132
28.	Hypertension with heart disease (440-443)	313	346
29.	Hypertension without mention of heart (444-447)	51	42
30.	Influenza (480-483)	12	14
31.	Pneumonia (490-493)	67	136
32.	Bronchitis (500-502)	7	9
33.	Ulcer of stomach and duodenum (540, 541)	14	14
34.	Appendicitis (550-553)	11	13
35.	Intestinal obstruction and hernia (560, 561, 570)	28	18
36.	Gastritis, duodenitis, enteritis, and colitis (under 2 years) (includes diarrhea of newborn) (764, 571.0, 543, 572)	16	46
37.	Gastritis, duodenitis, enteritis, and colitis (2 years and over) (543, 571.1, 572)	11	4
38.	Cirrhosis of liver (581)	38	13
39.	Nephritis and nephrosis (590-594)	68	145
40.	Sepsis of pregnancy, childbirth and the puerperium (640, 641, 651, 681, 682, 684)	4	3
41.	Other diseases of pregnancy, childbirth and the puerperium (642-650, 652-660, 670-680, 683, 685-689)	3	11
42.	Congenital malformations (750-759)	85	32
43.	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	133	96
44.	Infections of the newborn (except diarrhea) (763-768, except 764)	9	12
45.	Other diseases peculiar to early infancy and immaturity unqualified (769-776)	154	157
46.	All other diseases	405	293
47.	Motor vehicle accidents (810-835)	145	51
48.	All other accidents (800-802, 840-962)	177	111
49.	Suicide (970-979, 963)	62	11
50.	Homicide (980-984, 964, 965)	22	97

LIST OF 50 CAUSES) BY COLOR: SELECTED CITIES (10,000 POPULATION AND CENSUS), 1949

Asheville		Burlington		Charlotte		Concord		Durham		Elizabeth City		List Number*
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
350	184	140	28	620	438	117	44	311	283	103	60	Total
13	7	2	1	8	15		1	9	16	2	5	1.
			1	1	1						1	2.
1	4			1	6				2		2	3.
												4.
				1								5.
												6.
												7.
							1					8.
									1			9.
									1			10.
1				2								11.
												12.
1		1			1							13.
												14.
												15.
												16.
												17.
52	19	24	1	116	32	14	2	50	28	13	4	18.
2	2			2	4			1	3	1		19.
6	2	1	1	8	5	2		5	4		3	20.
												21.
53	29	17	1	40	47	11	8	38	36	10	13	22.
			1	2	1							23.
1	1	1		2	2				2		1	24.
3	3	2		6	13		2	3	3	2	2	25.
89	36	35	2	171	76	33	2	76	28	26	1	26.
2	7	1		8	4		1	2		4	1	27.
17	14	8	2	34	45	12	11	34	40	9	1	28.
6		2		7	6	2		3	5	4	5	29.
2	1	1		1	3		1	2	2	1		30.
4	3	3		13	27	2	2	4	12	1	4	31.
	1				4	1		1			1	32.
1				2	2			1			1	33.
	1	2		2	1			1	3			34.
4		2		5	1		1	2	2	3		35.
1			2	1	7				3		1	36.
				5								37.
3		1		3	1		1	5				38.
5	7	3	1	9	12	1	1	3	13	2	4	39.
1	1											40.
	1				1				1			41.
5	4	3	1	13	3	5		2	4	2		42.
6	4	5		26	17	4		7	7	5		43.
2					3				1			44.
13	6	1	3	15	22	4	1	6	9	1	2	45.
29	20	15	5	62	33	14	7	25	29	12	3	46.
8	1	5	2	13	10	5		12	6	1		47.
13	4	2	4	31	15	2		16	14	3	4	48.
6		3		7	3	4		2		1		49.
	6			3	15	1	2	1	8		1	50.

TABLE 8—

List Number*	Fayetteville		Gastonia		Goldsboro		Greensboro		Greenville	
	White	Other	White	Other	White	Other	White	Other	White	Other
Total	147	137	156	33	84	116	350	214	54	76
1.	2	6	3	3	3	8	5	17	3	4
2.	1	1	1					1		
3.	1		2	1	1	1	2	1		2
4.										
5.										
6.										2
7.										
8.	1									
9.						2				
10.										
11.								1		
12.										
13.						1				
14.										
15.										
16.										
17.										
18.	10	7	17	2	13	10	47	15	7	8
19.		1	3				3	2		
20.	5	2	4	2	2	3	2	2		
21.					1		1			
22.	11	8	13	7	14	9	40	23	4	17
23.		1	1							
24.	1		1					1	1	1
25.		1	1			1	2	1	1	
26.	29	21	25	2	13	15	108	31	16	7
27.	7	10	5	2	4	10	11	10		4
28.	10	14	13	5	6	6	20	21	3	3
29.					1		2	2	1	1
30.	4	1								
31.	5	5	3	1	1	8	7	8		3
32.			1		2	1				
33.			1			1	2			
34.				1				1		1
35.	1				1	2				
36.	3	2	1		2	2	1	2	1	3
37.								2		
38.	1	1	3		2	1	1	2		
39.	2	12	3			5	9	10	2	
40.										
41.	1									1
42.	3		6	1	1	1	6	2	2	1
43.	5	2	9			2	5	9	1	1
44.			1			1	1			
45.	9	14	6		2	7	14	9	2	1
46.	17	17	17	3	7	10	32	25	3	8
47.	6	2	5		1	2	11		4	4
48.	6	4	10	3	6	2	14	7	1	2
49.	3		1		1	1	3		2	
50.	3	5				4	1	9		2

* See page 78 for Abbreviated List of 50 Causes.

Continued

Hickory		High Point		Kinston		Lexington		New Bern		List Number*
White	Other	White	Other	White	Other	White	Other	White	Other	
104	20	207	91	96	95	66	24	80	112	Total
2		3	2	1	6	1	2		10	1.
		1		1						2.
		1	1	1	4		1		1	3.
										4.
										5.
					1					6.
										7.
			1							8.
						1			1	9.
				1						10.
										11.
										12.
		1								13.
										14.
										15.
										16.
									2	17.
14	3	30	9	12	9	7	3	17	12	18.
					1					19.
1		3	1	3	1		1	2		20.
1										21.
12	1	25	9	9	10	4	4	10	16	22.
										23.
		1	1		1					24.
		6	2					1	1	25.
31	1	52	13	24	13	22	2	15	11	26.
1		5			3				6	27.
7	4	22	18	7	8	2	3	14	11	28.
1		1	3	1		1			3	29.
	1									30.
1		3	5	2	3	2	1	3	2	31.
								1		32.
		1	1	2	1			2		33.
1			1		1	1	1			34.
		2	2	1	1				1	35.
		1	1		2		1		3	36.
				1		1				37.
		2		3					1	38.
1		2	2	2	1	1		3	8	39.
				1						40.
					1					41.
4		5	1			1	1	2	1	42.
8	1	6	1		3	4		1		43.
				1	2		1			44.
4		6	3	5	6	6	1		6	45.
9	7	14	5	10	5	7	1	3	13	46.
4	1	3	1	1	1	1		3		47.
1	1	7	4	6	8	4	1	1	2	48.
1		2	1	1				2		49.
		2	3		3				1	50.

TABLE 8—

List Number*	Raleigh		Reidsville		Rocky Mount		Salisbury		Shelby	
	White	Other	White	Other	White	Other	White	Other	White	Other
Total	290	231	68	41	131	111	141	62	71	24
1.	6	17	1	2	1	6	1	--------	1	2
2.	--------	2	1	--------	--------	2	--------	--------	--------	--------
3.	1	3	--------	--------	--------	1	2	1	--------	1
4.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
5.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
6.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
7.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
8.	--------	1	--------	--------	--------	--------	--------	--------	--------	--------
9.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
10.	1	--------	--------	--------	--------	2	1	--------	--------	--------
11.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
12.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
13.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
14.	--------	--------	--------	--------	--------	1	--------	--------	--------	--------
15.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
16.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
17.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
18.	39	21	5	3	21	10	29	3	13	--------
19.	1	3	--------	--------	1	--------	1	2	2	--------
20.	1	6	--------	--------	2	3	4	2	3	--------
21.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
22.	37	32	10	7	16	14	14	11	9	--------
23.	--------	4	--------	--------	--------	--------	--------	--------	--------	--------
24.	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
25.	5	--------	--------	--------	--------	1	2	--------	--------	--------
26.	67	26	25	3	44	16	40	11	16	5
27.	4	10	5	2	1	2	1	2	1	2
28.	21	22	1	5	11	15	10	4	3	2
29.	7	1	--------	--------	--------	1	1	--------	1	--------
30.	--------	--------	--------	--------	--------	1	--------	--------	--------	--------
31.	1	11	1	2	--------	2	--------	3	--------	--------
32.	--------	1	--------	--------	1	1	--------	--------	--------	--------
33.	1	1	--------	--------	--------	--------	--------	--------	1	1
34.	--------	--------	--------	--------	1	--------	2	1	1	--------
35.	1	--------	--------	--------	--------	1	--------	2	--------	--------
36.	--------	2	--------	--------	--------	--------	--------	--------	2	--------
37.	--------	1	--------	--------	--------	--------	1	--------	--------	--------
38.	3	--------	1	--------	--------	1	--------	2	--------	--------
39.	3	8	2	2	2	5	--------	--------	--------	1
40.	--------	--------	1	--------	--------	--------	--------	2	1	--------
41.	--------	2	--------	--------	--------	--------	--------	--------	1	--------
42.	7	4	--------	1	2	2	1	--------	2	1
43.	8	13	3	3	4	3	4	1	3	--------
44.	1	1	--------	--------	--------	1	--------	--------	--------	--------
45.	18	6	1	3	5	7	7	3	1	--------
46.	24	20	6	1	8	7	9	4	4	4
47.	13	3	1	2	5	2	6	2	3	--------
48.	13	2	1	5	4	4	3	2	1	1
49.	5	2	1	--------	2	--------	--------	--------	1	2
50.	2	6	2	--------	--------	--------	2	4	1	2

* See page 78 for Abbreviated List of 50 Causes.

Continued

Statesville		Thomasville		Wilmington		Wilson		Winston-Salem		List Number*
White	Other	White	Other	White	Other	White	Other	White	Other	
102	39	64	18	254	218	92	151	404	439	Total
1	2		2	5	11	5	12	9	22	1.
				1	2	1	2	1	3	2.
	1	1		4	4		2	1	9	3.
								1		4.
									1	5.
										6.
										7.
					2		1			8.
										9.
	1			1						10.
										11.
										12.
				1						13.
										14.
										15.
										16.
										17.
12	2	7	2	34	14	13	6	70	37	18.
	1	1		1	1			5	1	19.
3				1	5	3	3	9	2	20.
										21.
12	7	9	2	36	27	6	14	50	51	22.
					1				1	23.
					1		1	1	1	24.
		2		1	3	2		3	9	25.
30	6	17	2	78	39	18	12	101	37	26.
1		1	1	3	5	1	3	21	47	27.
9	2	3	4	11	19	8	19	18	48	28.
2	1			1	5	1	3	6	6	29.
						1	1		3	30.
3	1		1		10	1	3	7	19	31.
										32.
			1		1		1		3	33.
									1	34.
				4	1	1		1	4	35.
					2	2	5	1	8	36.
							1	3		37.
2				3	2			5	1	38.
4		2		2	5	2	22	3	26	39.
										40.
					1			1	3	41.
		2		3	2	3	2	5		42.
2	1	1		6	8	4	6	6	14	43.
				2				1	2	44.
5	1	5		4	10	3	10	11	27	45.
5	8	5	1	26	18	6	12	36	27	46.
6	1	3	1	6	4	6	3	13	3	47.
3	2	3		13	8	2	2	11	10	48.
1		2		5	1	3		3	1	49.
1	2		1	2	6		5	1	12	50.

TABLE 9.—DEATHS (EXCLUDING STILLBIRTHS) FROM

Year	Total deaths	Typhoid and paratyphoid fever	Undulant fever	Meningococcus meningitis	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Tetanus	Tuberculosis, respiratory	Tuberculosis, all other	Gonorrhea
1916	31,389	702	------	60	62	402	410	42	69	3,129	448	15
1917	33,969	728	------	22	41	562	315	68	55	2,975	424	12
1918	42,274	568	------	45	23	705	251	68	72	3,029	383	15
1919	30,947	444	------	17	24	218	271	36	59	2,753	357	8
1920	32,654	322	------	35	39	357	299	55	59	2,660	344	16
1921	29,454	314	------	35	45	385	372	51	53	2,492	247	24
1922	30,821	298	------	24	77	203	513	62	47	2,451	265	11
1923	32,142	260	------	30	30	492	350	58	51	2,428	239	16
1924	33,238	270	------	21	36	497	330	47	58	2,497	276	14
1925	32,548	279	------	24	30	153	303	51	38	2,539	255	36
1926	34,562	277	------	29	35	298	262	55	39	2,521	273	27
1927	32,917	234	------	28	34	624	277	39	21	2,319	259	18
1928	36,160	191	1	21	41	188	369	53	37	2,238	217	27
1929	36,919	166	2	35	55	280	343	51	36	2,392	244	28
1930	35,782	163	1	68	44	305	282	68	40	2,236	252	34
1931	33,116	162	2	44	64	199	244	52	35	2,143	206	29
1932	31,051	163	2	26	34	242	166	34	30	2,030	194	35
1933	30,547	128	3	32	50	205	216	45	28	1,935	183	34
1934	35,180	90	2	35	39	424	199	54	26	1,956	202	42
1935	33,485	82	------	39	22	307	162	45	28	1,764	173	39
1936	35,630	71	1	65	21	36	188	30	37	1,902	190	16
1937	33,981	78	2	45	20	168	160	34	22	1,765	159	8
1938	33,599	74	3	32	22	265	168	20	39	1,710	159	6
1939	31,652	51	5	30	12	229	164	16	21	1,463	151	7
1940	31,904	38	4	22	10	90	107	10	10	1,492	116	7
1941	31,752	29	------	20	12	199	83	11	16	1,415	156	1
1942	29,414	19	2	32	8	104	76	8	15	1,326	135	2
1943	29,971	16	1	73	12	116	53	5	16	1,257	109	8
1944	29,390	10	1	61	5	145	40	5	15	1,145	94	8
1945	28,897	13	------	53	6	97	96	4	14	1,159	103	9
1946	28,724	8	1	30	3	59	46	7	10	1,096	86	6
1947	30,187	7	------	31	2	54	32	1	18	1,047	81	7
1948	30,161	8	------	20	1	44	30	2	18	882	67	5
1949***	30,675	5	1	32	------	34	26	2	21	874	82	5
Coding Ratio***	--------	------	------	0.98	------	1.00	1.02	------	------	0.96	0.99	------
Ratio applied to 1949	--------	------	------	33	------	34	25	------	------	910	83	------

* 1916-1948 data from NOVS reports; 1949 from N. C. reports. Data by place of occurrence, 1916-1938; by place of residence, 1939-1949.

** Includes all accidents except motor vehicle; legal executions included 1916-1929.

*** The international code of the causes-of-death was revised for 1949 and requires slightly different groupings of deaths than the previous international code; therefore, the 1949 death totals are not comparable with previous years for all categories. The 1949 totals can be converted to totals comparable with previous years by dividing the 1949 deaths in each category by the ratio shown for that category.

SELECTED CAUSES: NORTH CAROLINA, 1916-1949*

Year	Dysentery	Malaria	Syphilis	Influenza	Smallpox	Measles	Poliomyelitis	Cancer	Acute rheumatic fever	Diabetes mellitus	Pellagra	Alcoholism
1916	457	337	305	634	13	171	49	1,083	103	160	485	32
1917	610	268	273	403	13	1,042	34	1,046	103	159	620	20
1918	556	189	243	7,948	3	308	21	1,072	108	179	696	12
1919	291	201	173	3,802	9	125	18	1,003	92	158	400	21
1920	324	210	223	2,995	28	62	22	1,017	79	198	318	27
1921	261	180	228	378	20	147	26	1,120	85	195	338	35
1922	232	183	217	1,362	8	25	20	1,228	77	231	330	26
1923	217	169	249	1,653	13	588	25	1,220	75	232	239	24
1924	184	145	273	748	29	456	27	1,304	96	245	281	41
1925	187	141	241	1,089	5	16	25	1,328	76	222	382	45
1926	186	102	301	1,619	14	96	52	1,405	84	265	455	51
1927	164	60	299	1,088	15	246	18	1,458	77	243	671	37
1928	189	64	327	1,567	17	515	28	1,520	89	280	851	57
1929	153	64	325	2,304	2	20	21	1,602	107	308	950	54
1930	156	47	379	789	6	5	18	1,525	82	318	1,031	72
1931	111	46	334	1,150	2	113	37	1,549	71	341	695	82
1932	84	53	280	819	------	61	24	1,639	80	396	479	66
1933	92	51	316	1,027	------	90	18	1,728	67	368	392	92
1934	128	66	403	822	------	334	17	1,763	74	384	438	127
1935	98	91	380	1,028	------	70	72	1,780	47	366	383	130
1936	124	150	430	1,179	------	9	18	1,784	57	412	351	92
1937	110	87	434	857	1	39	27	1,898	50	388	332	104
1938	110	70	445	500	1	251	15	1,914	74	381	254	79
1939	80	53	454	629	------	62	14	2,007	50	494	205	94
1940	60	60	442	691	------	11	16	2,092	67	503	167	73
1941	88	28	379	823	------	104	17	2,089	56	472	144	68
1942	53	33	328	299	------	55	12	2,249	60	455	116	61
1943	57	22	312	498	1	24	16	2,391	54	485	105	43
1944	36	25	292	515	------	59	40	2,328	44	509	70	61
1945	38	24	293	386	------	7	13	2,504	43	465	72	57
1946	13	8	245	269	------	43	16	2,523	35	498	73	67
1947	18	2	266	272	------	25	21	2,766	36	575	57	94
1948	17	1	194	159	------	6	143	2,855	30	564	40	99
1949***	34	2	183	166	------	87	15	3,197	106	397	25	86
Coding Ratio***	------	------	0.73	1.21	------	0.94	0.98	1.00	2.64	0.58	------	------
Ratio applied to 1949	------	------	251	137	------	93	15	3,197	40	684	------	------

TABLE 9—

Year	Intracranial vascular lesions	Diseases of the heart	Pneumonia	Diarrhea and enteritis (under 2 years)	Diarrhea and enteritis (2 years and over)	Appendicitis	Nephritis	Premature birth	Senility	Suicide	Homicide
1916	1,882	2,372	2,517	1,871	474	183	1,745	1,243	633	82	203
1917	2,053	2,574	2,595	2,364	684	203	2,049	1,255	750	76	179
1918	2,033	2,617	4,210	1,997	631	201	2,043	1,272	616	99	187
1919	1,906	2,227	2,155	1,410	374	219	1,745	1,220	537	83	217
1920	2,132	2,634	2,626	1,398	352	222	1,926	1,413	598	100	252
1921	2,071	2,853	1,958	1,708	402	246	2,038	1,361	540	113	224
1922	2,343	2,918	2,331	1,437	313	249	2,216	1,405	597	110	244
1923	2,410	3,014	2,439	1,456	375	278	2,230	1,476	586	101	267
1924	2,646	3,465	2,804	1,481	331	335	2,478	1,598	525	111	284
1925	2,582	3,574	2,414	1,472	250	318	2,821	1,560	562	128	260
1926	2,628	3,869	2,677	1,442	306	327	2,879	1,500	516	159	287
1927	2,573	3,858	2,186	1,155	275	297	2,735	1,523	434	132	280
1928	2,778	4,356	2,795	1,284	270	321	2,968	1,687	431	188	306
1929	3,081	4,717	2,714	973	279	301	3,194	1,463	433	234	329
1930	3,030	4,922	2,703	1,091	277	318	3,285	1,491	620	275	349
1931	2,717	4,520	2,503	831	201	301	3,005	1,309	438	319	339
1932	2,691	4,593	2,545	650	172	302	3,006	1,395	355	286	394
1933	2,569	4,709	2,081	805	195	304	2,906	1,376	329	267	434
1934	2,928	5,446	3,173	996	230	332	3,325	1,625	374	238	468
1935	2,937	5,399	2,803	828	145	313	3,094	1,519	296	272	391
1936	3,331	6,053	3,290	805	198	312	3,391	1,391	354	296	392
1937	2,989	5,905	2,988	838	173	321	3,011	1,514	332	300	393
1938	3,144	6,184	2,745	1,009	175	285	3,004	1,438	291	336	349
1939	3,091	5,455	2,164	637	165	278	3,445	1,380	257	286	356
1940	3,164	5,413	2,003	490	130	224	3,433	1,329	301	291	388
1941	2,991	5,978	1,900	692	116	230	3,273	1,284	276	286	374
1942	3,055	5,830	1,617	446	76	212	2,983	1,285	300	245	362
1943	3,114	6,182	1,663	424	87	166	2,973	1,233	257	251	261
1944	3,103	6,390	1,477	494	71	147	2,952	1,146	262	221	299
1945	3,162	6,456	1,488	407	69	160	2,910	1,089	242	246	307
1946	3,052	6,682	1,312	189	58	113	2,734	1,359	208	290	362
1947	3,369	7,492	1,309	156	60	96	2,577	1,364	240	316	418
1948	3,355	8,048	1,313	176	53	92	2,431	1,309	202	322	419
1949***	3,688	9,654	965	356	67	76	843	916	165	287	370
Coding Ratio***	1.13	1.09	0.75	------	------	0.90	0.39	0.64	------	1.00	1.02
Ratio applied to 1949	3,264	8,857	1,287	------	------	84	2,162	1,431	------	287	363

* 1916-1948 data from NOVS reports; 1949 from N. C. reports. Data by place of occurrence, 1916-1938; by place of residence, 1939-1949.

** Includes all accidents except motor vehicle; legal executions included 1916-1929.

*** The international code of the causes-of-death was revised for 1949 and requires slightly different groupings of deaths than the previous international code; therefore, the 1949 death totals are not comparable with previous years for all categories. The 1949 totals can be converted to totals comparable with previous years by dividing the 1949 deaths in each category by the ratio shown for that category.

Continued

Year	Motor vehicle accidents	All other accidents**	Conflagration	Lightning	Ill-defined and not specified	Infant deaths	Maternal deaths
1916	54	1,312	24	17	2,676	7,112	593
1917	65	1,378	42	24	2,931	7,601	629
1918	79	1,242	34	23	3,328	7,686	815
1919	104	1,210	18	18	2,593	6,223	684
1920	133	1,307	28	15	3,063	6,909	814
1921	139	1,245	12	18	2,880	6,633	650
1922	169	1,303	27	18	2,836	6,510	651
1923	258	1,350	27	32	2,607	6,813	670
1924	328	1,361	39	15	2,773	7,208	678
1925	410	1,348	36	30	2,590	6,595	725
1926	508	1,371	38	18	2,608	6,769	726
1927	538	1,301	27	20	2.760	6,588	547
1928	620	1,340	37	23	2,996	6,935	635
1929	636	1,307	21	18	2,875	6,106	651
1930	682	1,294	34	17	2,619	6,037	639
1931	696	1,290	53	36	2,381	5,455	596
1932	598	1,153	40	6	1,406	5,183	529
1933	776	1,226	41	16	1,035	4,977	514
1934	928	1,395	61	17	1,045	6,212	569
1935	1,015	1,386	49	16	1,100	5,422	511
1936	979	1,466	46	22	1,179	5,247	502
1937	1,045	1,391	44	23	1,142	5,180	429
1938	910	1,245	60	21	1,067	5,487	421
1939	903	1,312	61	21	1,056	4,676	371
1940	1,013	1,319	53	17	1,075	4,631	412
1941	1,261	1,260	69	17	1,108	5,053	336
1942	827	1,345	63	17	1,050	4,342	307
1943	729	1,472	70	22	878	4,416	306
1944	694	1,491	73	23	790	4,115	266
1945	767	1,318	74	11	652	3,782	248
1946	1,052	1,313	85	15	653	3,742	203
1947	879	1,424	93	15	722	3,938	192
1948	827	1,417	118	9	712	3,858	207
1949***	934	1,253	116	9	669	4,057	128
Coding Ratio***	1.00	0.93	--------	--------	0.99	--------	0.90
Ratio applied to 1949	934	1,347	--------	--------	676	--------	142

TABLE 10.—LEADING CAUSES OF RESIDENT DEATHS (EXCLUDING STILLBIRTHS) BY AGE, COLOR, AND SEX: NORTH CAROLINA, 1949

Cause of Death (International Code Number Follows Each Cause)	Total*		White				Other			
			Male		Female		Male		Female	
ALL AGES (Ten Leading Causes)	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.
Total all Causes	-----	30,675	-----	11,635	-----	8,325	-----	5,838	-----	4,877
Diseases of the heart (410-443)	1	9,654	1	4,199	1	2,573	1	1,538	1	1,344
Vascular lesions affecting central nervous system (330-334)	2	3,688	2	1,280	3	1,129	2	637	2	642
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	3	3,197	3	1,129	2	1,328	5	306	3	434
All accidents (except motor vehicle) (800-802, 840-962)	4	1,254	4	556	5	255	6	301	8	142
Influenza and pneumonia (480-483, 490-493, 763)	5	1,235	6	317	4	283	3	361	4	274
Tuberculosis, all forms (001-019)	6	956	8	256	-----	-----	4	326	5	253
Motor vehicle accidents (810-835)	7	934	5	544	-----	-----	7	232	-----	-----
Immaturity (774, 776)	8	916	7	279	6	236	8	220	7	181
Nephritis and nephrosis (590-594)	9	843	9	248	7	202	10	190	6	203
Diseases of arteries (450-456)	10	544	-----	-----	9	187	-----	-----	10	84
Suicide (970-979, 963)	-----	287	10	227	-----	-----	-----	-----	-----	-----
Congenital malformations (750-759)	-----	533	-----	-----	8	192	-----	-----	-----	-----
Diabetes mellitus (260)	-----	397	-----	-----	10	139	-----	-----	-----	-----
Homicide and legal execution (964, 980-985)	-----	370	-----	-----	-----	-----	9	218	-----	-----
Dysentery, gastritis, duodenitis, enteritis, colitis and diarrhea of the newborn (045-048, 543, 571, 572, 764)	-----	467	-----	-----	-----	-----	-----	-----	9	126
UNDER 1 YEAR (Seven Leading Causes)										
Total all causes	-----	4,057	-----	1,229	-----	1,093	-----	916	-----	819
Immaturity (774, 776)	1	916	1	279	1	236	1	220	1	181
Certain diseases of early infancy (excluding pneumonia and diarrhea of the newborn) (762, 765-773)	2	650	2	222	3	140	3	167	3	121
Influenza and pneumonia, including pneumonia of newborn (480-483, 490-493, 763)	3	580	5	121	4	98	2	207	2	154
Congenital malformations (750-759)	4	434	4	172	2	148	6	71	6	43
Birth injuries (760, 761)	5	409	3	186	5	97	5	74	5	52
Dysentery, gastritis, duodenitis, enteritis, colitis and diarrhea of the newborn (045-048, 543, 571, 572, 764)	6	351	6	70	6	54	4	122	4	105
All accidents (except motor vehicle) (800-802, 840-962)	7	151	7	45	7	28	7	47	7	31

* Where "total" exceeds the sum of the four classes or is not shown, it is due to the fact that the particular cause of death did not rank in the first ten in each of the four classes.

TABLE 10—*Continued*

Cause of Death (International Code Number Follows Each Cause)	Total*		White				Other			
			Male		Female		Male		Female	
1-4 YEARS (Six Leading Causes)	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.
Total all causes	-----	635	-----	185	-----	171	-----	153	-----	126
All accidents (except motor vehicle) (800-802, 840-962)	1	118	1	30	1	28	1	31	2	29
Influenza and pneumonia (480-483, 490-493)	2	98	3	22	3	18	2	27	1	31
Motor vehicle accidents (810-835)	3	48	2	23	5	11	5	7	4	7
Congenital malformations (750-759)	4	43	4	18	2	19	6	5	-----	-----
Dysentery, gastritis, duodenitis, enteritis and colitis (045-048, 543, 571, 572)	5	41	6	12	-----	-----	4	11	3	10
Measles (085)	6	34	-----	-----	6	10	3	12	6	6
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	-----	30	5	13	4	13	-----	-----	-----	-----
Tuberculosis, all forms (001-019)	-----	21	-----	-----	-----	-----	-----	-----	4	7
5-14 YEARS (Six Leading Causes)										
Total all causes	-----	500	-----	177	-----	117	-----	126	-----	80
All accidents (except motor vehicle) (800-802, 840-962)	1	88	2	32	1	19	1	24	1	13
Motor vehicle accidents (810-835)	2	87	1	42	2	17	2	23	4	5
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	3	44	3	21	3	13	5	7	-----	-----
Influenza and pneumonia (480-483, 490-493)	4	35	4	11	6	6	4	11	2	7
Rheumatic fever (400-402)	5	30	-----	-----	4	10	3	12	4	5
Diseases of the heart (410-443)	6	19	5	9	-----	-----	-----	-----	2	7
Nephritis and nephrosis (590-594)	-----	13	6	6	-----	-----	-----	-----	-----	-----
Congenital malformations (750-759)	-----	16	-----	-----	5	9	-----	-----	-----	-----
Tuberculosis, all forms (001-019)	-----	13	-----	-----	-----	-----	6	6	4	5
15-24 YEARS (Six Leading Causes)										
Total all causes	-----	1,032	-----	377	-----	173	-----	268	-----	214
Motor vehicle accidents (810-835)	1	230	1	149	1	26	1	48	-----	-----
All accidents (except motor vehicle) (800-802, 840-962)	2	150	2	86	4	12	4	45	-----	-----
Tuberculosis, all forms (001-019)	3	135	-----	-----	3	15	1	48	1	62
Homicide and legal execution (964, 980-985)	4	74	4	17	-----	-----	3	46	4	10
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	5	63	3	27	2	23	-----	-----	5	9
Diseases of the heart (410-443)	6	57	6	11	6	10	5	18	3	18
Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689)	-----	46	-----	-----	4	12	-----	-----	2	34
Influenza and pneumonia (480-483, 490-493)	-----	27	-----	-----	-----	-----	6	7	6	8
Suicide (963, 970-979)	-----	20	5	13	-----	-----	-----	-----	-----	-----

* Where "total" exceeds the sum of the four classes or is not shown, it is due to the fact that the particular cause of death did not rank in the first ten in each of the four classes.

TABLE 10—*Continued*

Cause of Death (International Code Number Follows Each Cause)	Total*		White				Other			
			Male		Female		Male		Female	
25-44 YEARS (Eight Leading Causes)	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.
Total all causes	-----	3,774	-----	1,297	-----	647	-----	990	-----	840
Diseases of the heart (410-443)	1	740	1	257	2	102	1	186	1	195
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	2	433	4	117	1	178	7	32	3	106
Tuberculosis, all forms (001-019)	3	376	6	82	3	44	3	130	2	120
Motor vehicle accidents (810-835)	4	305	2	185	8	19	4	91	-----	-----
All accidents (except motor vehicle) (800-802, 840-962)	5	298	3	165	6	20	5	90	8	23
Homicide and legal execution (964, 980-985)	6	225	7	50	-----	-----	2	135	7	27
Vascular lesions affecting central nervous system (330-334)	7	208	7	50	5	29	6	68	4	61
Nephritis and nephrosis (590-594)	8	130	-----	-----	6	20	-----	-----	5	51
Suicide (963, 970-979)	-----	121	5	97	-----	-----	-----	-----	-----	-----
Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689)	-----	79	-----	-----	4	35	-----	-----	6	44
Influenza and pneumonia (480-483, 490-493)	-----	73	-----	-----	-----	-----	8	29	-----	-----
45-64 YEARS (Eight Leading Causes)										
Total all causes	-----	8,393	-----	3,374	-----	1,775	-----	1,785	-----	1,459
Diseases of the heart (410-443)	1	3,351	1	1,576	1	536	1	693	1	546
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	2	1,285	2	399	2	525	3	155	3	206
Vascular lesions affecting central nervous system (330-334)	3	1,204	3	364	3	268	2	282	2	290
Tuberculosis, all forms (001-019)	4	275	6	98	6	29	4	101	5	47
Nephritis and nephrosis (590-594)	5	265	8	66	4	42	5	79	4	78
Motor vehicle accidents (810-835)	6	179	4	101	7	25	8	46	-----	-----
All accidents (except motor vehicle) (800-802, 840-962)	7	174	4	101	-----	-----	-----	-----	-----	-----
Diabetes mellitus (260)	8	151	-----	-----	5	39	-----	-----	6	41
Influenza and pneumonia (480-483, 490-493)	-----	131	-----	-----	-----	-----	7	49	7	35
Suicide (963, 970-979)	-----	121	6	98	-----	-----	-----	-----	-----	-----
Syphilis and its sequelae (020-029)	-----	90	-----	-----	-----	-----	6	57	-----	-----
Benign and unspecified neoplasms (210-239)	-----	47	-----	-----	8	20	-----	-----	-----	-----
Diseases of arteries (450-456)	-----	112	-----	-----	-----	-----	-----	-----	8	28

* Where "total" exceeds the sum of the four classes or is not shown, it is due to the fact that the particular cause of death did not rank in the first ten in each of the four classes.

TABLE 10—*Continued*

Cause of Death (International Code Number Follows Each Cause)	Total*		White				Other			
			Male		Female		Male		Female	
65 YEARS AND OVER (Eight Leading Causes)	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.
Total all causes	-----	12,245	-----	4,984	-----	4,520	-----	1,413	-----	1,328
Diseases of the heart (410-443)	1	5,467	1	2,340	1	1,917	1	639	1	571
Vascular lesions affecting central nervous system (330-334)	2	2,244	2	855	2	829	2	277	2	283
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	3	1,333	3	550	3	572	3	103	3	108
Nephritis and nephrosis (590-594)	4	404	5	137	5	131	4	73	4	63
Diseases of arteries (450-456)	5	403	4	144	4	166	5	46	5	47
Influenza and pneumonia (480-483, 490-493)	6	291	6	105	6	128	7	31	7	27
All accidents (except motor vehicle) (800-802, 840-962)	7	262	8	90	7	127	-----	-----	8	22
Diabetes mellitus (260)	8	193	-----	-----	8	89	-----	-----	8	22
Hyperplasia of prostate (610)	-----	124	7	93	-----	-----	7	31	-----	-----
Tuberculosis, all forms (001-019)	-----	125	-----	-----	-----	-----	6	32	-----	-----
Hypertension, without mention of heart (444-447)	-----	174	-----	-----	-----	-----	-----	-----	6	31

* Where "total" exceeds the sum of the four classes or is not shown, it is due to the fact that the particular cause of death did not rank in the first ten in each of the four classes.

TABLE 11A.—LEADING CAUSES OF ACCIDENTAL DEATHS BY PLACE OF OCCURRENCE: AND OVER, 1940

Area	All accidents	Motor vehicle		Falls	Drowning	Conflagration
		Traffic	Nontraffic			
International List Number	800-965	810-825	830-835	900-904	929	916
NORTH CAROLINA	2,241	939	26	258	121	116
Alamance	32	15		6		3
Burlington	14	7		2		2
Alexander	4	1	1		1	
Alleghany	2	1			1	
Anson	16	5	1	1		3
Ashe	13	4		2	3	
Avery	4	2				
Beaufort	32	9	1	4	6	
Bertie	20	6		3	1	3
Bladen	10	6				
Brunswick	24	18			1	2
Buncombe	62	24	1	11	3	3
Asheville	44	17	1	10		3
Burke	34	16		9	1	
Cabarrus	19	6		4	1	
Concord	10	3		2		
Caldwell	15	6		2	1	1
Camden	6	1			2	2
Carteret	21	12		4	1	2
Caswell	4					
Catawba	31	8	2	4	3	1
Hickory	12	6		1	1	
Chatham	19	11		1	1	1
Cherokee	12	10				
Chowan	10	4		1		
Clay	2					
Cleveland	30	10	1	5	2	1
Shelby	15	7		3		
Columbus	27	15		1	1	4
Craven	29	16	1	1	2	3
New Bern	13	8	1	1		1
Cumberland	77	30		3	7	3
Fayetteville	34	14		2	1	2
Currituck	4	3				
Dare	2	1				
Davidson	25	5	2	1	2	4
Lexington	9					3
Thomasville	7	3	1	1		
Davie	7	5			1	
Duplin	11	2		1	3	

NORTH CAROLINA, EACH COUNTY AND SELECTED CITIES (10,000 POPULATION CENSUS), 1949

Mechanical suffocation	Burns other than conflagration	Fire-arms	Poisonings by solids and liquids	Water transports	Railway	Aircraft	Blow from falling object	Other accidents	Late effects of injury and poisoning
924, 925	916, 917	919	870-888	850-858	800-802	860-866	910	Residual	960-965
112	98	89	70	56	51	46	39	211	9
3		1	2		2				
1			1		1				
								1	
1		1						4	
			1				1	2	
							1	1	
		4		2				5	1
1	1		1	1		1		2	
2				1				1	
			1					2	
5		3	6		2			3	1
2		2	5		2			1	1
2		2		1	2			1	
1		2				3	1	1	
1		2					1	1	
2				1				2	
				1					
2									
	1			1				2	
1	2		1	1	4			4	
	2							2	
		1		1				3	
	1							1	
2	1			2					
								2	
3	2	1	2				1	2	
		1	1				1	2	
1		1	1	1			1	1	
		1		2	1	1		1	
		1						1	
5	7	6	2	2	1	7		4	
2	6	3	2					2	
								1	
				1					
2	1	2	1		2		1	2	
1	1				1		1	2	
		1	1						
1									
1		1		2				1	

TABLE 11A—

Area	All accidents	Motor vehicle		Falls	Drowning	Conflagration
		Traffic	Nontraffic			
International List Number	800-965	810-825	830-835	900-904	929	916
Durham	89	42	2	17		1
Durham	77	34	2	15		1
Edgecombe	25	9		3		1
Rocky Mount*	2					
Forsyth	65	25	2	14		1
Winston-Salem	56	20	2	14		1
Franklin	8	3	1	1	1	
Gaston	57	20		10	3	3
Gastonia	30	11		6		3
Gates	5	2		1		1
Graham	1					
Granville	16	5		1		2
Greene	6	3				
Guilford	87	27	1	17	3	7
Greensboro	53	22		12		3
High Point	13	3	1	3		
Halifax	48	20		2	1	5
Harnett	34	20		3	2	
Haywood	16	8		4		
Henderson	23	8		2	2	
Hertford	13	4	2	2		
Hoke	9	7				
Hyde	2	1				
Iredell	33	14		4	1	
Statesville	21	11		2	1	
Jackson	14	6	1			
Johnston	21	10	1	2	1	
Jones	2	1				
Lee	14	5		1		1
Lenoir	43	10		1	5	9
Kinston	28	9		1	3	
Lincoln	7	3		2		
McDowell	17	9		1		1
Macon	10	5		1		
Madison	5	2				
Martin	11	7				
Mecklenburg	103	42		21	3	3
Charlotte	88	36		20	1	2
Mitchell	3					
Montgomery	4	2		1		
Moore	23	14		6	1	
Nash	51	26	1	3	2	1
Rocky Mount*	31	18	1	2		

* See Edgecombe County for remainder of Rocky Mount.

Continued

Mechanical suffo-cation	Burns other than confla-gration	Fire-arms	Poisonings by solids and liquids	Water trans-ports	Railway	Aircraft	Blow from falling object	Other accidents	Late effects of injury and poisoning
924, 925	916, 917	919	870-888	850-858	800-802	860-866	910	Residual	960-965
---	10	1	4	---	---	---	1	11	---
---	10	1	4	---	---	---	1	9	---
3	1	2	2	1	---	---	1	2	---
---	---	---	1	---	---	---	---	1	---
---	7	2	2	---	---	1	3	8	---
---	7	1	2	---	---	---	3	6	---
---	---	1	---	---	---	---	---	1	---
4	2	---	5	3	---	1	1	4	1
1	1	---	5	---	---	1	---	2	---
1	---	---	---	---	---	---	---	---	---
---	---	---	---	1	---	---	---	---	---
1	1	---	1	---	---	4	---	1	---
---	1	---	1	---	---	---	1	---	---
---	4	2	3	2	5	2	2	10	2
---	3	1	2	---	3	---	2	4	1
---	1	1	1	---	1	---	---	1	1
6	1	2	1	---	3	1	2	4	---
1	3	---	---	---	1	3	1	---	---
1	---	---	---	---	1	---	1	1	---
---	1	---	1	---	---	5	---	4	---
4	1	---	---	---	---	---	---	---	---
1	---	---	---	---	---	---	---	1	---
---	---	1	---	---	---	---	---	---	---
1	4	1	---	1	1	---	1	5	---
1	1	1	---	---	---	---	1	3	---
---	---	---	4	---	1	---	2	---	---
5	---	---	---	---	1	1	---	---	---
---	1	---	---	---	---	---	---	---	---
---	1	1	---	---	---	---	---	5	---
1	1	2	2	---	3	---	1	7	1
---	1	2	2	---	3	---	1	5	1
---	1	---	1	---	---	---	---	---	---
1	2	1	---	---	1	---	---	1	---
---	1	1	1	---	---	---	---	1	---
3	---	---	---	---	---	---	---	---	---
---	---	1	---	3	---	---	---	---	---
5	3	1	3	2	5	---	1	12	2
5	3	1	3	---	5	---	---	10	2
---	---	1	---	---	1	---	1	---	---
---	---	---	---	---	---	---	---	1	---
---	---	---	---	1	---	---	---	1	---
4	4	2	2	---	1	---	2	3	---
1	4	1	---	---	---	---	2	2	---

TABLE 11A—

Area	All accidents	Motor vehicle		Falls	Drowning	Confla-gration
		Traffic	Nontraffic			
International List Number	800-965	810-825	830-835	900-904	929	916
New Hanover	58	21	----------	13	4	6
Wilmington	50	20	----------	11	2	6
Northampton	18	8	----------	----------	4	----------
Onslow	25	13	----------	1	4	----------
Orange	7	3	----------	----------	----------	----------
Pamlico	11	2	----------	----------	1	3
Pasquotank	17	5	----------	1	1	5
Elizabeth City	15	4	----------	1	1	5
Pender	15	7	----------	----------	1	2
Perquimans	2	1	----------	----------	----------	1
Person	10	4	----------	----------	----------	1
Pitt	32	14	----------	1	5	1
Greenville	12	7	----------	1	2	----------
Polk	6	3	----------	1	----------	----------
Randolph	25	13	----------	1	----------	----------
Richmond	23	9	----------	2	5	1
Robeson	50	24	----------	3	3	1
Rockingham	24	12	----------	3	2	----------
Reidsville	18	9	----------	3	1	----------
Rowan	43	21	2	8	----------	----------
Salisbury	27	16	2	6	----------	----------
Rutherford	24	6	----------	4	----------	----------
Sampson	33	15	----------	2	2	5
Scotland	31	17	1	1	1	1
Stanly	19	7	1	4	2	----------
Stokes	4	----------	----------	----------	----------	1
Surry	26	10	----------	7	----------	----------
Swain	5	----------	----------	----------	1	1
Transylvania	6	1	----------	----------	3	----------
Tyrrell	7	5	----------	----------	2	----------
Union	24	7	----------	2	1	5
Vance	14	6	----------	2	1	----------
Wake	87	38	1	13	3	5
Raleigh	59	24	1	12	----------	1
Warren	6	4	----------	----------	----------	1
Washington	7	1	----------	----------	1	2
Watauga	2	2	----------	----------	----------	----------
Wayne	38	13	----------	3	3	----------
Goldsboro	20	7	----------	2	----------	----------
Wilkes	27	14	----------	2	----------	1
Wilson	33	21	----------	----------	1	1
Wilson	24	16	----------	----------	----------	1
Yadkin	----------	----------	----------	----------	----------	----------
Yancey	13	----------	----------	----------	1	----------

Continued

Mechanical suffo-cation	Burns other than confla-gration	Fire-arms	Poisonings by solids and liquids	Water trans-ports	Railway	Aircraft	Blow from falling object	Other accidents	Late effects of injury and poisoning
924, 925	916, 917	919	870-888	850-858	800-802	860-866	910	Residual	960-965
	2	4		2				6	
	2	3		1				5	
4	1							1	
	1	2		2				2	
3					1				
	1	1	1	1				1	
1							3	1	
							3	1	
1	1			2				1	
2		2						1	
3	1		1	2	1		1	1	1
	1								1
1					1				
	3	5	1					2	
		3	1	1				1	
1	2	2	1		2	2	1	8	
	1	2	1		1			2	
	1	1	1		1			1	
2	1			2	1	1		5	
	1				1			1	
3	2	3		1	1			4	
5		1			1		1	1	
	2	1	2			2	1	2	
	1	2						2	
				1			1	1	
1	1	1		3			1	2	
		2		1					
								2	
3	2				1			3	
	1		1					3	
2	4	2	6	2	1		3	7	
1	3	2	5				3	7	
		1							
1						2			
	3	3	2	1				10	
	2	2	1					6	
1	1	2			1			5	
1	1	2	2	1	1			2	
1	1	1	2		1			1	
						9		3	

TABLE 11B.—CAUSES OF ACCIDENTAL DEATHS WITH CRUDE RATES PER 100,000 ESTIMATED POPULATION, BY COLOR AND SEX: NORTH CAROLINA, 1949

Type of Accident (International Code Number Follows Each Cause)	Place of Occurrence					
	Total		White		Other	
	Number	Rate	Male	Female	Male	Female
All Accidents	2,241	56.0	1,133	389	534	185
Railway accidents (800-802)	51	1.3	19	5	26	1
Motor vehicle traffic accidents (810-825)	939	23.5	538	131	228	42
Motor vehicle nontraffic accidents (830-835)	26	0.6	18	3	4	1
Other road vehicle accidents (840-845)	19	0.5	12	1	4	2
Water transport accidents (850-858)	56	1.4	42	2	12	--------
Aircraft accidents (860-866)	46	1.1	43	3	--------	--------
Accidental poisoning by solid and liquid substances (870-888)	70	1.7	36	11	15	8
Accidental poisoning by gases and vapor (890-895)	16	0.4	12	3	1	--------
Accidental falls (900-904)	258	6.4	94	127	16	21
Blow from falling object (910)	39	1.0	22	1	15	1
Accident caused by machinery (912)	39	1.0	29	--------	8	2
Accident caused by cutting and piercing instruments (913)	6	0.1	1	--------	5	--------
Accident caused by electric current (914)	31	0.8	23	2	6	--------
Accident caused by explosion of pressure vessel (915)	3	0.07	1	--------	2	--------
Accident caused by fire and explosion of combustible material (except conflagration) (916)	85	2.1	21	22	12	30
Conflagration (916)	116	2.9	37	21	34	24
Accident caused by hot substance, corrosive liquid, and steam (917)	13	0.3	4	2	3	4
Accident caused by firearms (919)	89	2.2	41	6	32	10
Inhalation and ingestion of food causing obstruction or suffocation (921)	38	0.9	18	5	8	7
Inhalation and ingestion of other object causing obstruction or suffocation (922)	5	0.1	2	1	1	1
Foreign body entering other orifice (923)	6	0.1	2	1	1	2
Accidental mechanical suffocation in bed and cradle (924)	95	2.4	28	17	32	18
Accidental mechanical suffocation in other and unspecified circumstances (925)	17	0.4	3	4	7	3
Lack of care of infants under 1 year of age (926)	1	0.02	1	--------	--------	--------
Accident caused by bites and stings of venomous animals and insects (927)	1	0.02	--------	1	--------	--------
Other accidents caused by animals (928)	7	0.2	6	--------	1	--------
Accidental drowning and submersion (929)	121	3.0	55	12	53	1
Excessive heat and insolation (931)	9	0.2	5	1	3	--------
Excessive cold (932)	2	0.04	1	--------	1	--------
Lightning (935)	10	0.2	4	3	1	2
Other and unspecified accidents (936)	18	0.4	10	2	2	4
Late effect of other accidental injury (962)	9	0.2	5	2	1	1

Page 99 Under column "International Code Number" line 762, 765–773 change numbers, "Under 1 day," "Under 1 week," and "Under 1 month," from 531, 456, and 223 to read 224, 457, and 532, respectively.

1949

International Code Cause	Cause of Death	Under 1 Day	Under 1 Week	Under 1 Month	Under 1 Year
	Total all causes	1,067	1,988	2,459	4,057
040,041	Typhoid and paratyphoid fever				
050	Scarlet fever				
051	Streptococcal sore throat				3
053	Septicemia and pyemia				5
055	Diphtheria				1
056	Whooping cough			2	24
057.0	Meningococcal meningitis			2	4
080	Acute poliomyelitis				2
082	Acute infectious encephalitis				1
085	Measles				26
087	Chickenpox				2
089	Mumps				
001–019	Tuberculosis, all forms				9
020–029	Syphilis	7	13	20	27
084	Smallpox				
086	Rubella (German measles)				
061	Tetanus			1	1
273	Diseases of the thymus gland		3	4	12
283,284	Rickets (active and late effects)				4
290–293	Anemias				6
480–483,490–493,763	Influenza and pneumonia	8	34	111	580
330–334	Vascular lesions affecting the central nervous system				7
340	Nonmeningococcal meningitis	1	1	3	18
353	Epilepsy				3
391–393	Otitis media and mastoiditis				8
470–475	Acute upper respiratory infections		1	5	30
500	Acute bronchitis		1	1	13
501,502	Bronchitis, chronic and unqualified				8
560,561,570	Intestinal obstruction and hernia	3	7	9	30
045–048,764, 571.0,543	Dysentery, gastritis, duodenitis, enteritis, colitis, and diarrhea of the newborn	1	2	64	351
590	Acute nephritis				2
750–759	Congenital malformations	83	182	260	434
760,761	Injury at birth	209	396	404	409
295,296	Hemorrhagic conditions		1	2	4
204	Leukemias and aleukemias				8
690–698	Infections of skin and subcutaneous tissue			1	2
774,776	Immaturity	503	806	884	916
762,765–773	Certain other diseases peculiar to early infancy	531	456	223	650
870–895	Accidental poisoning			1	4
916	Conflagration				5
916	Accidental burns by fire except conflagration				3
810–835	Motor vehicle				6
800–802,840–845,850–866,900–915,917–959	All accidents (except motor vehicle)	1	10	32	139
Residual	All other causes	27	74	121	300

TABLE 13.—RESIDENT INFANT AND MATERNAL DEATHS WITH RATES PER 1,000 LIVE BIRTHS: NORTH CAROLINA AND EACH COUNTY, 1949 AND FIVE-YEAR AVERAGE, 1945-1949

Area	Infant Mortality			Maternal Mortality		
	Deaths	1949 Rate	1945–49 Av. Rate	Deaths	1949 Rate	1945–49 Av. Rate
NORTH CAROLINA	4,057	37.9	37.5	128	1.2	1.9
Alamance	40	22.4	24.8			1.2
Alexander	9	23.3	40.4	1	2.6	2.7
Alleghany	4	27.2	27.2			
Anson	35	42.8	38.9	2	2.4	1.8
Ashe	21	36.3	34.3			1.8
Avery	12	29.9	33.6	2	5.0	2.9
Beaufort	69	65.6	52.4			2.2
Bertie	44	57.0	47.8	1	1.3	2.3
Bladen	51	56.2	41.8	1	1.1	3.4
Brunswick	18	34.5	38.2	3	5.7	2.9
Buncombe	94	33.1	35.3	5	1.8	1.4
Burke	21	19.5	22.5			0.7
Cabarrus	44	28.9	29.2	1	0.7	1.7
Caldwell	48	38.9	39.2	3	2.4	1.3
Camden	10	69.9	45.7	1	7.0	1.6
Carteret	17	29.0	31.2	1	1.7	0.4
Caswell	21	34.9	38.0			1.9
Catawba	60	35.9	29.2	1	0.6	1.1
Chatham	19	28.8	33.2			2.7
Cherokee	25	51.9	45.1			1.1
Chowan	26	66.8	43.7	1	2.6	1.1
Clay	3	20.6	33.1			2.9
Cleveland	58	31.8	31.7	5	2.7	1.5
Columbus	88	55.4	50.7	4	2.5	2.2
Craven	56	38.7	41.3	2	1.4	2.5
Cumberland	122	36.8	38.5	3	0.9	2.4
Currituck	3	26.6	25.0			
Dare	4	36.7	54.2			
Davidson	54	37.1	37.2			1.1
Davie	16	46.2	37.7			
Duplin	43	36.2	37.5	2	1.7	3.0
Durham	72	30.3	30.7	2	0.8	1.7
Edgecombe	78	50.3	44.3	3	1.9	1.9
Forsyth	118	32.9	36.1	4	1.1	1.7
Franklin	21	29.0	43.5	3	4.1	4.4
Gaston	81	28.0	38.8	3	1.0	1.1
Gates	14	61.4	49.7			2.5
Graham	6	29.4	35.7			1.0
Granville	42	50.7	38.0			1.8
Greene	19	32.9	33.4	2	3.5	3.8

TABLE 13—*Continued*

Area	Infant Mortality			Maternal Mortality		
	Deaths	1949 Rate	1945–49 Av. Rate	Deaths	1949 Rate	1945–49 Av. Rate
Guilford	120	27.8	31.0	1	0.2	1.7
Halifax	88	44.8	43.9	8	4.1	3.6
Harnett	39	30.9	31.4	----------	----------	1.8
Haywood	36	35.1	32.1	----------	----------	0.4
Henderson	29	38.9	35.7	----------	----------	1.4
Hertford	29	55.4	48.5	----------	----------	2.5
Hoke	31	70.8	59.4	----------	----------	1.8
Hyde	3	18.4	22.3	----------	----------	----------
Iredell	54	37.5	33.4	----------	----------	1.2
Jackson	14	33.4	35.6	----------	----------	3.0
Johnston	73	40.6	35.2	4	2.2	2.2
Jones	16	44.6	47.5	1	2.8	1.3
Lee	22	31.3	35.1	1	1.4	2.8
Lenoir	57	44.9	45.5	3	2.4	3.5
Lincoln	20	27.9	32.8	----------	----------	0.9
McDowell	11	17.5	27.2	----------	----------	0.3
Macon	16	41.8	34.8	----------	----------	0.9
Madison	24	53.1	41.2	----------	----------	2.5
Martin	32	40.7	40.4	1	1.3	2.2
Mecklenburg	180	34.4	38.6	1	0.2	1.3
Mitchell	12	30.4	20.8	----------	----------	2.4
Montgomery	11	25.0	34.9	----------	----------	0.9
Moore	22	25.9	26.4	2	2.4	1.7
Nash	93	53.1	45.8	4	2.3	2.4
New Hanover	59	37.6	49.5	1	0.6	1.5
Northampton	28	33.2	32.3	----------	----------	2.5
Onslow	33	42.2	39.7	3	3.8	2.7
Orange	16	19.5	29.2	----------	----------	1.7
Pamlico	15	56.2	47.6	2	7.5	3.0
Pasquotank	28	40.1	44.4	----------	----------	2.5
Pender	26	49.2	44.8	----------	----------	1.2
Perquimans	8	34.9	34.2	----------	----------	3.3
Person	19	24.9	30.4	1	1.3	1.9
Pitt	79	42.9	43.4	3	1.6	2.2
Polk	7	31.0	29.6	----------	----------	----------
Randolph	29	23.7	29.1	3	2.5	1.2
Richmond	45	39.4	42.5	1	0.9	3.0
Robeson	152	53.2	43.6	1	0.4	2.1
Rockingham	53	33.4	35.9	2	1.3	1.7
Rowan	63	39.3	34.7	2	1.2	2.0
Rutherford	32	26.8	27.9	2	1.7	1.9
Sampson	57	41.4	36.7	1	0.7	1.6
Scotland	49	58.1	55.9	3	3.6	2.7
Stanly	33	36.0	39.1	----------	----------	3.2
Stokes	14	29.9	35.9	----------	----------	1.6

TABLE 13—*Continued*

Area	Infant Mortality			Maternal Mortality		
	Deaths	1949 Rate	1945–49 Av. Rate	Deaths	1949 Rate	1945–49 Av. Rate
Surry	47	36.7	35.9	----------	----------	1.3
Swain	9	31.4	26.9	1	3.5	2.6
Transylvania	6	14.9	20.6	2	5.0	1.0
Tyrrell	14	102.9	46.0	----------	----------	2.9
Union	47	43.4	38.6	----------	----------	1.8
Vance	52	60.9	54.9	2	2.3	3.3
Wake	128	38.3	37.1	3	0.9	2.1
Warren	38	50.9	48.4	7	9.4	4.3
Washington	16	44.4	45.2	1	2.8	3.4
Watauga	11	22.5	33.1	----------	----------	0.8
Wayne	68	43.3	37.3	2	1.3	2.2
Wilkes	41	35.8	36.5	----------	----------	1.2
Wilson	91	58.1	50.2	3	1.9	3.5
Yadkin	9	17.3	22.1	----------	----------	1.6
Yancey	17	38.1	26.0	----------	----------	0.9

TABLE 14A.—RESIDENT LIVE BIRTHS, ILLEGITIMATES, STILLBIRTHS, DEATHS, "OTHER") WITH NUMBER OCCURRING IN HOSPITALS:

Area	Live births						Stillbirths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other	White	Other
NORTH CAROLINA	71,833	35,316	60,742	12,267	1,680	6,665	1,325	1,369	1,095	640
Urban	23,816	9,882	23,144	6,149	575	2,338	392	392	378	249
Rural	48,017	25,434	37,598	6,118	1,105	4,327	933	977	717	391
Alamance	1,375	413	1,286	123	29	69	24	17	20	7
Burlington	517	87	500	8	8	18	13	6	12	1
Graham	142	13	139	4	2	2	------	------	------	------
Rural	716	313	647	111	19	49	11	11	8	6
Alexander (All Rural)	346	40	257	13	17	9	4	2	4	------
Alleghany (All Rural)	143	4	66	------	7	------	4	------	4	------
Anson	318	500	245	66	2	92	3	14	1	3
Wadesboro	84	48	81	18	------	6	------	1	------	------
Rural	234	452	164	48	2	86	3	13	1	3
Ashe (All Rural)	576	3	445	2	21	------	15	------	13	------
Avery (All Rural)	397	4	334	4	13	------	12	------	8	------
Beaufort	587	465	520	167	12	118	8	18	7	6
Washington	196	123	194	69	4	33	1	3	1	1
Rural	391	342	326	98	8	85	7	15	6	5
Bertie (All Rural)	232	540	207	172	1	66	6	17	6	8
Bladen (All Rural)	458	449	209	35	13	66	3	17	2	5
Brunswick (All Rural)	316	206	265	48	6	42	2	17	2	9
Buncombe	2,436	406	2,261	210	80	81	42	15	35	7
Asheville	1,074	348	1,064	182	43	73	14	13	12	6
Rural	1,362	58	1,197	28	37	8	28	2	23	1
Burke	977	101	866	93	31	17	13	1	13	------
Morganton	205	46	198	44	5	9	2	------	2	------
Valdese	2	------	2	------	------	------	------	------	------	------
Rural	770	55	666	49	26	8	11	1	11	------
Cabarrus	1,224	298	1,198	255	24	55	25	12	25	12
Concord	346	99	344	87	11	20	6	1	6	1
Rural	878	199	854	168	13	35	19	11	19	11
Caldwell	1,140	93	881	67	32	13	22	5	19	1
Lenoir	209	46	194	41	6	7	5	3	5	------
Rural	931	47	687	26	26	6	17	2	14	1
Camden (All Rural)	73	70	55	3	2	14	1	3	1	2
Carteret	476	110	445	25	13	22	8	4	8	------
Beaufort	80	34	79	12	3	8	3	------	3	------
Morehead City	126	21	123	6	4	5	2	------	2	------
Rural	270	55	243	7	6	9	3	4	3	------
Caswell (All Rural)	212	389	147	82	2	62	3	8	3	1
Catawba	1,495	177	1,424	118	28	38	25	9	23	4
Hickory	514	69	510	59	7	19	9	1	9	1
Newton	145	21	139	17	7	5	4	1	3	1
Rural	836	87	775	42	14	14	12	7	11	2

Infant Deaths, and Maternal Deaths by Color (Indians Included in North Carolina, Each County, Urban and Rural, 1949

Deaths				Infant deaths				Maternal deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
19,960	10,715	7,297	2,915	2,145	1,912	1,582	755	48	80	41	55
6,207	4,089	2,808	1,451	630	610	559	352	12	20	12	16
13,753	6,626	4,489	1,464	1,515	1,302	1,023	403	36	60	29	39
351	102	103	32	26	14	21	6	--------	--------	--------	--------
140	28	45	12	8	7	7	3	--------	--------	--------	--------
31	10	9	4	2	--------	1	--------	--------	--------	--------	--------
180	64	49	16	16	7	13	3	--------	--------	--------	--------
113	13	28	2	7	2	4	1	1	--------	1	--------
74	4	10	--------	4	--------	--------	--------	--------	--------	--------	--------
92	116	30	17	13	22	8	4	--------	2	--------	2
28	16	13	3	6	2	5	1	--------	--------	--------	--------
64	100	17	14	7	20	3	3	--------	2	--------	2
159	4	58	1	20	1	14	1	--------	--------	--------	--------
102	3	45	1	12	--------	8	--------	1	1	--------	--------
186	173	53	29	23	46	17	11	--------	--------	--------	--------
52	89	20	17	8	27	6	6	--------	--------	--------	--------
134	84	33	12	15	19	11	5	--------	--------	--------	--------
88	158	15	33	4	40	3	15	--------	1	--------	--------
115	110	42	10	26	25	14	3	--------	1	--------	1
78	63	29	16	9	9	7	3	--------	3	--------	3
792	205	296	60	78	16	56	10	3	2	3	1
350	184	148	56	29	16	23	10	1	2	1	1
442	21	148	4	49	--------	33	--------	2	--------	2	--------
235	31	97	7	19	2	16	1	--------	--------	--------	--------
44	17	23	6	4	2	2	1	--------	--------	--------	--------
3	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
188	14	74	1	15	--------	14	--------	--------	--------	--------	--------
335	98	155	37	37	7	30	5	1	--------	1	--------
117	44	60	16	17	1	16	1	--------	--------	--------	--------
218	54	95	21	20	6	14	4	1	--------	1	--------
262	26	86	5	45	3	28	2	3	--------	3	--------
53	15	15	1	6	1	6	--------	--------	--------	--------	--------
209	11	71	4	39	2	22	2	3	--------	3	--------
28	17	5	6	3	7	--------	1	1	--------	1	--------
137	34	38	4	13	4	12	1	1	--------	1	--------
21	11	6	2	2	2	2	--------	--------	--------	--------	--------
31	7	11	1	4	1	4	--------	--------	--------	--------	--------
85	16	21	1	7	1	6	1	1	--------	1	--------
83	69	31	13	8	13	5	6	--------	--------	--------	--------
356	43	153	14	55	5	42	2	1	--------	1	--------
104	20	57	5	17	3	16	1	--------	--------	--------	--------
36	7	16	4	4	1	4	--------	--------	--------	--------	--------
216	16	80	5	34	1	22	1	1	--------	1	--------

TABLE 14A—

Area	Live births						Stillbirths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other	White	Other
Chatham (All Rural)	373	287	316	84	9	44	3	9	3	4
Cherokee (All Rural)	465	17	310	12	15	4	10	------	5	------
Chowan	161	228	113	32	------	46	5	14	4	5
Edenton	64	70	51	12	------	19	2	3	2	1
Rural	97	158	62	20	------	27	3	11	2	4
Clay (All Rural)	146	------	47	------	------	------	2	------	1	------
Cleveland	1,277	548	1,048	203	32	96	16	17	15	5
Kings Mountain	156	17	104	8	6	3	1	------	1	------
Shelby	272	108	269	67	7	27	2	3	2	1
Rural	849	423	675	128	19	66	13	14	12	4
Columbus	961	627	713	189	28	107	19	29	12	11
Whiteville	90	23	89	14	1	2	1	3	1	2
Rural	871	604	624	175	27	105	18	26	11	9
Craven	947	501	911	138	9	127	12	33	11	17
New Bern	291	201	288	50	------	73	4	13	4	5
Rural	656	300	623	88	9	54	8	20	7	12
Cumberland	2,358	959	2,270	339	31	156	37	38	36	16
Fayetteville	913	456	891	182	11	73	16	18	16	9
Rural	1,445	503	1,379	157	20	83	21	20	20	7
Currituck (All Rural)	59	54	52	5	2	10	4	2	4	1
Dare (All Rural)	99	10	62	1	1	5	6	2	3	------
Davidson	1,284	173	1,242	103	33	50	18	10	17	5
Lexington	336	65	334	42	7	19	2	2	2	2
Thomasville	192	44	191	28	4	14	3	4	3	2
Rural	756	64	717	33	22	17	13	4	12	1
Davie (All Rural)	287	59	196	12	4	14	6	5	3	------
Duplin (All Rural)	647	541	381	94	12	72	14	25	5	6
Durham	1,478	899	1,462	812	25	191	22	19	22	15
Durham	1,183	761	1,179	711	19	172	21	14	21	13
Rural	295	138	283	101	6	19	1	5	1	2
Edgecombe	561	990	470	113	9	248	10	23	9	7
Rocky Mount*	161	138	161	35	1	30	4	4	4	2
Tarboro	129	87	119	17	2	29	2	1	2	------
Rural	271	765	190	61	6	189	4	18	3	5
Forsyth	2,459	1,123	2,382	942	48	329	42	49	39	42
Winston-Salem	1,514	1,034	1,508	887	31	317	27	46	27	39
Rural	945	89	874	55	17	12	15	3	12	3
Franklin (All Rural)	293	430	235	92	7	56	8	21	8	4
Gaston	2,514	379	2,217	197	63	82	63	5	57	3
Belmont	161	15	158	11	4	2	------	------	------	------
Bessemer City	91	25	79	1	1	8	3	2	2	------
Cherryville	67	3	59	3	2	------	4	------	4	------
Gastonia	893	127	873	110	24	27	23	------	23	------
Rural	1,302	209	1,048	72	32	45	33	3	28	3

* See Nash County for remainder of Rocky Mount.

Continued

Deaths				Infant deaths				Maternal deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
146	69	42	13	7	12	6	4	--------	--------	--------	--------
137	8	63	5	24	1	20	--------	--------	--------	--------	--------
64	74	19	13	7	19	5	3	--------	1	--------	1
29	24	8	3	2	6	1	1	--------	--------	--------	--------
35	50	11	10	5	13	4	2	--------	1	--------	1
29	--------	6	--------	3	--------	--------	--------	--------	--------	--------	--------
287	95	113	30	40	18	31	9	4	1	4	1
37	7	14	--------	5	1	5	--------	1	--------	1	--------
71	24	42	8	7	1	7	1	2	--------	2	--------
179	64	57	22	28	16	19	8	1	1	1	1
244	166	85	48	42	46	30	15	1	3	1	2
27	12	8	7	2	4	2	2	--------	2	--------	2
217	154	77	41	40	42	28	13	1	1	1	--------
201	220	87	40	25	31	22	11	1	1	--------	1
80	112	37	19	4	14	4	6	--------	--------	--------	--------
121	108	50	21	21	17	18	5	1	1	--------	1
381	247	187	85	69	53	63	29	1	2	1	1
147	137	75	52	28	27	27	18	1	--------	1	--------
234	110	112	33	41	26	36	11	--------	2	--------	1
46	17	11	4	2	1	1	--------	--------	--------	--------	--------
39	6	11	--------	2	2	1	--------	--------	--------	--------	--------
337	60	133	19	45	9	35	4	--------	--------	--------	--------
66	24	32	13	17	5	13	4	--------	--------	--------	--------
64	18	26	5	9	--------	8	--------	--------	--------	--------	--------
207	18	75	1	19	4	14	--------	--------	--------	--------	--------
94	27	26	6	14	2	6	--------	--------	--------	--------	--------
192	135	47	25	21	22	17	6	--------	2	--------	2
443	355	177	132	29	43	27	34	--------	2	--------	1
311	283	129	110	17	35	17	30	--------	1	--------	--------
132	72	48	22	12	8	10	4	--------	1	--------	1
177	284	68	67	22	56	14	20	1	2	1	1
48	55	22	12	5	8	4	2	--------	--------	--------	--------
36	44	12	17	4	7	3	5	--------	1	--------	1
93	185	34	38	13	41	7	13	1	1	1	--------
659	489	246	265	46	72	41	53	1	3	1	3
404	439	168	248	26	64	24	48	1	3	1	3
255	50	78	17	20	8	17	5	--------	--------	--------	--------
115	117	27	15	4	17	3	2	--------	3	--------	1
576	91	206	23	72	9	44	3	3	--------	2	--------
19	2	7	1	1	--------	1	--------	--------	--------	--------	--------
28	4	9	--------	3	1	3	--------	--------	--------	--------	--------
16	2	3	--------	1	1	--------	--------	--------	--------	--------	--------
156	33	79	10	26	2	21	2	--------	--------	--------	--------
357	50	108	12	41	5	19	1	3	--------	2	--------

TABLE 14A—

Area	Live births						Stillbirths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other	White	Other
Gates (All Rural)	77	151	68	40	------	19	1	8	1	6
Graham (All Rural)	202	2	160	2	8	------	3	------	2	------
Granville	346	482	278	166	9	65	7	18	4	11
Oxford	76	65	71	23	3	18	2	3	1	1
Rural	270	417	207	143	6	47	5	15	3	10
Greene (All Rural)	250	327	100	9	4	51	3	15	3	7
Guilford	3,361	955	3,262	704	79	199	63	43	61	33
Greensboro	1,461	507	1,451	491	30	107	22	26	22	23
High Point	817	199	814	87	20	49	17	6	17	3
Rural	1,083	249	997	126	29	43	24	11	22	7
Halifax	633	1,332	530	138	12	224	10	58	8	13
Roanoke Rapids	294	28	292	26	3	7	5	1	5	1
Scotland Neck	33	35	11	3	------	11	1	2	------	1
Rural	306	1,269	227	109	9	206	4	55	3	11
Harnett	827	437	738	167	17	81	18	11	15	5
Dunn	128	76	127	31	------	18	1	------	1	------
Rural	699	361	611	136	17	63	17	11	14	5
Haywood	1,004	22	973	19	21	8	21	------	19	------
Canton	139	8	135	8	1	1	1	------	1	------
Waynesville	146	7	142	7	3	3	5	------	4	------
Rural	719	7	696	4	17	4	15	------	14	------
Henderson	690	55	637	43	11	8	8	------	7	------
Hendersonville	148	25	144	23	2	------	1	------	1	------
Rural	542	30	493	20	9	8	7	------	6	------
Hertford (All Rural)	174	349	126	65	1	37	5	12	4	2
Hoke (All Rural)	125	313	58	32	1	64	3	9	2	2
Hyde (All Rural)	66	97	53	7	3	26	3	------	3	------
Iredell	1,109	331	1,007	210	19	74	16	13	13	9
Mooresville	149	45	147	45	5	7	3	------	3	------
Statesville	345	65	324	39	4	17	3	9	3	5
Rural	615	221	536	126	10	50	10	4	7	4
Jackson (All Rural)	366	53	195	41	6	13	10	------	3	------
Johnston	1,301	498	879	59	26	80	36	23	20	3
Smithfield	109	47	99	19	4	9	1	2	1	------
Rural	1,192	451	780	40	22	71	35	21	19	3
Jones (All Rural)	173	186	148	37	3	42	3	8	3	3
Lee	462	242	443	176	9	38	4	14	4	8
Sanford	189	87	188	65	4	19	------	6	------	3
Rural	273	155	255	111	5	19	4	8	4	5
Lenoir	600	669	543	100	22	135	6	29	5	9
Kinston	263	248	254	40	9	59	4	9	4	4
Rural	337	421	289	60	13	76	2	20	1	5
Lincoln	589	129	530	31	14	24	10	3	7	3

Continued

Deaths				Infant deaths				Maternal deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
34	56	6	4	1	13	1	3	--------	--------	--------	--------
29	1	8	--------	6	--------	3	--------	--------	--------	--------	--------
139	146	54	30	15	27	9	10	--------	--------	--------	--------
36	38	10	6	5	2	3	1	--------	--------	--------	--------
103	108	44	24	10	25	6	9	--------	--------	--------	--------
48	75	16	9	5	14	4	3	1	1	1	--------
942	386	364	128	79	41	67	28	1	--------	1	--------
350	214	142	83	29	25	28	18	--------	--------	--------	--------
207	91	95	22	18	8	15	4	--------	--------	--------	--------
385	81	127	23	32	8	24	6	1	--------	1	--------
205	318	68	52	20	68	15	14	3	5	3	4
68	11	29	8	6	4	5	4	2	--------	2	--------
10	13	--------	2	--------	4	--------	--------	--------	--------	--------	--------
127	294	39	42	14	60	10	10	1	5	1	4
227	112	68	24	19	20	14	6	--------	--------	--------	--------
26	23	12	6	2	4	2	2	--------	--------	--------	--------
201	89	56	18	17	16	12	4	--------	--------	--------	--------
256	8	102	1	36	--------	30	--------	--------	--------	--------	--------
34	1	16	--------	6	--------	5	--------	--------	--------	--------	--------
36	4	13	1	3	--------	2	--------	--------	--------	--------	--------
186	3	73	--------	27	--------	23	--------	--------	--------	--------	--------
268	25	106	6	26	3	21	2	--------	--------	--------	--------
55	15	23	2	2	--------	2	--------	--------	--------	--------	--------
213	10	83	4	24	3	19	2	--------	--------	--------	--------
47	110	15	26	4	25	2	7	--------	--------	--------	--------
40	81	11	13	5	26	--------	5	--------	--------	--------	--------
46	15	6	1	2	1	1	--------	--------	--------	--------	--------
305	112	130	39	32	22	25	14	--------	--------	--------	--------
48	22	22	14	7	8	6	8	--------	--------	--------	--------
102	39	48	12	8	5	8	2	--------	--------	--------	--------
155	51	60	13	17	9	11	4	--------	--------	--------	--------
104	14	27	9	12	2	6	2	--------	--------	--------	--------
337	134	119	37	36	37	27	12	2	2	2	1
23	19	8	7	4	7	2	3	--------	--------	--------	--------
314	115	111	30	32	30	25	9	2	2	2	1
46	42	17	13	9	7	6	2	--------	1	--------	1
114	55	47	16	11	11	10	7	--------	1	--------	1
48	18	20	7	1	4	1	2	--------	--------	--------	--------
66	37	27	9	10	7	9	5	--------	1	--------	1
214	194	88	48	25	32	16	8	1	2	1	2
96	95	36	24	8	15	5	4	1	1	1	1
118	99	52	24	17	17	11	4	--------	1	--------	1
147	28	60	5	17	3	16	1	--------	--------	--------	--------

TABLE 14A—

Area	Live births						Stillbirths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other	White	Other
Lincolnton	127	24	120	9	2	7	3	1	3	1
Rural	462	105	410	22	12	17	7	2	4	2
McDowell	594	34	491	24	25	3	5	------	4	------
Marion	144	10	142	9	5	1	2	------	2	------
Rural	450	24	349	15	20	2	3	------	2	------
Macon (All Rural)	376	7	180	2	10	1	8	1	4	------
Madison (All Rural)	447	5	212	--------	28	------	7	------	3	------
Martin	323	463	139	32	8	83	3	19	3	------
Williamston	64	107	44	5	2	27	1	9	1	------
Rural	259	356	95	27	6	56	2	10	2	------
Mecklenburg	3,683	1,542	3,647	1,293	183	351	55	65	54	55
Charlotte	2,475	1,121	2,470	998	160	252	34	43	34	38
Rural	1,208	421	1,177	295	23	99	21	22	20	17
Mitchell (All Rural)	394	1	230	--------	11	------	9	------	3	------
Montgomery (All Rural)	298	142	237	31	5	26	3	4	3	2
Moore	582	268	529	193	11	77	13	9	11	8
Southern Pines	73	39	73	30	------	9	------	------	------	------
Rural	509	229	456	163	11	68	13	9	11	8
Nash	854	897	715	92	20	156	21	22	20	13
Rocky Mount*	266	142	266	34	3	35	4	3	4	2
Rural	588	755	449	58	17	121	17	19	16	11
New Hanover	996	576	993	514	24	153	12	26	12	21
Wilmington	804	475	803	417	14	130	11	25	11	20
Rural	192	101	190	97	10	23	1	1	1	1
Northampton (All Rural)	181	663	131	64	6	104	7	24	4	10
Onslow (All Rural)	593	189	532	98	14	40	10	9	9	8
Orange	514	305	467	173	9	54	11	13	10	9
Chapel Hill	169	55	168	21	2	13	4	2	4	2
Rural	345	250	299	152	7	41	7	11	6	7
Pamlico (All Rural)	141	126	37	4	7	27	4	4	2	2
Pasquotank	408	290	380	20	7	41	8	7	8	2
Elizabeth City	299	145	292	19	7	25	6	4	6	2
Rural	109	145	88	1	------	16	2	3	2	------
Pender (All Rural)	233	295	110	47	6	62	2	8	2	1
Perquimans (All Rural)	97	132	58	7	2	16	1	6	1	2
Person	419	345	338	38	8	40	7	12	7	8
Roxboro	98	41	88	6	2	3	3	------	3	------
Rural	321	304	250	32	6	37	4	12	4	8
Pitt	827	1,014	591	213	20	254	6	39	6	13
Farmville	47	61	28	4	------	21	------	------	------	------
Greenville	224	139	219	60	3	46	3	12	3	5
Rural	556	814	344	149	17	187	3	27	3	8

* See Edgecombe County for remainder of Rocky Mount.

Continued

Deaths				Infant deaths				Maternal deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
35	10	17	1	8	--------	8	--------	--------	--------	--------	--------
112	18	43	4	9	3	8	1	--------	--------	--------	--------
141	21	48	9	10	1	7	--------	--------	--------	--------	--------
31	3	15	2	1	--------	--------	--------	--------	--------	--------	--------
110	18	33	7	9	1	7	--------	--------	--------	--------	--------
107	6	27	--------	15	1	10	--------	--------	--------	--------	--------
152	4	24	1	23	1	9	--------	--------	--------	--------	--------
103	125	30	17	9	23	4	4	--------	1	--------	1
17	27	9	2	3	7	3	1	--------	1	--------	1
86	98	21	15	6	16	1	3	--------	--------	--------	--------
872	563	424	196	83	97	73	64	--------	1	--------	1
620	438	331	157	61	76	55	49	--------	1	--------	1
252	125	93	39	22	21	18	15	--------	--------	--------	--------
90	3	20	1	12	--------	7	--------	--------	--------	--------	--------
100	43	24	6	6	5	5	1	--------	--------	--------	--------
159	79	59	30	9	13	9	8	1	1	1	1
18	14	5	5	1	1	1	1	--------	--------	--------	--------
141	65	54	25	8	12	8	7	1	1	1	1
286	235	125	73	40	53	32	22	--------	4	--------	3
83	56	39	24	5	8	4	3	--------	--------	--------	--------
203	179	86	49	35	45	28	19	--------	4	--------	3
341	258	172	144	19	40	17	39	--------	1	--------	1
254	218	131	122	17	31	15	30	--------	1	--------	1
87	40	41	22	2	9	2	9	--------	--------	--------	--------
83	153	13	27	1	27	1	7	--------	--------	--------	--------
136	60	56	18	23	10	21	5	1	2	1	1
120	65	45	15	9	7	6	4	--------	--------	--------	--------
24	7	14	2	1	--------	1	--------	--------	--------	--------	--------
96	58	31	13	8	7	5	4	--------	--------	--------	--------
47	49	12	7	6	9	3	1	--------	2	--------	2
150	98	53	14	13	15	12	1	--------	--------	--------	--------
103	60	41	9	10	7	10	1	--------	--------	--------	--------
47	38	12	5	3	8	2	--------	--------	--------	--------	--------
78	88	20	17	10	16	5	4	--------	--------	--------	--------
44	53	12	7	3	5	2	2	--------	--------	--------	--------
94	65	29	13	9	10	7	2	--------	1	--------	1
29	20	13	4	2	2	2	1	--------	--------	--------	--------
65	45	16	9	7	8	5	1	--------	1	--------	1
235	263	85	63	21	58	17	20	--------	3	--------	3
15	18	4	5	--------	5	--------	--------	--------	1	--------	1
54	76	25	26	5	12	5	8	--------	1	--------	1
166	169	56	32	16	41	12	12	--------	1	--------	1

TABLE 14A—

Area	Live births						Stillbirths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other	White	Other
Polk (All Rural)	186	40	142	22	10	7	4	3	3	3
Randolph	1,068	154	1,017	100	16	22	21	7	18	6
Asheboro	212	46	211	39	4	9	7	2	6	2
Rural	856	108	806	61	12	13	14	5	12	4
Richmond	766	377	633	57	7	76	15	12	9	4
Hamlet	128	32	126	19	------	6	------	3	------	2
Rockingham	159	41	145	6	4	8	3	2	3	2
Rural	479	304	362	32	3	62	12	7	6	------
Robeson	1,009	1,846	701	434	19	274	20	81	14	36
Lumberton	205	85	181	30	4	11	6	5	6	3
Rural	804	1,761	520	404	15	263	14	76	8	33
Rockingham	1,172	414	955	156	20	59	23	21	17	8
Reidsville	201	119	196	51	2	30	3	10	2	3
Rural	971	295	759	105	18	29	20	11	15	5
Rowan	1,266	339	1,155	212	20	61	26	14	25	11
Salisbury	314	122	312	79	4	25	5	4	5	2
Spencer	60	5	60	5	------	1	1	------	1	------
Rural	892	212	783	128	16	35	20	10	19	9
Rutherford	1,006	190	571	36	34	40	17	10	12	3
Forest City	115	25	69	1	9	7	2	2	1	------
Spindale	79	13	67	3	1	5	2	------	2	------
Rural	812	152	435	32	24	28	13	8	9	3
Sampson	725	651	419	30	9	120	15	17	14	4
Clinton	72	38	44	------	------	5	3	3	2	------
Rural	653	613	375	30	9	115	12	14	12	4
Scotland	392	451	300	68	12	82	8	16	4	2
Laurinburg	129	86	119	19	2	20	1	1	1	------
Rural	263	365	181	49	10	62	7	15	3	2
Stanly	790	127	731	72	6	28	14	4	14	1
Albemarle	229	28	225	22	1	8	3	1	3	------
Rural	561	99	506	50	5	20	11	3	11	1
Stokes (All Rural)	414	54	227	32	6	6	7	4	3	2
Surry	1,189	91	851	36	25	13	26	4	20	2
Elkin	126	5	122	5	2	1	3	------	3	------
Mount Airy	211	18	165	7	6	4	3	1	2	1
Rural	852	68	564	24	17	8	20	3	15	1
Swain (All Rural)	219	68	41	62	6	7	11	------	3	------
Transylvania	378	26	257	7	7	3	7	1	3	1
Brevard	103	14	96	3	2	1	1	------	1	------
Rural	275	12	161	4	5	2	6	1	2	1
Tyrrell (All Rural)	66	70	63	28	------	22	1	5	1	5
Union	771	313	702	46	7	58	13	9	10	3
Monroe	172	73	169	16	1	22	3	3	3	2
Rural	599	240	533	30	6	36	10	6	7	1
Vance	377	477	368	147	5	70	4	21	4	13

Continued

Deaths				Infant deaths				Maternal deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
64	23	23	7	4	3	2	1	--------	--------	--------	--------
283	40	104	10	26	3	25	1	2	1	2	--------
39	9	23	4	7	1	7	1	1	--------	1	--------
244	31	81	6	19	2	18	--------	1	1	1	--------
181	115	67	22	32	13	24	5	1	--------	--------	--------
35	17	21	3	9	--------	9	--------	--------	--------	--------	--------
31	18	9	3	3	2	3	2	--------	--------	--------	--------
115	80	37	16	20	11	12	3	1	--------	--------	--------
318	465	111	118	34	118	23	37	1	--------	1	--------
52	41	21	11	7	8	5	2	--------	--------	--------	--------
266	424	90	107	27	110	18	35	1	--------	1	--------
376	134	118	39	30	23	18	10	1	1	1	--------
68	41	35	18	5	9	5	5	1	--------	1	--------
308	93	83	21	25	14	13	5	--------	1	--------	--------
459	128	189	39	44	19	36	11	--------	2	--------	1
141	62	61	24	11	8	11	5	--------	2	--------	1
22	2	13	1	3	--------	3	--------	--------	--------	--------	--------
296	64	115	14	30	11	22	6	--------	--------	--------	--------
244	47	69	10	29	3	17	1	--------	2	--------	--------
23	7	7	1	6	--------	4	--------	--------	1	--------	--------
9	7	4	2	1	1	1	--------	--------	--------	--------	--------
212	33	58	7	22	2	12	1	--------	1	--------	--------
258	149	71	23	28	29	17	5	1	--------	--------	--------
23	17	7	1	2	3	2	--------	--------	--------	--------	--------
235	132	64	22	26	26	15	5	1	--------	--------	--------
112	124	41	29	22	27	11	7	2	1	2	1
32	27	17	10	3	5	3	3	1	--------	1	--------
80	97	24	19	19	22	8	4	1	1	1	1
205	49	87	12	27	6	22	4	--------	--------	--------	--------
70	16	29	5	10	3	9	3	--------	--------	--------	--------
135	33	58	7	17	3	13	1	--------	--------	--------	--------
145	24	38	7	11	3	5	--------	--------	--------	--------	--------
290	28	104	7	42	5	28	2	--------	--------	--------	--------
27	1	12	1	7	--------	6	--------	--------	--------	--------	--------
49	9	26	1	6	2	6	1	--------	--------	--------	--------
214	18	66	5	29	3	16	1	--------	--------	--------	--------
66	16	10	9	4	5	2	4	1	--------	1	--------
90	9	24	1	6	--------	3	--------	2	--------	2	--------
26	8	13	1	2	--------	2	--------	--------	--------	--------	--------
64	1	11	--------	4	--------	1	--------	2	--------	2	--------
35	32	13	8	7	7	4	2	--------	--------	--------	--------
237	77	84	12	31	16	22	2	--------	--------	--------	--------
56	21	23	4	9	3	7	1	--------	--------	--------	--------
181	56	61	8	22	13	15	1	--------	--------	--------	--------
136	174	54	55	14	38	11	14	--------	2	--------	2

TABLE 14A -

Area	Live births						Stillbirths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other	White	Other
Henderson	154	108	154	56	1	22	2	3	2	2
Rural	223	369	214	91	4	48	2	18	2	11
Wake	2,160	1,180	1,928	541	26	182	56	54	44	32
Raleigh	1,137	440	1,133	347	11	72	15	23	15	16
Rural	1,023	740	795	194	15	110	41	31	29	16
Warren (All Rural)	175	572	156	34	1	70	5	37	4	6
Washington (All Rural)	186	174	125	12	2	40	4	12	4	1
Watauga (All Rural)	483	5	445	5	16	------	8	------	8	------
Wayne	805	766	589	184	15	170	17	16	13	12
Goldsboro	279	285	263	74	3	75	6	5	5	4
Mount Olive	48	50	46	25	------	14	1	3	1	3
Rural	478	431	280	85	12	81	10	8	7	5
Wilkes	1,076	69	771	13	39	8	25	1	18	------
North Wilkesboro	135	13	111	1	5	3	2	------	2	------
Rural	941	56	660	12	34	5	23	1	16	------
Wilson	752	815	635	172	12	167	20	28	16	11
Wilson	308	306	298	97	5	75	9	16	9	9
Rural	444	509	337	75	7	92	11	12	7	2
Yadkin (All Rural)	497	24	439	16	16	3	12	------	11	------
Yancey (All Rural)	440	6	238	3	14	------	7	------	5	------

Continued

Deaths				Infant deaths				Maternal deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
47	56	21	17	2	10	2	3	--------	--------	--------	--------
89	118	33	38	12	28	9	11	--------	2	--------	2
601	431	295	159	65	63	59	38	1	2	--------	2
290	231	168	98	35	31	34	25	--------	2	--------	2
311	200	127	61	30	32	25	13	1	--------	--------	--------
71	161	19	26	5	33	2	10	1	6	1	2
63	63	14	5	5	11	1	--------	--------	1	--------	--------
111	1	42	1	11	--------	10	--------	--------	--------	--------	--------
230	241	67	34	20	48	14	7	--------	2	--------	1
84	116	30	19	5	23	4	5	--------	--------	--------	--------
10	10	3	1	1	1	--------	--------	--------	--------	--------	--------
136	115	34	14	14	24	10	2	--------	2	--------	1
281	29	83	3	38	3	16	--------	--------	--------	--------	--------
37	5	22	--------	6	--------	4	--------	--------	--------	--------	--------
244	24	61	3	32	3	12	--------	--------	--------	--------	--------
247	274	100	78	28	63	26	20	1	2	--------	2
92	151	43	42	13	26	12	12	--------	--------	--------	--------
155	123	57	36	15	37	14	8	1	2	--------	2
125	8	31	4	9	--------	3	--------	--------	--------	--------	--------
93	1	21	1	16	1	10	1	--------	--------	--------	--------

TABLE 14B.—RESIDENT LIVE BIRTHS, ILLEGITIMATES, STILLBIRTHS, DEATHS, INFANT DEATHS, AND MATERNAL DEATHS OF INDIANS WITH NUMBER OCCURRING IN HOSPITALS: NORTH CAROLINA, EACH COUNTY, URBAN AND RURAL, 1949

Area	Live births			Stillbirths		Deaths		Infant deaths		Maternal deaths	
	Total	Hospital	Illegitimate	Total	Hospital	Total	Hospital	Total	Hospital	Total	Hospital
NORTH CAROLINA	1,180	391	149	40	18	226	72	71	25		
Urban	15	9	2	1	1	2	2				
Rural	1,165	382	147	39	17	224	70	71	25		
Bladen (All Rural)	8		2	1		3		2			
Brunswick (All Rural)	1	1									
Cherokee (All Rural)	4	4									
Columbus (All Rural)	24	2	3	2		8	1	3			
Craven (All Rural)	2		1								
Cumberland	20	11	3	2	1	5	1	1			
Fayetteville	6	4				1	1				
Rural	14	7	3	2	1	4		1			
Forsyth	2	2									
Winston-Salem	1	1									
Rural	1	1									
Gaston (All Rural)	1	1	1								
Graham (All Rural)	2	2				1					
Halifax (All Rural)	1			1	1						
Harnett (All Rural)	10	1	1								
Haywood	1	1									
Canton	1	1									
Hoke (All Rural)	21	3	4	1	1	3	1	2	1		
Jackson (All Rural)	45	39	9			11	7	2	2		
Lenoir (All Rural)	10			1							
Person (All Rural)	7					3		3			
Pitt (All Rural)	1										
Randolph (All Rural)	1										
Robeson	896	251	113	30	15	162	50	51	18		
Lumberton	5	2	1	1	1	1	1				
Rural	891	249	112	29	14	161	49	51	18		
Sampson (All Rural)	28	4	1			10	2				
Scotland	30	7	4	2		3	1	1			
Laurinburg	2	1	1								
Rural	28	6	3	2		3	1	1			
Swain (All Rural)	64	62	7			16	9	5	4		
Wake (All Rural)	1										
Warren (All Rural)						1		1			

TABLE 15.—RESIDENT LIVE BIRTHS AND DEATHS (EXCLUDING STILLBIRTHS) BY COLOR AND INSTITUTION OF OCCURRENCE: NORTH CAROLINA AND EACH COUNTY, 1949

Area	Home				General Hospital				Veterans Hospital				All Other Institutions			
	Births		Deaths		Births		Deaths		Births		Deaths		Births		Deaths	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
NORTH CAROLINA	10,999	23,008	11,467	7,089	60,742	12,267	7,297	2,915	1	1	251	109	91	40	945	602
Alamance	89	290	223	67	1,286	123	103	32			7	1			18	2
Alexander	88	27	77	9	257	13	28	2			2	2	1		6	
Alleghany	77	4	60	4	66		10								4	
Anson	73	434	60	94	245	66	30	17				2			2	3
Ashe	131	1	99	3	445	2	58	1			2					
Avery	63		50	2	334	4	45	1			1				6	
Beaufort	67	298	123	137	520	167	53	29			1	1			9	6
Bertie	25	367	68	118	207	172	15	33		1	3	1			2	6
Bladen	249	413	71	96	209	35	42	10				1		1	2	3
Brunswick	51	158	47	46	265	48	29	16							2	1
Buncombe	174	196	428	119	2,261	210	296	60			18	9	1		50	17
Burke	76	8	114	17	866	93	97	7			1	2	35		23	5
Cabarrus	26	43	154	56	1,198	255	155	37			4				22	5
Caldwell	259	26	164	18	881	67	86	5			5				7	3
Camden	18	67	22	10	55	3	5	6							1	1
Carteret	31	85	96	28	445	25	38	4			2	1			1	1
Caswell	65	307	48	56	147	82	31	13			1				3	
Catawba	70	59	190	28	1,424	118	153	14			4		1		9	1
Chatham	56	203	99	50	316	84	42	13			1	1	1		4	5
Cherokee	154	5	67	3	310	12	63	5			2		1		5	

Chowan	48	196	43	61	113	32	19	13			1				1	
Clay	99		22		47		6								1	
Cleveland	228	345	150	62	1,048	203	113	30			6		1		18	3
Columbus	248	438	155	113	713	189	85	48			1				3	5
Craven	36	363	103	162	911	138	87	40			2	4			9	14
Cumberland	87	620	161	144	2,270	339	187	85	1		12	7			21	11
Currituck	7	49	32	12	52	5	11	4			1				2	1
Dare	37	9	27	6	62	1	11								1	
Davidson	42	70	195	33	1,242	103	133	19			3	2			6	6
Davie	90	47	66	21	196	12	26	6			1		1		1	
Duplin	266	447	140	105	381	94	47	25			3				2	5
Durham	15	87	228	190	1,462	812	177	132			5	3	1		33	30
Edgecombe	90	877	100	195	470	113	68	67			1	2	1		8	20
Forsyth	67	164	369	196	2,382	942	246	265			6	7	10	17	38	21
Franklin	58	337	79	94	235	92	27	15			2	4		1	7	4
Gaston	296	182	340	61	2,217	197	206	23			6	1	1		24	6
Gates	9	110	24	51	68	40	6	4			2			1	2	1
Graham	42		20	1	160	2	8								1	
Granville	68	316	78	110	278	166	54	30							7	6
Greene	150	318	28	59	100	9	16	9			1	2			3	5
Guilford	94	251	499	214	3,262	704	364	128			12	3	5		67	41
Halifax	103	1,194	120	246	530	138	68	52			3	4			14	16
Harnett	88	270	153	80	738	167	68	24			2	3	1		4	5
Haywood	29	3	140	6	973	19	102	1			6		2		8	1
Henderson	53	12	137	15	637	43	106	6			7				18	4
Hertford	48	284	31	80	126	65	15	26			1	2				2
Hoke	67	279	25	61	58	32	11	13			2			2	2	7
Hyde	13	90	38	14	53	7	6	1			1				1	
Iredell	100	121	162	69	1,007	210	130	39					2		13	4
Jackson	170	12	73	5	195	41	27	9			1		1		3	

TABLE 15—*Continued*

Area	Home				General Hospital				Veterans Hospital				All Other Institutions			
	Births		Deaths		Births		Deaths		Births		Deaths		Births		Deaths	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Johnston	422	439	205	87	879	59	119	37	-------	-------	1	2	-------	-------	12	8
Jones	25	149	23	28	148	37	17	13	-------	-------	2	-------	-------	-------	4	1
Lee	19	66	61	35	443	176	47	16	-------	-------	-------	-------	-------	-------	6	4
Lenoir	56	569	115	137	543	100	88	48	-------	-------	1	2	1	-------	10	7
Lincoln	59	98	83	22	530	31	60	5	-------	-------	1	-------	-------	-------	3	1
McDowell	98	10	86	10	491	24	48	9	-------	-------	2	-------	5	-------	5	2
Macon	196	5	77	6	180	2	27	-------	-------	-------	2	-------	-------	-------	1	-------
Madison	232	5	119	3	212	-------	24	1	-------	-------	2	-------	3	-------	7	-------
Martin	184	431	66	99	139	32	30	17	-------	-------	3	1	-------	-------	4	8
Mecklenburg	34	249	360	310	3,647	1,293	424	196	-------	-------	7	4	2	-------	81	53
Mitchell	164	1	68	2	230	-------	20	1	-------	-------	-------	-------	-------	-------	2	-------
Montgomery	60	111	69	35	237	31	24	6	-------	-------	-------	-------	1	-------	7	2
Moore	53	75	89	42	529	193	59	30	-------	-------	3	2	-------	-------	8	5
Nash	139	805	137	139	715	92	125	73	-------	-------	3	1	-------	-------	21	22
New Hanover	2	62	145	94	993	514	172	144	-------	-------	6	1	1	-------	18	19
Northampton	49	599	60	118	131	64	13	27	-------	-------	3	-------	1	-------	7	8
Onslow	61	91	73	37	532	98	56	18	-------	-------	3	-------	-------	-------	4	5
Orange	47	132	69	47	467	173	45	15	-------	-------	1	-------	-------	-------	5	3
Pamlico	104	122	33	41	37	4	12	7	-------	-------	1	-------	-------	-------	1	1
Pasquotank	28	270	89	72	380	20	53	14	-------	-------	3	2	-------	-------	5	10

Pender	123	248	54	68	110	47	20	17			3	2			1	1
Perquimans	38	125	31	43	58	7	12	7					1		1	3
Person	81	307	59	44	338	38	29	13			2				4	8
Pitt	236	801	139	181	591	213	85	63			1	3			10	16
Polk	44	18	38	14	142	22	23	7							3	2
Randolph	51	54	163	28	1,017	100	104	10			2				14	2
Richmond	133	320	101	87	633	57	67	22			4				9	6
Robeson	306	1,412	200	329	701	434	111	118			3	3	2		4	15
Rockingham	217	258	243	89	955	156	118	39			2				13	6
Rowan	111	127	245	83	1,155	212	189	39			3	1			22	5
Rutherford	435	154	158	36	571	36	69	10			3				14	1
Sampson	306	621	178	117	419	30	71	23			2	1			7	8
Scotland	92	383	64	87	300	68	41	29			3	1			4	7
Stanly	59	55	107	34	731	72	87	12				1			11	2
Stokes	187	22	100	17	227	32	38	7							7	
Surry	334	55	169	21	851	36	104	7			4		4		13	
Swain	177	6	50	7	41	62	10	9			1		1		5	
Transylvania	121	19	63	8	257	7	24	1			1				2	
Tyrrell	3	42	20	24	63	28	13	8							2	
Union	69	266	141	62	702	46	84	12			2			1	10	3
Vance	8	330	65	112	368	147	54	55			3	3	1		14	4
Wake	232	639	272	238	1,928	541	295	159			9	5			25	29
Warren	19	535	49	129	156	34	19	26			2	3		3	1	3
Washington	61	162	48	52	125	12	14	5				3			1	3
Watauga	38		68		445	5	42	1							1	
Wayne	216	570	150	189	589	184	67	34			5	2		12	8	16
Wilkes	304	56	189	22	771	13	83	3			3		1		6	4
Wilson	117	643	128	173	635	172	100	78			3	1			16	22
Yadkin	58	6	86	4	439	16	31	4			2			2	6	
Yancey	201	3	64		238	3	21	1			2		1		6	

TABLE 16.—RESIDENT LIVE BIRTHS BY AGE OF

Age of Father	Total Births	Age of Mother in Years																
		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
NORTH CAROLINA	107,149	17	56	237	818	2,094	3,654	5,386	6,663	7,003	7,266	7,144	7,091	6,848	6,171	5,746	5,183	5,013
14	5	1	--	3	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
15	13	2	--	2	8	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
16	68	--	3	6	17	27	7	4	2	-----	-----	-----	1	-----	-----	-----	-----	-----
17	278	1	2	17	42	82	70	29	15	8	4	1	1	1	1	-----	-----	-----
18	910	1	10	17	74	195	228	217	85	43	15	7	5	8	-----	1	-----	-----
19	2,017	3	1	24	86	261	378	454	436	197	77	42	24	7	8	4	3	5
20	3,132	--	2	14	86	239	446	639	644	475	281	129	67	52	15	12	10	4
21	4,630	--	1	17	64	249	494	764	874	793	676	312	162	80	54	30	11	16
22	5,479	1	2	7	54	185	390	700	866	931	847	719	341	174	100	55	30	23
23	6,296	--	--	8	38	126	308	596	809	958	943	911	759	366	197	113	59	34
24	6,504	--	--	3	24	83	183	387	644	774	935	993	905	728	387	189	104	63
25	6,422	--	1	2	17	52	143	283	462	596	766	833	937	834	654	366	178	103
26	6,235	--	1	1	9	57	123	225	351	441	616	683	792	832	738	626	299	196
27	6,028	--	--	3	7	30	75	152	240	377	463	571	660	784	735	672	585	296
28	5,950	--	1	--	8	24	67	136	200	277	325	433	537	650	678	709	621	546
29	5,385	--	--	--	5	16	35	53	153	164	241	321	422	524	553	621	628	596
30	4,976	--	--	--	1	10	27	69	97	142	183	242	328	384	480	482	552	570
31	3,920	--	--	--	--	7	18	39	48	85	144	138	185	278	314	346	402	445
32	4,028	--	--	2	1	7	8	26	53	93	94	142	169	206	246	294	353	447
33	3,434	--	--	--	2	4	15	18	27	51	73	92	146	132	152	224	260	290
34	3,246	--	--	--	1	6	11	10	24	40	64	65	90	137	117	191	216	269
35	2,972	--	--	1	1	2	6	10	21	38	30	56	66	87	136	112	169	184
36	2,689	--	--	--	2	3	3	9	11	18	34	32	35	73	72	125	116	168
37	2,354	--	--	--	--	2	3	5	14	21	22	28	33	56	72	76	123	107
38	2,499	--	--	--	2	3	5	6	15	19	25	19	40	46	60	82	90	146
39	2,048	--	--	--	--	-----	1	7	6	10	18	20	27	35	45	69	59	82
40	1,795	--	--	--	1	2	1	3	9	10	12	15	18	33	32	55	52	64
41	1,256	--	--	--	--	-----	2	1	4	2	10	13	13	14	21	30	25	29
42	1,321	--	--	--	--	-----	1	3	2	11	7	12	12	23	18	21	30	32
43	964	--	--	--	--	-----	-----	1	3	1	3	5	14	8	14	17	22	21
44	773	--	--	--	1	1	-----	1	1	2	5	7	9	12	9	10	14	30
45	737	--	--	--	--	-----	-----	-----	-----	-----	5	14	7	12	17	10	10	19
46	517	--	--	--	--	-----	-----	1	2	1	3	6	8	4	6	9	6	14
47	446	--	1	--	--	-----	-----	-----	1	5	-----	4	5	8	9	8	13	3
48	487	--	--	--	--	-----	2	4	-----	1	1	5	6	5	7	11	8	17
49	439	--	--	--	--	-----	-----	-----	2	1	3	4	7	2	8	2	5	10
50	273	--	--	--	1	-----	1	1	-----	1	1	3	3	6	5	3	5	13
51	171	--	--	--	--	-----	-----	-----	-----	-----	-----	3	1	1	4	2	5	5
52	193	--	--	--	--	-----	-----	2	1	1	3	-----	1	-----	2	5	-----	5
53	144	--	--	--	--	-----	-----	-----	-----	1	-----	2	-----	2	4	1	-----	6
54	115	--	--	--	--	-----	1	-----	3	-----	4	2	1	1	-----	3	3	3
55-59	396	--	--	--	--	-----	2	1	1	2	5	5	6	6	7	5	9	12
60-64	178	--	--	1	--	-----	-----	-----	-----	-----	2	3	3	1	6	3	3	6
65-69	109	--	--	--	--	-----	-----	-----	-----	-----	-----	1	2	2	3	1	1	4
70+	39	--	--	1	--	-----	-----	-----	-----	-----	1	1	1	3	-----	1	-----	-----
Not Stated	5,278	8	31	108	265	420	600	530	537	413	325	250	242	231	185	150	104	130

MOTHER, BY AGE OF FATHER: NORTH CAROLINA, 1949

Age of Mother in Years

29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	Not Stated
4,320	3,835	3,104	2,987	2,680	2,470	2,102	1,912	1,642	1,499	1,226	849	593	521	316	196	98	67	25	10	9	3	295
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	3
2	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1
2	----	1	----	----	1	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	2
4	4	----	1	----	1	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	6
10	5	1	3	1	2	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	11
14	12	3	3	9	----	1	----	1	----	1	----	----	----	----	----	----	----	----	----	----	----	10
20	15	5	5	5	7	3	2	1	----	1	----	----	----	----	----	----	----	----	----	----	----	7
36	17	11	12	1	1	1	2	4	1	----	----	----	----	----	----	----	----	----	----	----	----	16
73	45	16	21	13	6	4	4	----	1	2	----	1	2	----	----	----	----	----	----	----	----	7
96	51	37	18	10	8	2	4	2	2	2	1	1	1	----	----	----	----	----	----	----	----	10
143	73	52	37	19	16	16	3	3	1	----	1	1	1	----	----	----	----	1	----	----	----	11
299	188	80	57	40	24	10	7	4	8	3	2	1	1	2	----	----	----	----	----	----	----	12
48	218	136	82	45	31	20	10	6	2	3	3	1	----	1	----	----	----	----	----	----	----	10
521	395	191	112	55	48	24	23	14	9	4	3	----	----	----	----	----	----	----	----	----	----	10
426	354	297	147	101	60	30	16	12	7	8	1	----	3	----	----	----	----	1	----	----	----	8
415	435	347	290	156	84	45	41	18	17	9	7	5	1	----	1	1	----	----	----	----	----	15
356	326	322	320	281	136	78	48	25	15	12	9	7	2	1	----	1	1	----	1	----	----	7
272	309	297	311	288	247	98	81	46	28	12	5	3	----	----	1	2	----	----	----	----	----	5
196	310	243	272	284	255	225	112	65	33	21	15	5	5	1	----	2	----	----	----	----	----	9
162	232	202	220	250	259	207	225	94	55	44	18	8	5	2	----	----	----	----	----	1	----	4
97	165	165	201	201	220	205	200	172	66	48	18	17	4	5	1	1	1	----	----	----	----	5
134	125	161	180	181	208	218	211	185	175	81	30	22	12	3	2	2	1	----	----	----	----	10
128	102	101	144	138	169	172	171	158	154	134	42	29	15	5	2	----	----	----	1	----	----	4
59	91	81	82	119	141	168	151	155	161	130	84	27	20	8	3	1	1	----	1	1	----	4
38	39	72	66	81	93	93	107	121	105	112	79	50	18	13	1	1	1	----	----	----	----	2
50	49	43	97	59	84	89	95	107	134	115	88	64	46	21	4	1	1	1	----	----	----	1
28	33	17	34	81	60	66	73	82	85	66	72	57	56	22	13	4	3	----	----	----	----	3
29	22	32	24	35	55	41	53	56	59	62	53	40	54	29	15	5	4	1	----	----	----	2
19	26	27	30	25	27	53	39	45	58	59	79	44	43	36	21	6	3	----	----	1	----	2
9	15	14	22	16	25	28	47	23	40	43	40	38	38	25	23	5	6	----	----	----	----	----
12	14	16	16	13	28	17	33	44	30	35	25	28	30	18	12	8	5	1	1	----	----	3
19	19	10	13	18	21	29	22	33	56	43	27	28	25	19	12	11	8	3	1	----	----	3
15	12	18	12	24	20	26	24	24	30	42	33	24	21	26	19	13	4	6	----	1	----	1
7	16	7	8	15	16	13	11	12	15	13	25	7	18	16	12	7	7	3	----	----	1	1
5	6	4	4	9	7	13	5	12	14	11	7	11	14	10	10	2	4	2	----	----	----	----
5	7	3	11	14	8	8	10	14	22	13	7	10	17	5	6	3	4	2	2	2	----	----
8	4	4	11	7	8	6	6	11	7	9	9	8	7	11	5	4	2	----	1	----	----	----
3	----	2	7	1	7	8	3	7	10	8	3	5	9	13	4	1	3	----	----	----	----	----
10	17	8	17	14	21	20	25	32	29	23	25	22	24	10	16	9	5	3	1	1	1	2
8	5	5	8	7	15	12	6	8	11	14	8	9	10	7	4	6	2	----	1	2	----	2
1	1	5	5	4	5	7	7	10	10	11	6	9	3	2	6	2	1	----	----	----	----	----
1	6	1	1	5	----	3	3	----	4	3	2	1	----	----	----	----	----	----	----	----	1	----
103	72	67	82	55	46	42	30	35	45	29	22	10	16	5	3	----	----	1	----	----	----	86

TABLE 17.—RESIDENT LIVE BIRTHS BY COLOR AND AGE OF MOTHER, SHOWING BIRTH ORDER: NORTH CAROLINA, 1949

Color and Age of Mother	Birth Order*																							
	Total	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th	14th	15th	16th	17th	18th	19th	20th	22nd	23rd	Not Stated
NORTH CAROLINA	107,149	32,015	27,692	16,446	9,647	6,186	4,264	3,021	2,325	1,662	1,177	747	462	280	187	108	56	33	10	6	6	2	2	815
White total	71,833	23,950	20,514	11,167	5,844	3,377	2,118	1,425	1,041	720	473	282	181	94	53	31	12	3	2	3	1	----	----	542
10–14 Years	61	58	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2
15–19 Years	10,814	8,029	2,290	328	37	6	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	123
20–24 Years	23,912	9,697	8,674	3,627	1,220	391	114	18	8	1	1	1	----	1	----	----	----	----	----	----	----	----	----	159
25–29 Years	18,770	4,128	6,070	3,974	2,156	1,200	641	307	122	35	11	3	----	1	----	----	----	----	----	----	----	----	----	122
30–34 Years	10,640	1,445	2,446	2,134	1,542	1,029	738	505	365	195	88	39	23	11	----	2	1	----	----	----	----	----	----	73
35–39 Years	5,662	457	864	912	726	583	490	448	385	313	213	128	67	25	8	5	4	----	----	----	----	----	----	34
40–44 Years	1,686	91	131	171	145	153	120	124	145	159	138	97	79	46	40	20	6	1	----	1	1	----	----	18
45–49 Years	139	3	3	4	6	7	9	15	9	14	19	12	12	9	5	4	1	2	2	2	----	----	----	1
50 and Over	2	----	----	----	----	----	----	----	----	----	1	----	----	1	----	----	----	----	----	----	----	----	----	----
Not Stated	147	42	35	17	12	8	6	7	3	3	2	2	----	----	----	----	----	----	----	----	----	----	----	10
Other total	35,316	8,065	7,178	5,279	3,803	2,809	2,146	1,596	1,266	942	704	465	281	186	134	77	44	30	8	3	5	2	2	291
10–14 Years	248	233	12	1	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1
15–19 Years	7,802	4,537	2,295	709	155	41	5	1	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	58
20–24 Years	11,440	2,305	3,279	2,732	1,696	834	321	114	40	16	9	6	1	----	----	----	----	----	----	----	----	----	----	87
25–29 Years	7,663	640	1,112	1,256	1,229	1,155	987	606	342	161	64	38	9	5	----	1	----	----	----	----	----	----	----	58
30–34 Years	4,436	218	323	386	492	531	547	532	499	375	246	109	64	42	15	7	4	4	2	----	----	1	----	39
35–39 Years	2,719	90	110	154	183	198	229	281	282	321	287	223	126	77	58	34	20	8	2	2	1	----	----	33
40–44 Years	789	12	15	21	31	36	43	52	90	62	90	82	76	55	48	29	14	16	2	1	2	1	2	9
45–49 Years	70	2	1	2	----	1	4	3	1	2	8	6	4	6	12	6	5	2	2	----	2	----	----	1
50 and Over	1	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Not Stated	148	28	31	18	16	13	9	7	11	5	----	1	1	1	1	----	1	----	----	----	----	----	----	5

* No mother reported as having delivered a 21st child.

TABLE 18.—RESIDENT CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY COLOR AND SEX: NORTH CAROLINA, 1949

Sex and Status at Birth	Cases of Twins		
	Total	White	Other
Number cases of twins	1,197	730	467
Two males—total cases	412	277	135
Both children live born	364	252	112
One child live born, one stillborn	30	15	15
Both children stillborn	18	10	8
One male, one female—total cases	399	211	188
Both children live born	355	196	159
One live born male, one stillborn female	16	3	13
One stillborn male, one live born female	22	11	11
Both children stillborn	6	1	5
Two females—total cases	386	242	144
Both children live born	345	224	121
One child live born, one stillborn	28	10	18
Both children stillborn	13	8	5

Sex and Status at Birth	Cases of Triplets		
	Total	White	Other
Number cases of triplets	12	7	5
Three males—total cases	3	1	2
All three children live born	2	1	1
One live born, two stillborn	1	--------	1
Two males, one female—total cases	5	4	1
All three children live born	3	3	--------
Two live born, one stillborn (live born—2 male, 2 female; stillborn 2 male)	2	1	1
One male, two females—total cases	1	--------	1
All three children stillborn	1	--------	1
Three females—total cases	3	2	1
All three children live born	3	2	1

TABLE 19A.—RESIDENT STILLBIRTHS BY COLOR AND SEX WITH RATES PER 1,000 LIVE BIRTHS: NORTH CAROLINA AND EACH COUNTY, 1949

Area	Grand Total		White				Other			
			Total		Male	Female	Total		Male	Female
	Number	Rate	Number	Rate	Number	Number	Number	Rate	Number	Number
NORTH CAROLINA	2,694	25.1	1,325	18.4	704	621	1,369	38.8	757	612
Alamance	41	22.9	24	17.5	11	13	17	41.2	10	7
Alexander	6	15.5	4	11.6	3	1	2	50.0	--------	2
Alleghany	4	27.2	4	28.0	3	1	--------	--------	--------	--------
Anson	17	20.8	3	9.4	1	2	14	28.0	8	6
Ashe	15	25.9	15	26.0	4	11	--------	--------	--------	--------
Avery	12	29.9	12	30.2	6	6	--------	--------	--------	--------
Beaufort	26	24.7	8	13.6	4	4	18	38.7	14	4
Bertie	23	29.8	6	25.9	4	2	17	31.5	8	9
Bladen	20	22.1	3	6.6	1	2	17	37.9	14	3
Brunswick	19	36.4	2	6.3	1	1	17	82.5	10	7
Buncombe	57	20.1	42	17.2	24	18	15	36.9	4	11
Burke	14	13.0	13	13.3	6	7	1	9.9	1	--------
Cabarrus	37	24.3	25	20.4	15	10	12	40.3	7	5
Caldwell	27	21.9	22	19.3	11	11	5	53.8	4	1
Camden	4	28.0	1	13.7	--------	1	3	42.9	1	2
Carteret	12	20.5	8	16.8	2	6	4	36.4	3	1
Caswell	11	18.3	3	14.2	2	1	8	20.6	5	3
Catawba	34	20.3	25	16.7	13	12	9	50.9	4	5
Chatham	12	18.2	3	8.0	1	2	9	31.4	4	5
Cherokee	10	20.7	10	21.5	7	3	--------	--------	--------	--------
Chowan	19	48.8	5	31.1	4	1	14	61.4	9	5
Clay	2	13.7	2	13.7	1	1	--------	--------	--------	--------
Cleveland	33	18.1	16	12.5	5	11	17	31.0	9	8
Columbus	48	30.2	19	19.8	13	6	29	46.3	16	13
Craven	45	31.1	12	12.7	5	7	33	65.9	17	16
Cumberland	75	22.6	37	15.7	24	13	38	39.6	23	15
Currituck	6	53.1	4	67.8	4	--------	2	37.0	1	1
Dare	8	73.4	6	60.6	3	3	2	200.0	1	1
Davidson	28	19.2	18	14.0	12	6	10	57.8	5	5
Davie	11	31.8	6	20.9	4	2	5	84.7	3	2
Duplin	39	32.8	14	21.6	9	5	25	46.2	16	9
Durham	41	17.2	22	14.9	11	11	19	21.1	9	10
Edgecombe	33	21.3	10	17.8	4	6	23	23.2	14	9
Forsyth	91	25.4	42	17.1	22	20	49	43.6	31	18
Franklin	29	40.1	8	27.3	3	5	21	48.8	10	11
Gaston	68	23.5	63	25.1	34	29	5	13.2	2	3
Gates	9	39.5	1	13.0	--------	1	8	53.0	3	5
Graham	3	14.7	3	14.9	2	1	--------	--------	--------	--------
Granville	25	30.2	7	20.2	4	3	18	37.3	5	13
Greene	18	31.2	3	12.0	--------	3	15	45.9	8	7

Table 19A—*Continued*

Area	Grand Total		White				Other			
			Total		Male	Female	Total		Male	Female
	Number	Rate	Number	Rate	Number	Number	Number	Rate	Number	Number
Guilford	106	24.6	63	18.7	34	29	43	45.0	28	15
Halifax	68	34.6	10	15.8	4	6	58	43.5	30	28
Harnett	29	22.9	18	21.8	5	13	11	25.2	7	4
Haywood	21	20.5	21	20.9	13	8	-------	-------	-------	-------
Henderson	8	10.7	8	11.6	6	2	-------	-------	-------	-------
Hertford	17	32.5	5	28.7	3	2	12	34.4	6	6
Hoke	12	27.4	3	24.0	2	1	9	28.8	7	2
Hyde	3	18.4	3	45.5	1	2	-------	-------	-------	-------
Iredell	29	20.1	16	14.4	6	10	13	39.3	9	4
Jackson	10	23.9	10	27.3	6	4	-------	-------	-------	-------
Johnston	59	32.8	36	27.7	18	18	23	46.2	15	8
Jones	11	30.6	3	17.3	3	-------	8	43.0	5	3
Lee	18	25.6	4	8.7	2	2	14	57.9	7	7
Lenoir	35	27.6	6	10.0	2	4	29	43.3	19	10
Lincoln	13	18.1	10	17.0	2	8	3	23.3	-------	3
McDowell	5	8.0	5	8.4	4	1	-------	-------	-------	-------
Macon	9	23.5	8	21.3	3	5	1	142.9	1	-------
Madison	7	15.5	7	15.7	5	2	-------	-------	-------	-------
Martin	22	28.0	3	9.3	-------	3	19	41.0	10	9
Mecklenburg	120	23.0	55	14.9	34	21	65	42.2	32	33
Mitchell	9	22.8	9	22.8	7	2	-------	-------	-------	-------
Montgomery	7	15.9	3	10.1	1	2	4	28.2	3	1
Moore	22	25.9	13	22.3	5	8	9	33.6	4	5
Nash	43	24.6	21	24.6	9	12	22	24.5	13	9
New Hanover	38	24.2	12	12.0	6	6	26	45.1	13	13
Northampton	31	36.7	7	38.7	4	3	24	36.2	14	10
Onslow	19	24.3	10	16.9	4	6	9	47.6	7	2
Orange	24	29.3	11	21.4	6	5	13	42.6	6	7
Pamlico	8	30.0	4	28.4	1	3	4	31.7	4	-------
Pasquotank	15	21.5	8	19.6	5	3	7	24.1	6	1
Pender	10	18.9	2	8.6	1	1	8	27.1	6	2
Perquimans	7	30.6	1	10.3	1	-------	6	45.5	4	2
Person	19	24.9	7	16.7	3	4	12	34.8	2	10
Pitt	45	24.4	6	7.3	2	4	39	38.5	22	17
Polk	7	31.0	4	21.5	3	1	3	75.0	2	1
Randolph	28	22.9	21	19.7	12	9	7	45.5	4	3
Richmond	27	23.6	15	19.6	6	9	12	31.8	7	5
Robeson	101	35.4	20	19.8	14	6	81	43.9	38	43
Rockingham	44	27.7	23	19.6	15	8	21	50.7	14	7
Rowan	40	24.9	26	20.5	13	13	14	41.3	11	3

TABLE 19A—*Continued*

Area	Grand Total		White				Other			
			Total		Male	Female	Total		Male	Female
	Number	Rate	Number	Rate	Number	Number	Number	Rate	Number	Number
Rutherford	27	22.6	17	16.9	11	6	10	52.6	6	4
Sampson	32	23.3	15	20.7	7	8	17	26.1	10	7
Scotland	24	28.5	8	20.4	5	3	16	35.5	3	13
Stanly	18	19.6	14	17.7	9	5	4	31.5	2	2
Stokes	11	23.5	7	16.9	4	3	4	74.1	4	-------
Surry	30	23.4	26	21.9	13	13	4	44.0	3	1
Swain	11	38.3	11	50.2	7	4	-------	-------	-------	-------
Transylvania	8	19.8	7	18.5	4	3	1	38.5	1	-------
Tyrrell	6	44.1	1	15.2	1	-------	5	71.4	-------	5
Union	22	20.3	13	16.9	7	6	9	28.8	5	4
Vance	25	29.3	4	10.6	3	1	21	44.0	15	6
Wake	110	32.9	56	25.9	33	23	54	45.8	30	24
Warren	42	56.2	5	28.6	3	2	37	64.7	14	23
Washington	16	44.4	4	21.5	2	2	12	69.0	6	6
Watauga	8	16.4	8	16.6	3	5	-------	-------	-------	-------
Wayne	33	21.0	17	21.1	7	10	16	20.9	11	5
Wilkes	26	22.7	25	23.2	12	13	1	14.5	-------	1
Wilson	48	30.6	20	26.6	13	7	28	34.4	12	16
Yadkin	12	23.0	12	24.1	2	10	-------	-------	-------	-------
Yancey	7	15.7	7	15.9	4	3	-------	-------	-------	-------

Table 19B.—Resident Stillbirths by Color and Sex with Rates Per 1,000 Live Births: Selected Cities (10,000 Population and Over, 1940 Census), 1949

Area	Grand Total		White				Other			
			Total		Male	Female	Total		Male	Female
	Number	Rate	Number	Rate	Number	Number	Number	Rate	Number	Number
Total	606	24.0	286	16.4	154	132	320	40.8	183	137
Asheville	27	19.0	14	13.0	8	6	13	37.4	4	9
Burlington	19	31.5	13	25.1	5	8	6	69.0	3	3
Charlotte	77	21.4	34	13.7	19	15	43	38.4	21	22
Concord	7	15.7	6	17.3	4	2	1	10.1	1	-------
Durham	35	18.0	21	17.8	10	11	14	18.4	8	6
Elizabeth City	10	22.5	6	20.1	4	2	4	27.6	3	1
Fayetteville	34	24.8	16	17.5	13	3	18	39.5	11	7
Gastonia	23	22.5	23	25.8	12	11	-------	-------	-------	-------
Goldsboro	11	19.5	6	21.5	2	4	5	17.5	4	1
Greensboro	48	24.4	22	15.1	11	11	26	51.3	13	13
Greenville	15	41.3	3	13.4	1	2	12	86.3	7	5
Hickory	10	17.2	9	17.5	3	6	1	14.5	-------	1
High Point	23	22.6	17	20.8	12	5	6	30.2	5	1
Kinston	13	25.4	4	15.2	1	3	9	36.3	6	3
Lexington	4	10.0	2	6.0	2	-------	2	30.8	1	1
New Bern	17	34.6	4	13.7	1	3	13	64.7	8	5
Raleigh	38	24.1	15	13.2	10	5	23	52.3	16	7
Reidsville	13	40.6	3	14.9	2	1	10	84.0	7	3
Rocky Mount	15	21.2	8	18.7	4	4	7	25.0	5	2
Salisbury	9	20.6	5	15.9	2	3	4	32.8	3	1
Shelby	5	13.2	2	7.4	2	-------	3	27.8	1	2
Statesville	12	29.3	3	8.7	1	2	9	138.5	6	3
Thomasville	7	29.7	3	15.6	1	2	4	90.9	2	2
Wilmington	36	28.1	11	13.7	6	5	25	52.6	12	13
Wilson	25	40.7	9	29.2	4	5	16	52.3	7	9
Winston-Salem	73	28.6	27	17.8	14	13	46	44.5	29	17

TABLE 20.—RESIDENT STILLBIRTHS BY AGE AND COLOR OF MOTHER, AND ATTENDANT WITH PERCENTAGE DISTRIBUTION: NORTH CAROLINA, 1949

Age of Mother	Grand Total	White								Other							
		Total	Attended by:							Total	Attended by:						
			Physician		Midwife		Other				Physician		Midwife		Other		
			No.	%	No.	%	No.	%			No.	%	No.	%	No.	%	
	2,694	1,325	1,286	97.1	34	2.6	5	0.4		1,369	1,048	76.6	307	22.4	14	1.0	
13	2	----	----	----	----	----	----	----		2	1	50.0	1	50.0	----	----	
14	12	1	1	100.0	----	----	----	----		11	7	63.6	4	36.4	----	----	
15	25	2	2	100.0	----	----	----	----		23	19	82.6	4	17.4	----	----	
16	48	15	15	100.0	----	----	----	----		33	21	63.6	11	33.3	1	3.0	
17	84	31	31	100.0	----	----	----	----		53	40	75.5	13	24.5	----	----	
18	104	44	40	90.9	4	9.1	----	----		60	46	76.7	14	23.3	----	----	
19	117	60	60	100.0	----	----	----	----		57	46	80.7	10	17.5	1	1.8	
20	170	75	72	96.0	3	4.0	----	----		95	67	70.5	27	28.4	1	1.1	
21	150	73	72	98.6	1	1.4	----	----		77	63	81.8	11	14.3	3	3.9	
22	125	62	61	98.4	1	1.6	----	----		63	47	74.6	16	25.4	----	----	
23	151	83	80	96.4	2	2.4	1	1.2		68	54	79.4	14	20.6	----	----	
24	136	63	61	96.8	----	----	2	3.2		73	57	78.1	15	20.6	1	1.4	
25	122	59	58	98.3	1	1.7	----	----		63	46	73.0	17	27.0	----	----	
26	120	65	63	96.9	1	1.5	1	1.5		55	42	76.4	13	23.6	----	----	
27	112	68	67	98.5	1	1.5	----	----		44	35	79.5	9	20.5	----	----	
28	122	64	63	98.4	1	1.6	----	----		58	46	79.3	12	20.7	----	----	
29	124	52	50	96.2	2	3.8	----	----		72	52	72.2	19	26.4	1	1.4	
30	103	63	62	98.4	1	1.6	----	----		40	35	87.5	4	10.0	1	2.5	
31	69	35	34	97.1	1	2.9	----	----		34	28	82.4	6	17.6	----	----	
32	93	50	49	98.0	1	2.0	----	----		43	32	74.4	10	23.3	1	2.3	
33	75	35	34	97.1	1	2.9	----	----		40	32	80.0	8	20.0	----	----	
34	85	50	47	94.0	3	6.0	----	----		35	24	68.6	11	31.4	----	----	
35	95	41	37	90.2	3	7.3	1	2.4		54	43	79.6	11	20.4	----	----	
36	79	37	36	97.3	1	2.7	----	----		42	34	81.0	6	14.3	2	4.8	
37	61	37	35	94.6	2	5.4	----	----		24	20	83.3	4	16.7	----	----	
38	66	29	29	100.0	----	----	----	----		37	25	67.6	11	29.7	1	2.7	
39	46	24	23	95.8	1	4.2	----	----		22	13	59.1	9	40.9	----	----	
40	53	24	24	100.0	----	----	----	----		29	25	86.2	4	13.8	----	----	
41	31	18	18	100.0	----	----	----	----		13	12	92.3	1	7.7	----	----	
42	35	19	18	94.7	1	5.3	----	----		16	13	81.3	3	18.8	----	----	
43	15	9	9	100.0	----	----	----	----		6	5	83.3	1	16.7	----	----	
44	10	6	6	100.0	----	----	----	----		4	2	50.0	2	50.0	----	----	
45	15	9	8	88.9	1	11.1	----	----		6	3	50.0	2	33.3	1	16.7	
46	2	----	----	----	----	----	----	----		2	2	100.0	----	----	----	----	
47	5	3	3	100.0	----	----	----	----		2	2	100.0	----	----	----	----	
53	1	----	----	----	----	----	----	----		1	----	----	1	100.0	----	----	
Not Stated	31	19	18	94.7	1	5.3	----	----		12	9	75.0	3	25.0	----	----	